

SAFETY DATA SHEET

1. Identification

, 3,3',4',6-Pentachlorobiphen y Z-110J1	/I Solution
Z-110J1	
Z-110J1	
or Laboratory Use Only	
one known.	
tributor information	
hem Service, Inc.	
60 Tower Lane	
/est Chester, PA 19380	
nited States	
oll Free	800-452-9994
irect	610-692-3026
ww.chemservice.com	
fo@chemservice.com	
hemtrec US	800-424-9300
hemtrec outside US	+1 703-527-3887
r t f f f f f	br Laboratory Use Only one known. tributor information hem Service, Inc. 50 Tower Lane est Chester, PA 19380 hited States oll Free rect ww.chemservice.com fo@chemservice.com hemtrec US

Physical hazards	Flammable liquids	Category 2
Health hazards	Acute toxicity, oral	Category 2
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Reproductive toxicity (fertility)	Category 2
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 2
OSHA defined hazards	Not classified.	

Label elements

Signal word

Hazard statement



Danger

Highly flammable liquid and vapor. Fatal if swallowed. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of damaging fertility. Causes damage to organs through prolonged or repeated exposure. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only outdoors or in a well-ventilated area. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement Prevention

Response	If swallowed: Immediately call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Specific treatment (see this label). Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.
Supplemental information	0.99% of the mixture consists of component(s) of unknown acute oral toxicity. 0.99% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 0.99% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
n-Hexane		110-54-3	90 - 100
2,3,3',4',6-Pentachlorobiphenyl		38380-03-9	0.01

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. May cause redness and pain. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Highly flammable liquid and vapor.

. . .

6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with skin. Avoid contact with eyes. Avoid contact during pregnancy/while nursing. Avoid prolonged exposure. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.
	For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Avoid spark promoters. Eliminate sources of ignition. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.
8. Exposure controls/perso	onal protection
Occupational exposure limits	

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Туре Components Value n-Hexane (CAS 110-54-3) PEL 1800 mg/m3 500 ppm

Components	T	уре		Value	
n-Hexane (CAS 110-54-3)	T	WA		50 ppm	
US. NIOSH: Pocket Guide	··· · · · · · _			Malaa	
Components	Ľ	уре		Value	
2,3,3',4',6-Pentachlorobiphe nyl (CAS 38380-03-9)	r T	WA		0.001 mg/m3	
n-Hexane (CAS 110-54-3)	T	WA		180 mg/m3	
				50 ppm	
Siological limit values					
ACGIH Biological Exposu	re Indices				
Components	Value	Determinar	nt Specimer	n Sampling Time	
n-Hexane (CAS 110-54-3)	0.4 mg/l	2,5-Hexane n, without hydrolysis	dio Urine	*	
* - For sampling details, plea	ase see the source of	document.			
xposure guidelines					
US - California OELs: Skir	designation				
n-Hexane (CAS 110-54	-3)	C	an be absorbed th	rough the skin.	
US ACGIH Threshold Limi	t Values: Skin desi	gnation			
n-Hexane (CAS 110-54	-3)	C	an be absorbed th	rough the skin.	
ppropriate engineering ontrols	changes per hou applicable, use p maintain airborn established, mai shower must be	ur) should be used process enclosure e levels below red intain airborne lev available when h	d. Ventilation rates es, local exhaust v commended expo rels to an acceptal andling this produ	on. Good general ventilations s should be matched to co ventilation, or other engine sure limits. If exposure lim ble level. Eye wash facilitie not.	nditions. If ering controls to its have not been
ndividual protection measure	-		-		
Eye/face protection	Wear safety glas	sses with side shi	elds (or goggles).		
Skin protection					
Hand protection	Wear appropriat	e chemical resista	ant gloves.		
Other	Wear appropriat	e chemical resista	ant clothing.		
Respiratory protection	limits (where ap	plicable) or to an		ncentrations below recomn in countries where exposu worn.	
Thermal hazards	Wear appropriat	e thermal protect	ive clothing, when	necessary.	
Seneral hygiene	When using, do	not eat, drink or s	moke. Always ob	serve good personal hygie	ne measures, suc

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-137.74 °F (-94.3 °C) estimated
Initial boiling point and boiling range	155.66 °F (68.7 °C) estimated
Flash point	-7.0 °F (-21.7 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.

Material name: 2,3,3',4',6-Pentachlorobiphenyl Solution

15 Version #: 01 Issue date: 04-22-2014

Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	202.64 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	437 °F (225 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.65 g/cm3 estimated
Flammability class	Flammable IB estimated
Specific gravity	0.65 estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

	•
Ingestion	Fatal if swallowed.
Inhalation	Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Prolonged inhalation may be harmful. May cause damage to organs by inhalation.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Information on toxicological effects

Acute toxicity

Fatal if swallowed. Narcotic effects. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components	Species	Test Results
n-Hexane (CAS 110-54-3)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
		> 5 ml/kg
Inhalation		
LC50	Mouse	48000 ppm, 4 Hours
	Rat	> 5000 ppm, 24 Hours
		> 31.86 mg/l
		73860 ppm, 4 Hours
Oral		
LD50	Rat	24 mg/kg
		24 ml/kg

Components	Species	Test Results
	Wistar rat	49 mg/kg
* Estimates for product may b	e based on additional component dat	a not shown.
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye rritation	Causes serious eye irritation.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to cau	se skin sensitization.
Germ cell mutagenicity	No data available to indicate produ mutagenic or genotoxic.	ct or any components present at greater than 0.1% are
Carcinogenicity	This product is not considered to be	e a carcinogen by IARC, ACGIH, NTP, or OSHA.
2,3,3',4',6-Pentachlorobip US. National Toxicology Pro	ogram (NTP) Report on Carcinogen	
	ohenyl (CAS 38380-03-9) Rea ulated Substances (29 CFR 1910.10	asonably Anticipated to be a Human Carcinogen. 01-1050)
Reproductive toxicity	Suspected of damaging fertility.	
Specific target organ toxicity - single exposure	Narcotic effects.	
Specific target organ toxicity - epeated exposure	Causes damage to organs through	prolonged or repeated exposure.
Aspiration hazard	Not available.	
Chronic effects	Prolonged inhalation may be harmi exposure.	ul. Causes damage to organs through prolonged or repeated
12. Ecological informatior	ı	
Ecotoxicity	Toxic to aquatic life with long lastin	g effects. Accumulation in aquatic organisms is expected.
Components	Species	Test Results
Components n-Hexane (CAS 110-54-3)	Species	Test Results
	Species	Test Results
n-Hexane (CAS 110-54-3) Aquatic		Test Results imephales promelas) 2.101 - 2.981 mg/l, 96 hours
n-Hexane (CAS 110-54-3) Aquatic Fish		imephales promelas) 2.101 - 2.981 mg/l, 96 hours
n-Hexane (CAS 110-54-3) Aquatic Fish * Estimates for product may b	LC50 Fathead minnow (P	imephales promelas) 2.101 - 2.981 mg/l, 96 hours a not shown.
n-Hexane (CAS 110-54-3) Aquatic Fish * Estimates for product may b Persistence and degradability	LC50 Fathead minnow (P	imephales promelas) 2.101 - 2.981 mg/l, 96 hours a not shown.
n-Hexane (CAS 110-54-3) Aquatic Fish * Estimates for product may b Persistence and degradability	LC50 Fathead minnow (P be based on additional component dat No data is available on the degrada No data available.	imephales promelas) 2.101 - 2.981 mg/l, 96 hours a not shown.
n-Hexane (CAS 110-54-3) Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan n-Hexane	LC50 Fathead minnow (P be based on additional component dat No data is available on the degrada No data available. nol / water (log Kow)	imephales promelas) 2.101 - 2.981 mg/l, 96 hours a not shown.
n-Hexane (CAS 110-54-3) Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan n-Hexane Mobility in soil	LC50 Fathead minnow (P be based on additional component dat No data is available on the degrada No data available. nol / water (log Kow) 3.9 No data available. No other adverse environmental ef	imephales promelas) 2.101 - 2.981 mg/l, 96 hours a not shown.
n-Hexane (CAS 110-54-3) Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan n-Hexane Mobility in soil Other adverse effects	LC50 Fathead minnow (P be based on additional component dat No data is available on the degrada No data available. nol / water (log Kow) 3.9 No data available. No other adverse environmental ef potential, endocrine disruption, glob	imephales promelas) 2.101 - 2.981 mg/l, 96 hours a not shown. ability of this product. fects (e.g. ozone depletion, photochemical ozone creation
n-Hexane (CAS 110-54-3) Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan n-Hexane Mobility in soil Other adverse effects 13. Disposal consideration	LC50 Fathead minnow (P be based on additional component dat No data is available on the degrada No data available. nol / water (log Kow) 3.9 No data available. No other adverse environmental ef potential, endocrine disruption, glob ns Collect and reclaim or dispose in se and its container must be disposed sewers/water supplies. Do not cont	imephales promelas) 2.101 - 2.981 mg/l, 96 hours a not shown. ability of this product. fects (e.g. ozone depletion, photochemical ozone creation bal warming potential) are expected from this component.
n-Hexane (CAS 110-54-3) Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan n-Hexane Mobility in soil Other adverse effects 3. Disposal consideration Disposal instructions	LC50 Fathead minnow (P be based on additional component dat No data is available on the degrada No data available. nol / water (log Kow) 3.9 No data available. No other adverse environmental ef potential, endocrine disruption, glob ns Collect and reclaim or dispose in se and its container must be disposed sewers/water supplies. Do not cont container. Dispose of contents/com	imephales promelas) 2.101 - 2.981 mg/l, 96 hours a not shown. ability of this product. fects (e.g. ozone depletion, photochemical ozone creation bal warming potential) are expected from this component. ealed containers at licensed waste disposal site. This materia of as hazardous waste. Do not allow this material to drain in aminate ponds, waterways or ditches with chemical or used tainer in accordance with local/regional/national/international
n-Hexane (CAS 110-54-3) Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan n-Hexane Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions	LC50 Fathead minnow (P be based on additional component dat No data is available on the degrada No data available. nol / water (log Kow) 3.9 No data available. No other adverse environmental ef potential, endocrine disruption, glob ns Collect and reclaim or dispose in se and its container must be disposed sewers/water supplies. Do not cont container. Dispose of contents/con regulations. Dispose in accordance with all app The waste code should be assigne disposal company.	 imephales promelas) 2.101 - 2.981 mg/l, 96 hours ia not shown. ability of this product. fects (e.g. ozone depletion, photochemical ozone creation pal warming potential) are expected from this component. ealed containers at licensed waste disposal site. This materia of as hazardous waste. Do not allow this material to drain intraminate ponds, waterways or ditches with chemical or used tainer in accordance with local/regional/national/international licable regulations. d in discussion between the user, the producer and the waste
n-Hexane (CAS 110-54-3) Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan	LC50 Fathead minnow (P be based on additional component dat No data is available on the degrada No data available. nol / water (log Kow) 3.9 No data available. No other adverse environmental ef potential, endocrine disruption, glob ns Collect and reclaim or dispose in se and its container must be disposed sewers/water supplies. Do not cont container. Dispose of contents/com regulations. Dispose in accordance with all app The waste code should be assigne disposal company. Dispose of in accordance with loca	 imephales promelas) 2.101 - 2.981 mg/l, 96 hours a not shown. ability of this product. fects (e.g. ozone depletion, photochemical ozone creation bal warming potential) are expected from this component. ealed containers at licensed waste disposal site. This materia of as hazardous waste. Do not allow this material to drain in aminate ponds, waterways or ditches with chemical or used tainer in accordance with local/regional/national/international licable regulations.

14. Transport information

DOT

DOT	
UN number	UN1208
UN proper shipping name	Hexanes, solution, MARINE POLLUTANT
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	П
Environmental hazards	
Marine pollutant	Yes
•	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, T4, TP1
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242
IATA	
UN number	UN1208
UN proper shipping name	Hexanes solution
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	Ш
Environmental hazards	No.
ERG Code	3H
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.
IMDG	
UN number	UN1208
UN proper shipping name	HEXANES SOLUTION, MARINE POLLUTANT
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	1
Environmental hazards	
Marine pollutant	Yes
EmS	F-E, S-D
	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not available.
Annex II of MARPOL 73/78 and	
the IBC Code	
DOT	
-	



IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All components are on the U.S. EPA TSCA Inventory List.			
TSCA Section 12(b) Export	Notification (40 CFR 707, Sub	opt. D)		
2,3,3',4',6-Pentachlorobiphenyl (CAS 38380-03-9) CERCLA Hazardous Substance List (40 CFR 302.4)		0.00005 % Annual Export Notification required.		
n-Hexane (CAS 110-54-3) SARA 304 Emergency release notification Not regulated.		Listed.		
	ulated Substances (29 CFR 1	910.1001-1050)		
Superfund Amendments and R	eauthorization Act of 1986 (S	ARA)		
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No	,		
SARA 302 Extremely haza	dous substance			
Not listed.				
SARA 311/312 Hazardous chemical	No			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
n-Hexane		110-54-3	90 - 100	
Other federal regulations				
Clean Air Act (CAA) Section				
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutan	ts (HAPs) List		
n-Hexane (CAS 110-54-	3)			
n-Hexane (CAS 110-54- Clean Air Act (CAA) Sectio			68.130)	
n-Hexane (CAS 110-54- Clean Air Act (CAA) Sectio Not regulated.	3) n 112(r) Accidental Release P		68.130)	
n-Hexane (CAS 110-54- Clean Air Act (CAA) Sectio	3)		68.130)	
n-Hexane (CAS 110-54- Clean Air Act (CAA) Sectio Not regulated. Safe Drinking Water Act	3) n 112(r) Accidental Release P		68.130)	
n-Hexane (CAS 110-54- Clean Air Act (CAA) Sectio Not regulated. Safe Drinking Water Act (SDWA)	3) n 112(r) Accidental Release P Not regulated.		68.130)	
n-Hexane (CAS 110-54- Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - S 2,3,3',4',6-Pentachlorobin n-Hexane (CAS 110-54-	3) n 112(r) Accidental Release P Not regulated. Substance List phenyl (CAS 38380-03-9) 3)	revention (40 CFR	58.130)	
n-Hexane (CAS 110-54- Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - S 2,3,3',4',6-Pentachlorobin n-Hexane (CAS 110-54- US. New Jersey Worker an	3) n 112(r) Accidental Release P Not regulated. Substance List phenyl (CAS 38380-03-9) 3) d Community Right-to-Know A	revention (40 CFR	68.130)	
n-Hexane (CAS 110-54- Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - S 2,3,3',4',6-Pentachlorobin n-Hexane (CAS 110-54- US. New Jersey Worker an	3) n 112(r) Accidental Release P Not regulated. Substance List phenyl (CAS 38380-03-9) 3) d Community Right-to-Know A phenyl (CAS 38380-03-9)	revention (40 CFR	58.130)	

US. Pennsylvania RTK - Hazardous Substances

2,3,3',4',6-Pentachlorobiphenyl (CAS 38380-03-9)

n-Hexane (CAS 110-54-3) US. Rhode Island RTK

n-Hexane (CAS 110-54-3)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

2,3,3',4',6-Pentachlorobiphenyl (CAS 38380-03-9) Listed: October 1, 1989

US - California Proposition 65 - CRT: Listed date/Developmental toxin

2,3,3',4',6-Pentachlorobiphenyl (CAS 38380-03-9) Listed: January 1, 1991

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	04-22-2014
Version #	01
NFPA ratings	Health: 2 Flammability: 3 Instability: 0
Disclaimer	The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.
	Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.
	This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.
	Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.
	This product is furnished FOR LABORATORY USE ONLY

This product is furnished FOR LABORATORY USE ONLY.