# SAFETY DATA SHEET



#### 1. Identification

**Product identifier** Base Neutrals Matrix Spiking Mixture #A - 8270B,CLP

Other means of identification

M-BNMS1X4

Recommended use For Laboratory Use Only

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Chem Service, Inc. 660 Tower Lane **Address** 

West Chester, PA 19380

**United States** 

Toll Free 800-452-9994 Telephone Direct

610-692-3026

Website www.chemservice.com E-mail info@chemservice.com

Chemtrec US 800-424-9300 **Emergency phone number** 

Chemtrec outside US +1 703-527-3887

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

> Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Carcinogenicity Category 1B Reproductive toxicity (fertility) Category 2 Specific target organ toxicity, repeated Category 2

exposure

Hazardous to the aquatic environment, acute **Environmental hazards** Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause cancer.

Suspected of damaging fertility. May cause damage to organs through prolonged or repeated

exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective

gloves/protective clothing/eye protection/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If

> in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Specific treatment (see this label). Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash

before reuse. Collect spillage.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Material name: Base Neutrals Matrix Spiking Mixture #A - 8270B,CLP

SDS US

Hazard(s) not otherwise classified (HNOC)

None known.

**Supplemental information** 

0.2% of the mixture consists of component(s) of unknown acute oral toxicity. 99.5% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 99.4% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Methylene chloride	DICHLOROMETHANE; METHYLENE DICHLORIDE	75-09-2	90 - 100
1,2,4-Trichlorobenzene		120-82-1	0.1
1,4-Dichlorobenzene		106-46-7	0.1
2,4-Dinitrotoluene		121-14-2	0.1
Acenaphthene		83-32-9	0.1
N-Nitrosodi-n-propylamine		621-64-7	0.1
Pyrene		129-00-0	0.1

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

Most important

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off

contaminated clothing and wash before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May

cause redness and pain. Prolonged exposure may cause chronic effects.

delayed

Indication of immediate Provide general supportive measures and treat symptomatically. In case of shortness of breath,

medical attention and special give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed. treatment needed

**General information**IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

symptoms/effects, acute and

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

**Unsuitable extinguishing** Do not use water jet as an extinguisher, as this will spread the fire. **media** 

Specific hazards arising from During fire, gases hazardous to health may be formed.

the chemical

**Special protective equipment** Self-contained breathing apparatus and full protective clothing must be worn in case of fire. and precautions for firefighters

**Fire-fighting** Move containers from fire area if you can do so without risk. **equipment/instructions** 

**Specific methods**Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: Base Neutrals Matrix Spiking Mixture #A - 8270B,CLP

170 Version #: 01 Issue date: 11-11-2014

## Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

# **Environmental precautions**

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

# Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with skin. Avoid contact with eyes. Avoid contact during pregnancy/while nursing. Avoid prolonged exposure. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

CTEL	
STEL	125 ppm
TWA	25 ppm
nants (29 CFR 1910.1000)	
Туре	Value
PEL	450 mg/m3
	75 ppm
PEL	1.5 mg/m3
Туре	Value
Ceiling	5 ppm
TWA	10 ppm
TWA	0.2 mg/m3
TWA	50 ppm
ırds	
Туре	Value
Ceiling	40 mg/m3
	5 ppm
TWA	1.5 mg/m3
	nants (29 CFR 1910.1000) Type  PEL  Type  Ceiling  TWA  TWA  TWA  TWA  Trype  Ceiling  Ceiling

#### Bio

Components	Value	Determinant	Specimen	Sampling Time
Methylene chloride (CAS 75-09-2)	0.3 mg/l	Dichlorometha ne	Urine	*

<sup>\* -</sup> For sampling details, please see the source document.

#### **Exposure guidelines**

US - California OELs: Skin designation

2,4-Dinitrotoluene (CAS 121-14-2)

Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

2,4-Dinitrotoluene (CAS 121-14-2) Skin designation applies.

**US - Tennesse OELs: Skin designation** 

2,4-Dinitrotoluene (CAS 121-14-2)

Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

2,4-Dinitrotoluene (CAS 121-14-2)

Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

2,4-Dinitrotoluene (CAS 121-14-2)

Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

2,4-Dinitrotoluene (CAS 121-14-2) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid

Color Not available.
Odor Not available.
Odor threshold Not available.
pH Not available.

Melting point/freezing point -139 °F (-95 °C) estimated
Initial boiling point and boiling 103.55 °F (39.75 °C) estimated

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

15.5 % estimated

(%)

Flammability limit - upper

66.4 % estimated

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 579.97 hPa estimated

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** 1033 °F (556.11 °C) estimated

**Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Density** 1.32468 g/cm3 estimated

Percent volatile 99.5 % estimated

Specific gravity 1.32 estimated

VOC (Weight %) 99.5 % estimated

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

Information on likely routes of exposure

**Ingestion** Harmful if swallowed.

**Inhalation** Prolonged inhalation may be harmful. May cause damage to organs by inhalation.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May

cause redness and pain.

# Information on toxicological effects

Acute toxicity Harmful if swallowed.

Components Species Test Results

### 1,2,4-Trichlorobenzene (CAS 120-82-1)

**Acute** Dermal

 LD50
 Mouse
 300 mg/kg

 Rabbit
 > 5000 mg/kg

 Rat
 11356 mg/kg

Oral

LD50 Mouse 766 mg/kg
Rat 600 mg/kg

Other

LD50 Mouse 1223 mg/kg
Rat 6100 mg/kg

#### 1,4-Dichlorobenzene (CAS 106-46-7)

Acute Dermal

LD50 Rat > 6000 mg/kg

Inhalation

LC50 Rat > 5.07 mg/l, 4 Hours

Oral

LD50 Guinea pig 7593 mg/kg

 Mouse
 2950 mg/kg

 Rabbit
 2812 mg/kg

 Rat
 500 mg/kg

500 - 1000 mg/kg

SDS US

170 Version #: 01 Issue date: 11-11-2014 5 / 11

Components	Species	Test Results
Other	Maria	0
LD50	Mouse	2 g/kg
	Rat	2562 mg/kg
2,4-Dinitrotoluene (CAS 121-1	4-2)	
Acute		
<i>Dermal</i> LD50	Rat	> 2500 mg/kg
Inhalation	rat	2 2000 mg/kg
LC50	Rat	0.24 mg/l
Oral		3
LD50	Cat	27 mg/kg
	Guinea pig	1300 mg/kg
	Mouse	750 mg/kg
	Rat	268 mg/kg
TD	Dog	1 mg/kg
Other	5	3 3
LD50	Mouse	> 500 mg/kg
Methylene chloride (CAS 75-0	9-2)	
Acute	,	
Dermal		
LD50	Rat	> 2000 mg/kg
Inhalation		
LC50	Guinea pig	11600 ppm, 6 Hours
		40.2 mg/l, 6 Hours
	Mouse	14400 ppm, 7 Hours
		51.5 mg/l, 2 Hours
		49.1 mg/l, 6 Hours
		49 mg/l, 7 Hours
	Rat	2000 mg/l, 15 Minutes
		88 mg/l, 900 Days
		79 mg/l, 2 Hours
		52 mg/l, 6 Hours
LD50	Mouse	16000 ppm, 7 Hours
Oral		
LD50	Rat	1600 mg/kg
Other		
LD50	Mouse	437 mg/kg
N-Nitrosodi-n-propylamine (CA	AS 621-64-7)	
<b>Acute</b> <i>Oral</i>		
LD50	Rat	480 mg/kg
Other		
LD50	Hamster	600 mg/kg
	Rat	487 mg/kg
* Estimates for product ma	ay be based on additional component dat	ta not shown.
Skin corrosion/irritation	Causes skin irritation.	

Serious eye damage/eye

Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization. Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity May cause cancer.

### IARC Monographs. Overall Evaluation of Carcinogenicity

1,4-Dichlorobenzene (CAS 106-46-7)
2B Possibly carcinogenic to humans.
2,4-Dinitrotoluene (CAS 121-14-2)
2B Possibly carcinogenic to humans.

Acenaphthene (CAS 83-32-9) 3 Not classifiable as to carcinogenicity to humans.

Methylene chloride (CAS 75-09-2)

N-Nitrosodi-n-propylamine (CAS 621-64-7)

2B Possibly carcinogenic to humans.

2B Possibly carcinogenic to humans.

Pyrene (CAS 129-00-0) 3 Not classifiable as to carcinogenicity to humans.

#### US. National Toxicology Program (NTP) Report on Carcinogens

1,4-Dichlorobenzene (CAS 106-46-7)Reasonably Anticipated to be a Human Carcinogen.Methylene chloride (CAS 75-09-2)Reasonably Anticipated to be a Human Carcinogen.N-Nitrosodi-n-propylamine (CAS 621-64-7)Reasonably Anticipated to be a Human Carcinogen.

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Methylene chloride (CAS 75-09-2)

Cancer

**Reproductive toxicity** Suspected of damaging fertility.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. May cause

damage to organs through prolonged or repeated exposure.

# 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Components		Species	Test Results
1,2,4-Trichlorobenzen	e (CAS 120-82-1)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3.1 - 3.69 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	1.35 - 1.73 mg/l, 96 hours
1,4-Dichlorobenzene (	CAS 106-46-7)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	0.0007 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	1.12 mg/l, 96 hours
2,4-Dinitrotoluene (CA	S 121-14-2)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	22.5 - 30.5 mg/l, 48 hours
Fish	LC50	Zebra danio (Danio rerio)	10 - 60 mg/l, 96 hours
Acenaphthene (CAS 8	3-32-9)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	1.102 - 1.475 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.52 - 0.71 mg/l, 96 hours
Methylene chloride (Ca	AS 75-09-2)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	1250 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	140.8 - 277.8 mg/l, 96 hours
Pyrene (CAS 129-00-0	0)		
Aquatic	•		
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	> 2 mg/l, 96 hours

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Material name: Base Neutrals Matrix Spiking Mixture #A - 8270B,CLP

Partition coefficient n-octanol / water (log Kow)

 1,2,4-Trichlorobenzene
 4.02

 1,4-Dichlorobenzene
 3.44

 2,4-Dinitrotoluene
 1.98

 Acenaphthene
 3.92

 Methylene chloride
 1.25

 N-Nitrosodi-n-propylamine
 1.36

 Pyrene
 4.88

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

**US RCRA Hazardous Waste U List: Reference** 

1,4-Dichlorobenzene (CAS 106-46-7)U0722,4-Dinitrotoluene (CAS 121-14-2)U105Methylene chloride (CAS 75-09-2)U080N-Nitrosodi-n-propylamine (CAS 621-64-7)U111

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

#### 14. Transport information

DOT

UN number UN1593

**UN proper shipping name** Dichloromethane, solution, MARINE POLLUTANT

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk -Label(s) 6.1 Packing group III

**Environmental hazards** 

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3, IP8, N36, T7, TP2

Packaging exceptions153Packaging non bulk203Packaging bulk241

**IATA** 

UN number UN1593

**UN proper shipping name** Dichloromethane solution

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Packing group III
Environmental hazards No.
ERG Code 6L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed.

aircraft

Cargo aircraft only Allowed.

**IMDG** 

UN number UN1593

**UN** proper shipping name Transport hazard class(es) DICHLOROMETHANE SOLUTION, MARINE POLLUTANT

Class

6.1(PGIII)

Subsidiary risk **Packing group** 

Ш

**Environmental hazards** 

Marine pollutant

Yes F-A, S-A

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not available.

the IBC Code

**EmS** 

#### DOT



IATA; IMDG



## Marine pollutant



# 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910,1200.

All components are on the U.S. EPA TSCA Inventory List.

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

1,2,4-Trichlorobenzene (CAS 120-82-1) Listed. 2,4-Dinitrotoluene (CAS 121-14-2) Listed. Acenaphthene (CAS 83-32-9) Listed. Methylene chloride (CAS 75-09-2) Listed. N-Nitrosodi-n-propylamine (CAS 621-64-7) Listed. Pyrene (CAS 129-00-0) Listed.

# SARA 304 Emergency release notification

Methylene chloride (CAS 75-09-2)

Pyrene (CAS 129-00-0) 5000 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Cancer Heart

Material name: Base Neutrals Matrix Spiking Mixture #A - 8270B,CLP

170 Version #: 01 Issue date: 11-11-2014

Central nervous system

Liver Skin irritation Eye irritation

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
Pyrene	129-00-0	5000		1000 lbs	10000 lbs

SARA 311/312 Hazardous No

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Methylene chloride	75-09-2	90 - 100	
1,4-Dichlorobenzene	106-46-7	0.1	
2,4-Dinitrotoluene	121-14-2	0.1	
N-Nitrosodi-n-propylamine	621-64-7	0.1	

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

1,2,4-Trichlorobenzene (CAS 120-82-1)

1,4-Dichlorobenzene (CAS 106-46-7)

2,4-Dinitrotoluene (CAS 121-14-2)

Acenaphthene (CAS 83-32-9)

Methylene chloride (CAS 75-09-2)

Pyrene (CAS 129-00-0)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

### **US** state regulations

# **US. Massachusetts RTK - Substance List**

1,2,4-Trichlorobenzene (CAS 120-82-1)

1,4-Dichlorobenzene (CAS 106-46-7)

2,4-Dinitrotoluene (CAS 121-14-2)

Acenaphthene (CAS 83-32-9)

Methylene chloride (CAS 75-09-2)

N-Nitrosodi-n-propylamine (CAS 621-64-7)

Pyrene (CAS 129-00-0)

# US. New Jersey Worker and Community Right-to-Know Act

1,2,4-Trichlorobenzene (CAS 120-82-1)	500 LBS
1,4-Dichlorobenzene (CAS 106-46-7)	500 LBS
2,4-Dinitrotoluene (CAS 121-14-2)	500 LBS
Methylene chloride (CAS 75-09-2)	500 LBS
N-Nitrosodi-n-propylamine (CAS 621-64-7)	500 LBS
Pyrene (CAS 129-00-0)	500 LBS

# US. Pennsylvania RTK - Hazardous Substances

1,2,4-Trichlorobenzene (CAS 120-82-1)

1,4-Dichlorobenzene (CAS 106-46-7)

2,4-Dinitrotoluene (CAS 121-14-2)

Acenaphthene (CAS 83-32-9)

Methylene chloride (CAS 75-09-2)

N-Nitrosodi-n-propylamine (CAS 621-64-7)

Pyrene (CAS 129-00-0)

#### **US. Rhode Island RTK**

1,2,4-Trichlorobenzene (CAS 120-82-1)

1,4-Dichlorobenzene (CAS 106-46-7)

2,4-Dinitrotoluene (CAS 121-14-2)

Acenaphthene (CAS 83-32-9)

Methylene chloride (CAS 75-09-2)

2,4-Dinitrotoluene (CAS 121-14-2)

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

## US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

1,4-Dichlorobenzene (CAS 106-46-7)
2,4-Dinitrotoluene (CAS 121-14-2)
Listed: January 1, 1989
Listed: July 1, 1988
Methylene chloride (CAS 75-09-2)
Listed: April 1, 1988
N-Nitrosodi-n-propylamine (CAS 621-64-7)
Listed: January 1, 1988
US - California Proposition 65 - CRT: Listed date/Female reproductive toxin
2,4-Dinitrotoluene (CAS 121-14-2)
Listed: August 20, 1999
US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

Listed: August 20, 1999

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

**Issue date** 11-11-2014

United States & Puerto Rico

Version # 01

NFPA ratings Health: 2
Flammability: 1
Instability: 0

Disclaimer

The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.

Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.

This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.

Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY.

Material name: Base Neutrals Matrix Spiking Mixture #A - 8270B,CLP

Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)