# SAFETY DATA SHEET

# GHEMSERVIGE .....

### 1. Identification

1. Idontinoution			
Product identifier	California Pesticide Stand	dard Mixture 5 for	Cannabis Testing
Other means of identification			
ltem	M-CAPESTMIX5A1		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name	Chem Service, Inc.		
Address	660 Tower Lane		
	West Chester, PA 19380		
Talanhana	United States Toll Free	800-452-9994	
Telephone	Direct	610-692-3026	
Website	www.chemservice.com	010 002 0020	
E-mail	info@chemservice.com		
Emergency phone number	Chemtrec US	800-424-9300	
	Chemtrec outside US	+1 703-527-3887	7
2. Hazard(s) identification			
Physical hazards	Flammable liquids		Category 2
Health hazards	Acute toxicity, oral		Category 3
	Acute toxicity, dermal		Category 3
	Acute toxicity, inhalation		Category 3
	Serious eye damage/eye ir	ritation	Category 2A
Environmental hazards	Hazardous to the aquatic e hazard	nvironment, acute	Category 3
	Hazardous to the aquatic e long-term hazard	nvironment,	Category 3
OSHA defined hazards	Not classified.		
Label elements			
O much second		$\mathbf{\vee}$	
Signal word	Danger		

Hazard statement

Highly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Causes serious eye irritation. Toxic if inhaled. Harmful to aquatic life with long lasting effects.

Precautionary statement Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing. Wear protective gloves/eye protection/face protection.

Response	If swallowed: Immediately call a poison center/doctor. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.
Storage	Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Store in refrigerator (0 - 5 °C).
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.
Supplemental information	99.76% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 99.76% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

# 3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Acetonitrile		75-05-8	99.76
Abamectin		71751-41-2	0.01
Acequinocyl		57960-19-7	0.01
Acetamiprid		135410-20-7	0.01
Azoxystrobin		131860-33-8	0.01
Boscalid		188425-85-6	0.01
Clofentezine		74115-24-5	0.01
Daminozide		1596-84-5	0.01
Dimethomorph		110488-70-5	0.01
Fenhexamid		126833-17-8	0.01
Fenpyroximate		134098-61-6	0.01
Flonicamid		158062-67-0	0.01
Hexythiazox		78587-05-0	0.01
Kresoxim-methyl		143390-89-0	0.01
Metalaxyl		57837-19-1	0.01
Myclobutanil		88671-89-0	0.01
Paclobutrazol		76738-62-0	0.01
Propiconazole		60207-90-1	0.01
Spinetoram		187166-40-1	0.01
Spinosad		168316-95-8	0.01
Spiromesifen		283594-90-1	0.01
Spirotetramat		203313-25-1	0.01
Spiroxamine		118134-30-8	0.01
Tebuconazole		107534-96-3	0.01
Trifloxystrobin		141517-21-7	0.01

## 4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a POISON CENTER or doctor/physician.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Most important symptoms/effects, acute and delayed	Convulsions. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Take off immediately all contaminated clothing. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing	Do not use water jet as an extinguisher, as this will spread the fire.
media Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

### 7. Handling and storage

Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not taste or swallow. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
	For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Eliminate sources of ignition. Avoid spark promoters. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS). Store in freezer (<0 °C).
9 Exposure controls/para	and protection

### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value
Acetonitrile (CAS 75-05-8)	PEL	70 mg/m3
		40 ppm
US. ACGIH Threshold Limi	t Values	
Components	Туре	Value
Acetonitrile (CAS 75-05-8)	TWA	20 ppm
US. NIOSH: Pocket Guide	to Chemical Hazards	
Components	Туре	Value
Acetonitrile (CAS 75-05-8)	TWA	34 mg/m3
		20 ppm
logical limit values	No biological exposure limit	ts noted for the ingredient(s).
oosure guidelines		
US - California OELs: Skin	designation	
Acetonitrile (CAS 75-05	-8)	Can be absorbed through the skin.
US - Minnesota Haz Subs:	Skin designation applies	
Acetonitrile (CAS 75-05-	,	Skin designation applies.
US ACGIH Threshold Limit	Values: Skin designation	
Acetonitrile (CAS 75-05	-8)	Can be absorbed through the skin.
oropriate engineering itrols	Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.	

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Dust & vapor respirator.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-49 °F (-45 °C) estimated
Initial boiling point and boiling range	178.88 °F (81.6 °C) estimated
Flash point	42.0 °F (5.6 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	3 % estimated
Flammability limit - upper (%)	16 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	118.4 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	975.2 °F (524 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.78757 g/cm3 estimated
Explosive properties	Not explosive.
Flammability class	Flammable IB estimated
Oxidizing properties	Not oxidizing.
Percent volatile	99.76 % estimated
Specific gravity	0.79 estimated
VOC	99.76 % estimated

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

Inhalation	Toxic if inhaled.
Skin contact	Toxic in contact with skin.
Eye contact	Causes serious eye irritation.
Ingestion	Toxic if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Convulsions. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

### Information on toxicological effects

Toxic if inhaled. Toxic in contact with skin. Toxic if	swallowed.
--	------------

Acute toxicity	Toxic if inhaled. Toxic in con	aled. Toxic in contact with skin. Toxic if swallowed.	
Components	nponents Species Test Results		
Abamectin (CAS 71751-41-2)			
Acute			
Oral			
LD50	Rat	10 mg/kg	
Acequinocyl (CAS 57960-19-7)			
Acute			
Dermal			
LD50	Rat	> 2000 mg/kg	
Acetamiprid (CAS 135410-20-7)			
Acute			
Dermal			
LD50	Rat	> 2000 mg/kg	
Inhalation			
LC50	Rat	> 0.29 mg/l, 4 Hours	
Dimethomorph (CAS 110488-70-	-5)		
Acute			
Oral			
LD50	Rat	3900 mg/kg	
Fenhexamid (CAS 126833-17-8)			
Acute			
Dermal			
LD50	Rat	> 2000 mg/kg	
Inhalation			
LC50	Rat	> 5.057 mg/l, 4 Hours	
Oral			
LD50	Rat	> 2000 mg/kg	

Components	Species	Test Results
Hexythiazox (CAS 78587-05-0)		
Acute		
Inhalation		
LC50	Rat	> 2 mg/l, 4 Hours
Kresoxim-methyl (CAS 143390-8	9-0)	
<u>Acute</u>		
Inhalation		
LC50	Rat	5.6 mg/l, 4 Hours
Metalaxyl (CAS 57837-19-1)		
<u>Acute</u>		
Oral		
LD50	Rat	669 mg/kg
Myclobutanil (CAS 88671-89-0)		
Acute		
Oral		
LD50	Rat	1600 mg/kg
Propiconazole (CAS 60207-90-1)		
<u>Acute</u>		
Inhalation		
LC50	Rat	> 5.8 mg/l, 4 Hours
Oral		
LD50	Rat	1517 mg/kg
Spinosad (CAS 168316-95-8)		
Acute		
Inhalation		
LC50	Rat	> 5.18 mg/l, 4 Hours
Oral		
LD50	Rat	> 2000 mg/kg
Tebuconazole (CAS 107534-96-3	3)	0.0
Acute	/	
Inhalation		
LC50	Rat	0.82 mg/l, 4 Hours
Trifloxystrobin (CAS 141517-21-7		
Acute	/	
Dermal		
LD50	Rat	> 2000 mg/kg
**		
* Estimates for product may I	be based on additional component da	a not shown.
Skin corrosion/irritation	Prolonged skin contact may cause	temporary irritation.
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cau	se skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	Not classifiable as to carcinogenici	ty to humans.
IARC Monographs. Overall Not listed.	Evaluation of Carcinogenicity	
	ed Substances (29 CFR 1910.1001-1	050)
Not regulated.		,

US. National Toxicology Pro	gram (NTP) Report on Carcinogens
Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

# 12. Ecological information

#### Ecotoxicity

Harmful to aquatic life with long lasting effects.

Components		Species	Test Results
Acetonitrile (CAS 75-	05-8)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales prom	nelas) >100 mg/l, 96 hours
Fenhexamid (CAS 12	26833-17-8)		
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	1.24 mg/l, 96 hours
Propiconazole (CAS	60207-90-1)		
Aquatic			
Fish	LC50	Brown trout (Salmo trutta)	1.2 mg/l, 96 hours
			1.2 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

# Persistence and degradability

### Bioaccumulative potential

Partition coefficient n-o	octanol / water (log Kow)
Acetonitrile	-0.34
Azoxystrobin	2.5
Dimethomorph	2.68
Kresoxim-methyl	3.4
Metalaxyl	1.65
Myclobutanil	2.94
Propiconazole	3.5
Mobility in soil	No data available.
Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.

# 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

пот

DOT	
UN number	UN1648
UN proper shipping name	Acetonitrile, solution (Acetonitrile RQ = 5012 LBS), MARINE POLLUTANT
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	
Environmental hazards	
Marine pollutant	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, T7, TP2
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242
ΙΑΤΑ	
UN number	UN1648
UN proper shipping name	Acetonitrile solution (Acetonitrile)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	
Environmental hazards	Yes
ERG Code	3L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1648
UN proper shipping name	ACETONITRILE SOLUTION (Acetonitrile), MARINE POLLUTANT
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	11
Environmental hazards	
Marine pollutant	Yes
EmS	F-E, S-D
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and	
the IBC Code	
DOT	



IATA; IMDG



Marine pollutant



IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

Listed.

### 15. Regulatory information

US federal	regulations
------------	-------------

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Acetonitrile (CAS 75-05-8)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Hazard categories

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

# SARA 302 Extremely hazardous substance

Not listed.

### SARA 311/312 Hazardous No

chemical

### SARA 313 (TRI reporting)

Chemical name		CAS number	% by wt.	
Acetonitrile		75-05-8	99.76	
Other federal regulations				
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pol	lutants (HAPs) List		
Acetonitrile (CAS 75-05-	-8)			
Clean Air Act (CAA) Sectio	n 112(r) Accidental Rele	ase Prevention (40 C	FR 68.130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
US state regulations	WARNING: This produ		I known to the State of California to ca	use cancer a
US - California Propos	ition 65 - CRT: Listed da	te/Carcinogenic sub	stance	

Daminozide (CAS 1596-84-5)

and

Kresoxim-methyl (CAS 143390-89-0)	Listed: February 3, 2012
US - California Proposition 65 - CRT: Listed	date/Developmental toxin
Abamectin (CAS 71751-41-2)	Listed: December 3, 2010
Myclobutanil (CAS 88671-89-0)	Listed: April 16, 1999
US - California Proposition 65 - CRT: Listed	date/Male reproductive toxin
Myclobutanil (CAS 88671-89-0)	Listed: April 16, 1999
US. California. Candidate Chemicals List. Sa subd. (a))	afer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3
Acetonitrile (CAS 75-05-8)	

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	03-12-2018
Revision date	10-15-2019
Version #	03
NFPA ratings	Health: 3 Flammability: 3 Instability: 0
Disclaimer	The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.
	Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.
	This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.
	Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.
	This product is furnished EOR LARORATORY LISE ONLY

This product is furnished FOR LABORATORY USE ONLY.