

SAFETY DATA SHEET

1. Identification

Product identifier	Special PCB Mixture		
Other means of identification			
ltem	M-CRPCB1K1		
Recommended use	For Laboratory Use Only		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	Chem Service, Inc. 660 Tower Lane West Chester, PA 19380 United States		
Telephone	Toll Free	800-452-9994	ļ
	Direct	610-692-3026	3
Website	www.chemservice.com		
E-mail	info@chemservice.com		
Emergency phone number	Chemtrec US	800-424-9300	
	Chemtrec outside US	+1 703-527-38	387
2. Hazard(s) identification			
Physical hazards	Flammable liquids		Category 2
Health hazards	Skin corrosion/irritation		Category 2
	Specific target organ toxicity, si	ngle exposure	Category 3 narcotic effects
	Specific target organ toxicity, re exposure	epeated	Category 2
Environmental hazards	Hazardous to the aquatic environ hazard	onment, acute	Category 1
	Hazardous to the aquatic enviro	onment,	Category 1
OSHA defined hazards	Not classified.		

OSHA defined hazards

Label elements



Material name: Special PCB Mixture

0.93% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 0.93% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Isooctane	2,2,4-Trimethylpentane	540-84-1	90 - 100
2,2',3,4,4',5,5'-Heptachlore	obiphenyl	35065-29-3	0.01
2,2',3,4,4',5'-Hexachlorobi	phenyl	35065-28-2	0.01
2,2',4,4',5,5'-Hexachlorobi	phenyl	35065-27-1	0.01
2,2',4,5,5'-Pentachlorobipl	henyl	37680-73-2	0.01
2,2',5,5'-Tetrachlorobipher	nyl	35693-99-3	0.01
2,3',4,4',5-Pentachlorobipl	nenyl	31508-00-6	0.01
2,4,4'-Trichlorobiphenyl		7012-37-5	0.01

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation. Skin irritation. Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. May cause redness and pain. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.	
7. Handling and storage		
Precautions for safe handling	Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not smoke. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist or vapor. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.	
	For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".	
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Avoid spark promoters. Eliminate sources of ignition. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.	
8. Exposure controls/personal protection		

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
2,2',3,4,4',5,5'-Heptachlorob iphenyl (CAS 35065-29-3)	PEL	1 mg/m3	
2,2',3,4,4',5'-Hexachlorobip henyl (CAS 35065-28-2)	PEL	1 mg/m3	
2,2',4,5,5'-Pentachlorobiphe nyl (CAS 37680-73-2)	PEL	1 mg/m3	
2,2',5,5'-Tetrachlorobipheny I (CAS 35693-99-3)	PEL	1 mg/m3	

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
2,4,4'-Trichlorobiphenyl (CAS 7012-37-5)	PEL	1 mg/m3	
Isooctane (CAS 540-84-1)	PEL	2350 mg/m3	
		500 ppm	
US. ACGIH Threshold Limit Values	5		
Components	Туре	Value	
2,2',3,4,4',5,5'-Heptachlorob iphenyl (CAS 35065-29-3)	TWA	1 mg/m3	
2,2',3,4,4',5'-Hexachlorobip henyl (CAS 35065-28-2)	TWA	1 mg/m3	
2,2',4,5,5'-Pentachlorobiphe nyl (CAS 37680-73-2)	TWA	1 mg/m3	
2,2',5,5'-Tetrachlorobipheny I (CAS 35693-99-3)	TWA	1 mg/m3	
2,4,4'-Trichlorobiphenyl (CAS 7012-37-5)	TWA	1 mg/m3	
US. NIOSH: Pocket Guide to Chem	nical Hazards		
Components	Туре	Value	
2,2',4,4',5,5'-Hexachlorobip henyl (CAS 35065-27-1)	TWA	0.001 mg/m3	
2,3',4,4',5-Pentachlorobiphe nyl (CAS 31508-00-6)	TWA	0.001 mg/m3	
Isooctane (CAS 540-84-1)	Ceiling	1800 mg/m3	
		385 ppm	
	TWA	350 mg/m3	
		75 ppm	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

•	
2,2',3,4,4',5,5'-Heptachlorobiphenyl (CAS 35065-29-3) 2,2',3,4,4',5'-Hexachlorobiphenyl (CAS 35065-28-2) 2,2',4,5,5'-Pentachlorobiphenyl (CAS 37680-73-2) 2,2',5,5'-Tetrachlorobiphenyl (CAS 35693-99-3) 2,4,4'-Trichlorobiphenyl (CAS 7012-37-5)	Can be absorbed thro Can be absorbed thro Can be absorbed thro Can be absorbed thro Can be absorbed thro
US - Minnesota Haz Subs: Skin designation applies	
2,2',3,4,4',5,5'-Heptachlorobiphenyl (CAS 35065-29-3) 2,2',3,4,4',5'-Hexachlorobiphenyl (CAS 35065-28-2) 2,2',4,5,5'-Pentachlorobiphenyl (CAS 37680-73-2) 2,2',5,5'-Tetrachlorobiphenyl (CAS 35693-99-3) 2,4,4'-Trichlorobiphenyl (CAS 7012-37-5) US - Tennesse OELs: Skin designation	Skin designation appli Skin designation appli Skin designation appli Skin designation appli Skin designation appli
2,2',3,4,4',5,5'-Heptachlorobiphenyl (CAS 35065-29-3) 2,2',3,4,4',5'-Hexachlorobiphenyl (CAS 35065-28-2) 2,2',4,5,5'-Pentachlorobiphenyl (CAS 37680-73-2) 2,2',5,5'-Tetrachlorobiphenyl (CAS 35693-99-3)	Can be absorbed thro Can be absorbed thro Can be absorbed thro Can be absorbed thro

2,4,4'-Trichlorobiphenyl (CAS 7012-37-5) US ACGIH Threshold Limit Values: Skin designation

2,2',3,4,4',5,5'-Heptachlorobiphenyl (CAS 35065-29-3) 2,2',3,4,4',5'-Hexachlorobiphenyl (CAS 35065-28-2) 2,2',4,5,5'-Pentachlorobiphenyl (CAS 37680-73-2) 2,2',5,5'-Tetrachlorobiphenyl (CAS 35693-99-3) 2,4,4'-Trichlorobiphenyl (CAS 7012-37-5)

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

2,2',3,4,4',5,5'-Heptachlorobiphenyl (CAS 35065-29-3) 2,2',3,4,4',5'-Hexachlorobiphenyl (CAS 35065-28-2) 2,2',4,5,5'-Pentachlorobiphenyl (CAS 37680-73-2) 2,2',5,5'-Tetrachlorobiphenyl (CAS 35693-99-3) 2,4,4'-Trichlorobiphenyl (CAS 7012-37-5)

ough the skin. ough the skin. ough the skin. ough the skin. ough the skin.

lies. lies. lies. lies. lies.

ough the skin. ough the skin. ough the skin. ough the skin. Can be absorbed through the skin.

Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin.

Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin.

Appropriate engineering controls	Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.	
•	such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin protection		
Hand protection	Wear appropriate chemical resistant gloves.	
Other	Wear appropriate chemical resistant clothing.	
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-161.41 °F (-107.45 °C) estimated
Initial boiling point and boiling range	210.63 °F (99.24 °C) estimated
Flash point	40.1 °F (4.5 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	
Flammability limit - lower (%)	1.1 % estimated
Flammability limit - upper (%)	4.7 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	59.93 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	784 °F (417.78 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.69875 g/cm3 estimated
Flammability class	Flammable IB estimated
Specific gravity	0.7 estimated
10 Stability and reactivity	

10. Stability and reactivity

Reactivity Chemical stability

The product is stable and non-reactive under normal conditions of use, storage and transport. Material is stable under normal conditions.

Possibility of hazardous reactions	Hazardous polymerization does not occur.	
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.	
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products	No hazardous decomposition products are known.	

11. Toxicological information

Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.	
Inhalation	Vapors have a narcotic effect and may cause headache, fatigue, dizziness and nausea. Prolonged inhalation may be harmful. May cause damage to organs by inhalation.	
Skin contact	Causes skin irritation.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Symptoms related to the physical, chemical and	Skin irritation. May cause redness and pain. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.	

toxicological characteristics

Acute toxicity

Information on toxicological effects

Narcotic effects. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components	Species	Test Results
2,2',3,4,4',5,5'-Heptachlord	biphenyl (CAS 35065-29-3)	
Acute		
Dermal		
LD50	Rabbit	8.65 g/kg
Oral		
LD50	Rat	0.794 g/kg
2,2',3,4,4',5'-Hexachlorobip	ohenyl (CAS 35065-28-2)	
Acute		
Dermal		
LD50	Rabbit	8.65 g/kg
Oral		
LD50	Rat	0.794 g/kg
2,2',4,4',5,5'-Hexachlorobip	ohenyl (CAS 35065-27-1)	
Acute		
Oral		
LD50	Mouse	> 64.3 mg/kg
2,2',4,5,5'-Pentachlorobiph	nenyl (CAS 37680-73-2)	
Acute		
Dermal		
LD50	Rabbit	8.65 g/kg
Oral		
LD50	Rat	0.794 g/kg
2,2',5,5'-Tetrachlorobipher	nyl (CAS 35693-99-3)	
Acute		
Dermal		
LD50	Rabbit	8.65 g/kg
Oral		
LD50	Rat	0.794 g/kg
2,4,4'-Trichlorobiphenyl (C	AS 7012-37-5)	
Acute		
Dermal		
LD50	Rabbit	8.65 g/kg
Oral		
LD50	Rat	0.794 g/kg

Components	Species	Test Results
Isooctane (CAS 540-84-1)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation		
LC50	Rat	> 33.52 mg/l, 4 Hours
Oral		
LD50	Rat	> 5000 mg/kg
	e based on additional compone	nt data not shown.
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye rritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitizatior	n	
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected t	o cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered	to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall	Evaluation of Carcinogenicity	
2,2',3,4,4',5'-Hexachlorob 2,2',4,4',5,5'-Hexachlorob 2,2',4,5,5'-Pentachlorobip 2,2',5,5'-Tetrachlorobip 2,3',4,4',5-Pentachlorobip 2,4,4'-Trichlorobiphenyl (enyl (CAS 35693-99-3) bhenyl (CAS 31508-00-6)	 Carcinogenic to humans. Garcinogenic to humans. Garcinogenic to humans.
2,2',3,4,4',5,5'-Heptachlo	robiphenyl (CAS 35065-29-3)	Reasonably Anticipated to be a Human Carcinogen.
2,2',4,4',5,5'-Hexachlorobip 2,2',4,5,5'-Pentachlorobip 2,2',5,5'-Tetrachlorobip 2,3',4,4',5-Pentachlorobip 2,4,4'-Trichlorobiphenyl (enyl (CAS 35693-99-3) bhenyl (CAS 31508-00-6)	Reasonably Anticipated to be a Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen. 10.1001-1050
Not listed.		
Reproductive toxicity	This product is not expected t	o cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Narcotic effects.	
Specific target organ toxicity -	May cause damage to organs	through prolonged or repeated exposure.
epeated exposure		
repeated exposure Aspiration hazard	Not available.	
		narmful. May cause damage to organs through prolonged or
Aspiration hazard	Prolonged inhalation may be l repeated exposure.	narmful. May cause damage to organs through prolonged or
Aspiration hazard Chronic effects 12. Ecological information	Prolonged inhalation may be l repeated exposure.	narmful. May cause damage to organs through prolonged or ong lasting effects. Accumulation in aquatic organisms is expected
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity	Prolonged inhalation may be l repeated exposure. Very toxic to aquatic life with l	
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components	Prolonged inhalation may be l repeated exposure. Very toxic to aquatic life with l Species	ong lasting effects. Accumulation in aquatic organisms is expected
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components 2,2',4,4',5,5'-Hexachlorobiphe	Prolonged inhalation may be l repeated exposure. Very toxic to aquatic life with l Species	ong lasting effects. Accumulation in aquatic organisms is expected
Aspiration hazard Chronic effects I2. Ecological information Ecotoxicity Components 2,2',4,4',5,5'-Hexachlorobiphe Aquatic	Prolonged inhalation may be l repeated exposure. Very toxic to aquatic life with l Species enyl (CAS 35065-27-1)	ong lasting effects. Accumulation in aquatic organisms is expected Test Results
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components 2,2',4,4',5,5'-Hexachlorobiphe Aquatic Fish	Prolonged inhalation may be la repeated exposure. Very toxic to aquatic life with l Species myl (CAS 35065-27-1) LC50 Fathead minned	ong lasting effects. Accumulation in aquatic organisms is expected
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity 2,2',4,4',5,5'-Hexachlorobiphe Aquatic Fish 2,2',4,5,5'-Pentachlorobipheny	Prolonged inhalation may be la repeated exposure. Very toxic to aquatic life with l Species myl (CAS 35065-27-1) LC50 Fathead minned	ong lasting effects. Accumulation in aquatic organisms is expected Test Results
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity Components 2,2',4,4',5,5'-Hexachlorobiphe Aquatic Fish 2,2',4,5,5'-Pentachlorobipheny Aquatic	Prolonged inhalation may be la repeated exposure. Very toxic to aquatic life with l Species myl (CAS 35065-27-1) LC50 Fathead minned yl (CAS 37680-73-2)	ong lasting effects. Accumulation in aquatic organisms is expected Test Results ow (Pimephales promelas) > 0.0013 mg/l, 96 hours
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity 2,2',4,4',5,5'-Hexachlorobiphe Aquatic Fish 2,2',4,5,5'-Pentachlorobipheny Aquatic Fish	Prolonged inhalation may be la repeated exposure. Very toxic to aquatic life with l Species myl (CAS 35065-27-1) LC50 Fathead minned yl (CAS 37680-73-2) LC50 Fathead minned	ong lasting effects. Accumulation in aquatic organisms is expected Test Results
Aspiration hazard Chronic effects 12. Ecological information Ecotoxicity 2,2',4,4',5,5'-Hexachlorobiphe Aquatic Fish 2,2',4,5,5'-Pentachlorobipheny Aquatic	Prolonged inhalation may be la repeated exposure. Very toxic to aquatic life with l Species myl (CAS 35065-27-1) LC50 Fathead minned yl (CAS 37680-73-2) LC50 Fathead minned	ong lasting effects. Accumulation in aquatic organisms is expected Test Results ow (Pimephales promelas) > 0.0013 mg/l, 96 hours

Components	Species	Test Results
2,4,4'-Trichlorobiphenyl (CAS	7012-37-5)	
Aquatic		
Fish	LC50 Fathead mir	nnow (Pimephales promelas) > 0.16 mg/l, 96 hours
* Estimates for product may be	based on additional compor	nent data not shown.
Persistence and degradability	No data is available on the	degradability of this product.
Bioaccumulative potential	No data available.	
Partition coefficient n-octan	ol / water (log Kow)	
2,2',3,4,4',5,5'-Heptachlorobipl	nenyl	4.11
2,2',3,4,4',5'-Hexachlorobipher		4.11
2,2',4,5,5'-Pentachlorobipheny		4.11
2,2',5,5'-Tetrachlorobiphenyl 2,4,4'-Trichlorobiphenyl		4.11 4.11
Isooctane		5.18
Nobility in soil	No data available.	
Other adverse effects		antal officits (o.g. ozono doplation, photochomical ozono creation
Juner auverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal consideration	IS	
Disposal instructions	and its container must be di sewers/water supplies. Do r	ose in sealed containers at licensed waste disposal site. This material isposed of as hazardous waste. Do not allow this material to drain into not contaminate ponds, waterways or ditches with chemical or used ints/container in accordance with local/regional/national/international
_ocal disposal regulations	Dispose in accordance with	all applicable regulations.
Hazardous waste code		assigned in discussion between the user, the producer and the waste
Naste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Empty containers should be	e taken to an approved waste handling site for recycling or disposal. nay retain product residue, follow label warnings even after container is
14. Transport information		
UN number	UN1262	
UN proper shipping name	Octanes, solution, MARINE	POLLUTANT
Transport hazard class(es)	, ,	
Class	3	
Subsidiary risk	-	
Label(s)	3	
Packing group	II	
Environmental hazards		
Marine pollutant	Yes	DC and amoreoney presedures before bondling
Special precautions for user Special provisions	IB2, T4, TP1	DS and emergency procedures before handling.
Packaging exceptions	150	
Packaging non bulk	202	
Packaging bulk	242	
ATA		
UN number	UN1262	
UN proper shipping name Transport hazard class(es)	Octanes solution	
Class	3	
Subsidiary risk	-	
Packing group		
Environmental hazards	No.	
ERG Code	3H Bood cofety instructions	DC and amorganay propadition before bendling
Other information		DS and emergency procedures before handling.
Decompose and correc	Allowed	

aircraft

Cargo aircraft only	Allowed.
IMDG	
UN number	UN1262
UN proper shipping name	OCTANES SOLUTION, MARINE POLLUTANT
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	ll
Environmental hazards	
Marine pollutant	Yes
EmS	F-E, S-E
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to Annex II of MARPOL 73/78 and	Not available.

IATA; IMDG

the IBC Code

DOT



Marine pollutant



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

- 2,2',3,4,4',5,5'-Heptachlorobiphenyl (CAS 35065-29-3)
- 2,2',3,4,4',5'-Hexachlorobiphenyl (CAS 35065-28-2)
- 2,2',4,4',5,5'-Hexachlorobiphenyl (CAS 35065-27-1)
- 2,2',4,5,5'-Pentachlorobiphenyl (CAS 37680-73-2)
- 2,2',5,5'-Tetrachlorobiphenyl (CAS 35693-99-3)
- 2,3',4,4',5-Pentachlorobiphenyl (CAS 31508-00-6)
- 2,4,4'-Trichlorobiphenyl (CAS 7012-37-5)

CERCLA Hazardous Substance List (40 CFR 302.4)

Isooctane (CAS 540-84-1)

0.00005 % Annual Export Notification required. 0.00005 % Annual Export Notification required.

Listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Hazard categories

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Isooctane (CAS 540-84-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

2,2',4,4',5,5'-Hexachlorobiphenyl (CAS 35065-27-1) 2,3',4,4',5-Pentachlorobiphenyl (CAS 31508-00-6) Isooctane (CAS 540-84-1)

US. New Jersey Worker and Community Right-to-Know Act

 2,2',3,4,4',5,5'-Heptachlorobiphenyl (CAS 35065-29-3)
 500 LBS

 2,2',3,4,4',5'-Hexachlorobiphenyl (CAS 35065-28-2)
 500 LBS

 2,2',4,4',5,5'-Hexachlorobiphenyl (CAS 35065-27-1)
 500 LBS

 2,2',4,4',5,5'-Pentachlorobiphenyl (CAS 37680-73-2)
 500 LBS

 2,2',5,5'-Tetrachlorobiphenyl (CAS 35093-99-3)
 500 LBS

 2,3',4,4',5-Pentachlorobiphenyl (CAS 31508-00-6)
 500 LBS

 2,3',4,4',5-Pentachlorobiphenyl (CAS 7012-37-5)
 500 LBS

US. Pennsylvania RTK - Hazardous Substances

2,2',4,4',5,5'-Hexachlorobiphenyl (CAS 35065-27-1)

2,3',4,4',5-Pentachlorobiphenyl (CAS 31508-00-6)

US. Rhode Island RTK

Isooctane (CAS 540-84-1)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

	-	-
	2,2',3,4,4',5'-Hexachlorobiphenyl (CAS 35065-28-2)	Listed: October 1, 1989
	2,2',4,4',5,5'-Hexachlorobiphenyl (CAS 35065-27-1)	Listed: October 1, 1989
	2,2',4,5,5'-Pentachlorobiphenyl (CAS 37680-73-2)	Listed: October 1, 1989
	2,2',5,5'-Tetrachlorobiphenyl (CAS 35693-99-3)	Listed: October 1, 1989
	2,3',4,4',5-Pentachlorobiphenyl (CAS 31508-00-6)	Listed: October 1, 1989
	2,4,4'-Trichlorobiphenyl (CAS 7012-37-5)	Listed: October 1, 1989
US	- California Proposition 65 - CRT: Listed date/Deve	lopmental toxin
	2,2',3,4,4',5,5'-Heptachlorobiphenyl (CAS 35065-29-3)	Listed: January 1, 1991
	2,2',3,4,4',5'-Hexachlorobiphenyl (CAS 35065-28-2)	Listed: January 1, 1991
	2,2',4,4',5,5'-Hexachlorobiphenyl (CAS 35065-27-1)	Listed: January 1, 1991
	2,2',4,5,5'-Pentachlorobiphenyl (CAS 37680-73-2)	Listed: January 1, 1991
	2,2',5,5'-Tetrachlorobiphenyl (CAS 35693-99-3)	Listed: January 1, 1991
	2,3',4,4',5-Pentachlorobiphenyl (CAS 31508-00-6)	Listed: January 1, 1991
	2,4,4'-Trichlorobiphenyl (CAS 7012-37-5)	Listed: January 1, 1991

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	07-28-2014
Version #	01
NFPA ratings	Health: 2 Flammability: 3 Instability: 0
Disclaimer	The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.
	Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.
	This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.
	Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY.