# SAFETY DATA SHEET

# GHEMSERVICE ....

# 1. Identification

Label elements

Product identifier	European Standards Mixture - Method 8315		
Other means of identification Item	M-EDNPHA19		
Recommended use	For Laboratory Use Only		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	Chem Service, Inc. 660 Tower Lane West Chester, PA 19380 United States		
Telephone	Toll Free Direct	800-452-9994 610-692-3026	
Website E-mail	www.chemservice.com info@chemservice.com		
Emergency phone number	Chemtrec US Chemtrec outside US	800-424-9300 +1 703-527-3887	
2. Hazard(s) identification			
Physical hazards	Flammable liquids		Са

Physical hazards	Flammable liquids	Category 2
Health hazards	Acute toxicity, oral	Category 3
	Acute toxicity, dermal	Category 3
	Acute toxicity, inhalation	Category 3
	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	



Signal word	Danger
Hazard statement	Highly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Causes serious eye irritation. Toxic if inhaled.
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing. Wear protective gloves/eye protection/face protection.
Response	If swallowed: Immediately call a poison center/doctor. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.
Storage	Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

99.97% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 99.97% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

...

. . . .

.

-

.. .

#### 3. Composition/information on ingredients

Mixtures
MILLAI CO

Chemical name	Common name and synonyms	CAS number	%
Acetonitrile		75-05-8	99.97
2-Butanone (DNPH Derivative)		958-60-1	0.002
Acetaldehyde (DNPH Derivative)		1019-57-4	0.002
Acetone (DNPH Derivatives)		1567-89-1	0.002
Acrolein (DNPH Derivatives)		888-54-0	0.002
Benzaldehyde (DNPH Derivative)		1157-84-2	0.002
Butyraldehyde (DNPH Derivative)		1527-98-6	0.002
Crotonaldehyde (DNPH Derivative)		1527-96-4	0.002
Formaldehyde (DNPH Derivative)		1081-15-8	0.002
Hexaldehyde (DNPH Derivative)		1527-97-5	0.002
Methacrolein (DNPH Derivative)		5077-73-6	0.002
m-Tolualdehyde (DNPH Derivative)		2880-05-9	0.002
Propionaldehyde (DNPH Derivative		725-00-8	0.002
Valeraldehyde (DNPH Derivative)		2057-84-3	0.002

. .

#### 4. First-aid measures

. ...

media

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a POISON CENTER or doctor/physician.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Most important symptoms/effects, acute and delayed	Convulsions. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Take off immediately all contaminated clothing. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing	Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

# 7. Handling and storage

7. Hananing and storage	
Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not taste or swallow. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
	For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".
Conditions for safe storage,	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge

**Conditions for safe storage, including any incompatibilities including and grounding techniques**. Eliminate sources of ignition. Avoid **including any incompatibilities including any incompatibilities including any incompatibilities including any incompatibilities including and grounding techniques**. Eliminate sources of ignition. Avoid **including any incompatibilities including any incompatibilit** 

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	s for Air Contaminants (29 CFR 191 Type	Value	
Acetonitrile (CAS 75-05-8)	PEL	70 mg/m3	
		40 ppm	
US. ACGIH Threshold Lim			
Components	Туре	Value	
Acetonitrile (CAS 75-05-8)	TWA	20 ppm	
US. NIOSH: Pocket Guide			
Components	Туре	Value	
Acetonitrile (CAS 75-05-8)	TWA	34 mg/m3	
		20 ppm	
iological limit values	No biological exposure limits note	d for the ingredient(s).	
xposure guidelines			
US - California OELs: Skir	•		
Acetonitrile (CAS 75-05	,	an be absorbed through the skin.	
US - Minnesota Haz Subs: Acetonitrile (CAS 75-05		in designation applies.	
	t Values: Skin designation	an designation applies.	
Acetonitrile (CAS 75-05	U	an be absorbed through the skin.	
appropriate engineering ontrols	Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.		
ndividual protection measure	s, such as personal protective equi	pment	
Eye/face protection	Wear safety glasses with side shie	-	
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves.		
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.		
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Dust & vapor respirator.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene onsiderations	When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/o smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
9. Physical and chemica	I properties		
ppearance			
Physical state	Liquid.		
	·		

Fliysical state	Liquiu.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-49 °F (-45 °C) estimated
Initial boiling point and boiling	178.88 °F (81.6 °C) estimated
range	

Flash point	42.0 °F (5.6 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	3 % estimated
Flammability limit - upper (%)	16 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	118.4 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	975.2 °F (524 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.7873 g/cm3 estimated
Explosive properties	Not explosive.
Flammability class	Flammable IB estimated
Oxidizing properties	Not oxidizing.
Percent volatile	99.97 % estimated
Specific gravity	0.79 estimated
VOC	99.97 % estimated

### 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Toxic if inhaled.			
Skin contact	Toxic in contact with skin.			
Eye contact	Causes serious eye irritation.			
Ingestion	Toxic if swallowed.			
Symptoms related to the physical, chemical and toxicological characteristics	Convulsions. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.			
Information on toxicological effects				
Acute toxicity	Toxic if inhaled. Toxic in contact with skin. Toxic if swallowed.			
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.			

Serious eye damage/eye irritation	Causes serious eye irritation.				
Respiratory or skin sensitization	1				
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.				
Skin sensitization	This product is not expected to cause skin sensitization.				
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.				
Carcinogenicity	Not classifiable as to carcinogenicity to humans.				
IARC Monographs. Overall Evaluation of Carcinogenicity					
	d Substances (29 CFR 1910.1001-1050)				
Not regulated.	ogram (NTP) Report on Carcinogens				
Not listed.					
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.				
Specific target organ toxicity -	Not classified.				
single exposure					
Specific target organ toxicity - repeated exposure	Not classified.				
Aspiration hazard	Not an aspiration hazard.				
Chronic effects	Prolonged inhalation may be harmful.				
12. Ecological information					
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the				
	possibility that large or frequent spills can have a harmful or damaging effect on the environment.				
Components	Species Test Results				
·					
Acetonitrile (CAS 75-05-8)	·				
Aquatic					
Aquatic	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours				
<b>Aquatic</b> Fish					
<b>Aquatic</b> Fish	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours				
Aquatic Fish * Estimates for product may b	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours				
Aquatic Fish * Estimates for product may b Persistence and degradability	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours e based on additional component data not shown.				
Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours e based on additional component data not shown. ol / water (log Kow)				
Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours e based on additional component data not shown. ol / water (log Kow) -0.34				
Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours e based on additional component data not shown. ol / water (log Kow) -0.34 No data available. The product contains volatile organic compounds which have a photochemical ozone creation potential.				
Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil Other adverse effects	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours e based on additional component data not shown. ol / water (log Kow) -0.34 No data available. The product contains volatile organic compounds which have a photochemical ozone creation potential.				
Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil Other adverse effects 13. Disposal consideration	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours e based on additional component data not shown. ol / water (log Kow) -0.34 No data available. The product contains volatile organic compounds which have a photochemical ozone creation potential. <b>1S</b> Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of				
Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours e based on additional component data not shown. ol / water (log Kow) -0.34 No data available. The product contains volatile organic compounds which have a photochemical ozone creation potential. <b>1S</b> Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose in accordance with all applicable regulations. The waste code should be assigned in discussion between the user, the producer and the waste disposal company.				
Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions Local disposal regulations	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours e based on additional component data not shown. ol / water (log Kow) -0.34 No data available. The product contains volatile organic compounds which have a photochemical ozone creation potential. 15 Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose in accordance with all applicable regulations. The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).				
Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours e based on additional component data not shown. ol / water (log Kow) -0.34 No data available. The product contains volatile organic compounds which have a photochemical ozone creation potential. <b>1S</b> Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose in accordance with all applicable regulations. The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:				
Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused products	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours e based on additional component data not shown. ol / water (log Kow) -0.34 No data available. The product contains volatile organic compounds which have a photochemical ozone creation potential. IS Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose in accordance with all applicable regulations. The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or				
Aquatic Fish * Estimates for product may b Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions Local disposal regulations Hazardous waste code Waste from residues / unused products Contaminated packaging	LC50 Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours e based on additional component data not shown. ol / water (log Kow) -0.34 No data available. The product contains volatile organic compounds which have a photochemical ozone creation potential. IS Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose in accordance with all applicable regulations. The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or				

UN number	UN1648
UN proper shipping name	Acetonitrile, solution (Acetonitrile RQ = 5002 LBS)

Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	
	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, T7, TP2
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242
IATA	
UN number	UN1648
UN proper shipping name	Acetonitrile solution (Acetonitrile)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	II
Environmental hazards	No.
ERG Code	3L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1648
UN proper shipping name	ACETONITRILE SOLUTION (Acetonitrile)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	II
Environmental hazards	
Marine pollutant	No.
EmS	F-E, S-D
	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and	
the IBC Code	
DOT	



### 15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.			
TSCA Section 12(b) Export	Notification (40 CFR 707	', Subpt. D)		
Not regulated.				
CERCLA Hazardous Substa				
Acetonitrile (CAS 75-05-	-	Listed.		
SARA 304 Emergency relea Not regulated.	ise nouncation			
OSHA Specifically Regulate	ed Substances (29 CFR 1	(910.1001-1050)		
Not regulated.	(	,		
Superfund Amendments and Re	eauthorization Act of 198	36 (SARA)		
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No			
SARA 302 Extremely hazar	dous substance			
Not listed.				
SARA 311/312 Hazardous chemical	No			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	_
Acetonitrile		75-05-8	99.97	
Other federal regulations				
Clean Air Act (CAA) Section	n 112 Hazardous Air Poll	utants (HAPs) List		
Acetonitrile (CAS 75-05-				
Clean Air Act (CAA) Section	n 112(r) Accidental Relea	ase Prevention (40 C	FR 68.130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
US state regulations			orcement Act of 1986 (Pro tly listed as carcinogens or	
	te Chemicals List. Safer	Consumer Products	s Regulations (Cal. Code	Regs, tit. 22, 69502.3,
subd. (a))				
Acetonitrile (CAS 75	-05-8)			
International Inventories				
Country(s) or region	Inventory name			On inventory (yes/no)*
Australia	Australian Inventory of		(AICS)	No
Canada	Domestic Substances List (DSL)		No	
Canada	Non-Domestic Substances List (NDSL)			No
China	, , ,			No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)			No
Europe	European List of Notified Chemical Substances (ELINCS)			No
Japan	Inventory of Existing and New Chemical Substances (ENCS) No.			No
Korea	Existing Chemicals List			No
New Zealand	New Zealand Inventory No			
Philippines	Philippine Inventory of ( (PICCS)	Chemicals and Chemi	cal Substances	No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

No

#### 16. Other information, including date of preparation or last revision

Issue date	02-19-2019
Revision date	02-19-2019
Version #	02
NFPA ratings	Health: 3 Flammability: 3 Instability: 0

Disclaimer

Chem Service, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.

Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.

This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.

Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY.