

1. Identification

Product identifier	Nitrosamines Mixture-8270	
Other means of identification		
Item	M-N8270X5	
Recommended use	For Laboratory Use Only	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	Chem Service, Inc.	
Address	660 Tower Lane West Chester, PA 19380 United States	
Telephone	Toll Free	800-452-9994
	Direct	610-692-3026
Website	www.chemservice.com	
E-mail	info@chemservice.com	
Emergency phone number	Chemtrec US	800-424-9300
	Chemtrec outside US	+1 703-527-3887

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, inhalation	Category 1
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Carcinogenicity	Category 1
	Specific target organ toxicity, repeated exposure	Category 2
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Fatal if inhaled. May cause cancer. May cause damage to organs through prolonged or repeated exposure.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Do not breathe vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Wear respiratory protection.
Response	If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment is urgent (see this label). Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.

Supplemental information

0.4% of the mixture consists of component(s) of unknown acute oral toxicity. 99.6% of the mixture consists of component(s) of unknown acute inhalation toxicity.

3. Composition/information on ingredients**Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Methylene chloride	DICHLOROMETHANE; METHYLENE DICHLORIDE	75-09-2	>98
N-Nitrosodiethylamine		55-18-5	0.2
N-Nitrosodimethylamine		62-75-9	0.2
N-Nitrosodi-n-butylamine		924-16-3	0.2
N-Nitrosodi-n-propylamine		621-64-7	0.2
N-Nitrosodiphenylamine		86-30-6	0.2
N-Nitrosomethylethylamine		10595-95-6	0.2
N-Nitrosomorpholine		59-89-2	0.2
N-Nitrosopiperidine		100-75-4	0.2
N-Nitrosopyrrolidine		930-55-2	0.2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures**Inhalation**

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Skin contact

Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion

Rinse mouth. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms/effects, acute and delayed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures**Suitable extinguishing media**

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapor. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapor. Do not taste or swallow. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Type	Value
Methylene chloride (CAS 75-09-2)	STEL	125 ppm
	TWA	25 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
Methylene chloride (CAS 75-09-2)	TWA	50 ppm

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Specimen	Sampling Time
Methylene chloride (CAS 75-09-2)	0.3 mg/l	Dichloromethane	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines

US ACGIH Threshold Limit Values: Skin designation

N-Nitrosodimethylamine (CAS 62-75-9) Can be absorbed through the skin.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing.

Respiratory protection Wear positive pressure self-contained breathing apparatus (SCBA).

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid
Color	Not available.

Odor Not available.

Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	-139 °F (-95 °C) estimated
Initial boiling point and boiling range	103.55 °F (39.75 °C) estimated
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	15.5 % estimated
Flammability limit - upper (%)	66.4 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	579.97 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	1033 °F (556.11 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.320386 g/cm3 estimated
Percent volatile	98.2 % estimated
Specific gravity	1.32 estimated
VOC (Weight %)	98.2 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Harmful if swallowed.
Inhalation	Fatal if inhaled. May cause damage to organs by inhalation.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity Fatal if inhaled. Harmful if swallowed.

Components	Species	Test Results
Methylene chloride (CAS 75-09-2)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Guinea pig	11600 ppm, 6 Hours 40.2 mg/l, 6 Hours
	Mouse	14400 ppm, 7 Hours 51.5 mg/l, 2 Hours 49.1 mg/l, 6 Hours 49 mg/l, 7 Hours
	Rat	2000 mg/l, 15 Minutes 88 mg/l, 900 Days 79 mg/l, 2 Hours 52 mg/l, 6 Hours
LD50	Mouse	16000 ppm, 7 Hours
<i>Oral</i>		
LD50	Rat	1600 mg/kg
<i>Other</i>		
LD50	Mouse	437 mg/kg
N-Nitrosodimethylamine (CAS 62-75-9)		
Acute		
<i>Inhalation</i>		
LC50	Mouse	57 mg/l, 4 Hours
	Rat	78 mg/l, 4 Hours
<i>Oral</i>		
LD50	Rat	27 mg/kg
<i>Other</i>		
LD50	Rat	34 mg/kg
N-Nitrosodi-n-butylamine (CAS 924-16-3)		
Acute		
<i>Oral</i>		
LD50	Hamster	2150 mg/kg
	Rat	1200 mg/kg
<i>Other</i>		
LD50	Hamster	561 mg/kg
	Rat	1200 mg/kg
N-Nitrosodi-n-propylamine (CAS 621-64-7)		
Acute		
<i>Oral</i>		
LD50	Rat	480 mg/kg
<i>Other</i>		
LD50	Hamster	600 mg/kg
	Rat	487 mg/kg
N-Nitrosomethylethylamine (CAS 10595-95-6)		
Acute		
<i>Other</i>		
LD50	Rat	90 mg/kg
N-Nitrosomorpholine (CAS 59-89-2)		
Acute		
<i>Oral</i>		
LD50	Rat	282 mg/kg

Components	Species	Test Results
<i>Other</i> LD50	Rat	320 mg/kg
N-Nitrosopiperidine (CAS 100-75-4)		
Acute <i>Oral</i> LD50	Rat	200 mg/kg
<i>Other</i> LD50	Hamster	110 mg/kg
	Rat	60 mg/kg
N-Nitrosopyrrolidine (CAS 930-55-2)		
Acute <i>Oral</i> LD50	Rat	900 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity May cause cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

Methylene chloride (CAS 75-09-2)	2B Possibly carcinogenic to humans.
N-Nitrosodiethylamine (CAS 55-18-5)	2A Probably carcinogenic to humans.
N-Nitrosodimethylamine (CAS 62-75-9)	2A Probably carcinogenic to humans.
N-Nitrosodi-n-butylamine (CAS 924-16-3)	2B Possibly carcinogenic to humans.
N-Nitrosodi-n-propylamine (CAS 621-64-7)	2B Possibly carcinogenic to humans.
N-Nitrosodiphenylamine (CAS 86-30-6)	3 Not classifiable as to carcinogenicity to humans.
N-Nitrosomethylethylamine (CAS 10595-95-6)	2B Possibly carcinogenic to humans.
N-Nitrosomorpholine (CAS 59-89-2)	2B Possibly carcinogenic to humans.
N-Nitrosopiperidine (CAS 100-75-4)	2B Possibly carcinogenic to humans.
N-Nitrosopyrrolidine (CAS 930-55-2)	2B Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

Methylene chloride (CAS 75-09-2)	Reasonably Anticipated to be a Human Carcinogen.
N-Nitrosodiethylamine (CAS 55-18-5)	Reasonably Anticipated to be a Human Carcinogen.
N-Nitrosodimethylamine (CAS 62-75-9)	Reasonably Anticipated to be a Human Carcinogen.
N-Nitrosodi-n-butylamine (CAS 924-16-3)	Reasonably Anticipated to be a Human Carcinogen.
N-Nitrosodi-n-propylamine (CAS 621-64-7)	Reasonably Anticipated to be a Human Carcinogen.
N-Nitrosomorpholine (CAS 59-89-2)	Reasonably Anticipated to be a Human Carcinogen.
N-Nitrosopiperidine (CAS 100-75-4)	Reasonably Anticipated to be a Human Carcinogen.
N-Nitrosopyrrolidine (CAS 930-55-2)	Reasonably Anticipated to be a Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Methylene chloride (CAS 75-09-2)	Cancer
N-Nitrosodimethylamine (CAS 62-75-9)	Cancer

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Not classified.

Specific target organ toxicity - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. May cause damage to organs through prolonged or repeated exposure.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species	Test Results
Methylene chloride (CAS 75-09-2)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna) 1250 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) 140.8 - 277.8 mg/l, 96 hours
N-Nitrosodiethylamine (CAS 55-18-5)		
Aquatic		
Fish	LC50	Fathead minnow (Pimephales promelas) 698 - 860 mg/l, 96 hours
N-Nitrosodimethylamine (CAS 62-75-9)		
Aquatic		
Fish	LC50	Fathead minnow (Pimephales promelas) 832 - 1062 mg/l, 96 hours
N-Nitrosodiphenylamine (CAS 86-30-6)		
Aquatic		
Fish	LC50	Bluegill (Lepomis macrochirus) 4.8 - 7.6 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

Methylene chloride	1.25
N-Nitrosodiethylamine	0.48
N-Nitrosodimethylamine	-0.57
N-Nitrosodi-n-butylamine	1.92
N-Nitrosodi-n-propylamine	1.36
N-Nitrosodiphenylamine	3.13
N-Nitrosomethylethylamine	0.04
N-Nitrosomorpholine	-0.44
N-Nitrosopiperidine	0.36
N-Nitrosopyrrolidine	-0.19

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

US RCRA Hazardous Waste P List: Reference

N-Nitrosodimethylamine (CAS 62-75-9) P082

US RCRA Hazardous Waste U List: Reference

Methylene chloride (CAS 75-09-2) U080
 N-Nitrosodiethylamine (CAS 55-18-5) U174
 N-Nitrosodi-n-butylamine (CAS 924-16-3) U172
 N-Nitrosodi-n-propylamine (CAS 621-64-7) U111
 N-Nitrosopiperidine (CAS 100-75-4) U179
 N-Nitrosopyrrolidine (CAS 930-55-2) U180

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN number UN1593
UN proper shipping name Dichloromethane, solution

Transport hazard class(es)

Class	6.1(PGIII)
Subsidiary risk	-
Label(s)	6.1
Packing group	III
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB3, IP8, N36, T7, TP2
Packaging exceptions	153
Packaging non bulk	203
Packaging bulk	241

IATA

UN number	UN1593
UN proper shipping name	Dichloromethane solution
Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	6L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.

IMDG

UN number	UN1593
UN proper shipping name	DICHLOROMETHANE SOLUTION
Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-A
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not available.

DOT**IATA; IMDG**

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

N-Nitrosopyrrolidine (CAS 930-55-2) 0.1 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

Methylene chloride (CAS 75-09-2) Listed.
 N-Nitrosodiethylamine (CAS 55-18-5) Listed.
 N-Nitrosodimethylamine (CAS 62-75-9) Listed.
 N-Nitrosodi-n-butylamine (CAS 924-16-3) Listed.
 N-Nitrosodi-n-propylamine (CAS 621-64-7) Listed.
 N-Nitrosodiphenylamine (CAS 86-30-6) Listed.
 N-Nitrosomethylethylamine (CAS 10595-95-6) Listed.
 N-Nitrosomorpholine (CAS 59-89-2) Listed.
 N-Nitrosopiperidine (CAS 100-75-4) Listed.
 N-Nitrosopyrrolidine (CAS 930-55-2) Listed.

SARA 304 Emergency release notification

N-Nitrosodimethylamine (CAS 62-75-9) 10 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Methylene chloride (CAS 75-09-2) Cancer
 N-Nitrosodimethylamine (CAS 62-75-9) Cancer
 Methylene chloride (CAS 75-09-2) Heart
 N-Nitrosodimethylamine (CAS 62-75-9) Liver
 Methylene chloride (CAS 75-09-2) Central nervous system
 N-Nitrosodimethylamine (CAS 62-75-9) Acute toxicity
 Methylene chloride (CAS 75-09-2) Liver
 Skin irritation
 Eye irritation

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
 Immediate Hazard - Yes
 Delayed Hazard - Yes
 Fire Hazard - No
 Pressure Hazard - No
 Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
N-Nitrosodimethylamine	62-75-9	10	1000 lbs		

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Methylene chloride	75-09-2	>98
N-Nitrosodiethylamine	55-18-5	0.2
N-Nitrosodimethylamine	62-75-9	0.2
N-Nitrosodi-n-butylamine	924-16-3	0.2
N-Nitrosodi-n-propylamine	621-64-7	0.2
N-Nitrosomorpholine	59-89-2	0.2
N-Nitrosopiperidine	100-75-4	0.2

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Methylene chloride (CAS 75-09-2)
 N-Nitrosodimethylamine (CAS 62-75-9)
 N-Nitrosodiphenylamine (CAS 86-30-6)
 N-Nitrosomorpholine (CAS 59-89-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Methylene chloride (CAS 75-09-2)
N-Nitrosodiethylamine (CAS 55-18-5)
N-Nitrosodimethylamine (CAS 62-75-9)
N-Nitrosodi-n-butylamine (CAS 924-16-3)
N-Nitrosodi-n-propylamine (CAS 621-64-7)
N-Nitrosodiphenylamine (CAS 86-30-6)
N-Nitrosomethylethylamine (CAS 10595-95-6)
N-Nitrosomorpholine (CAS 59-89-2)
N-Nitrosopiperidine (CAS 100-75-4)
N-Nitrosopyrrolidine (CAS 930-55-2)

US. New Jersey Worker and Community Right-to-Know Act

Methylene chloride (CAS 75-09-2)	500 LBS
N-Nitrosodiethylamine (CAS 55-18-5)	500 LBS
N-Nitrosodimethylamine (CAS 62-75-9)	500 LBS
N-Nitrosodi-n-butylamine (CAS 924-16-3)	500 LBS
N-Nitrosodi-n-propylamine (CAS 621-64-7)	500 LBS
N-Nitrosodiphenylamine (CAS 86-30-6)	500 LBS
N-Nitrosomorpholine (CAS 59-89-2)	500 LBS
N-Nitrosopiperidine (CAS 100-75-4)	500 LBS

US. Pennsylvania RTK - Hazardous Substances

Methylene chloride (CAS 75-09-2)
N-Nitrosodiethylamine (CAS 55-18-5)
N-Nitrosodimethylamine (CAS 62-75-9)
N-Nitrosodi-n-butylamine (CAS 924-16-3)
N-Nitrosodi-n-propylamine (CAS 621-64-7)
N-Nitrosodiphenylamine (CAS 86-30-6)
N-Nitrosomethylethylamine (CAS 10595-95-6)
N-Nitrosomorpholine (CAS 59-89-2)
N-Nitrosopiperidine (CAS 100-75-4)
N-Nitrosopyrrolidine (CAS 930-55-2)

US. Rhode Island RTK

Methylene chloride (CAS 75-09-2)
N-Nitrosodiethylamine (CAS 55-18-5)
N-Nitrosodimethylamine (CAS 62-75-9)
N-Nitrosodi-n-butylamine (CAS 924-16-3)
N-Nitrosodi-n-propylamine (CAS 621-64-7)
N-Nitrosodiphenylamine (CAS 86-30-6)
N-Nitrosomethylethylamine (CAS 10595-95-6)
N-Nitrosomorpholine (CAS 59-89-2)
N-Nitrosopiperidine (CAS 100-75-4)
N-Nitrosopyrrolidine (CAS 930-55-2)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Methylene chloride (CAS 75-09-2)	Listed: April 1, 1988
N-Nitrosodiethylamine (CAS 55-18-5)	Listed: October 1, 1987
N-Nitrosodimethylamine (CAS 62-75-9)	Listed: October 1, 1987
N-Nitrosodi-n-butylamine (CAS 924-16-3)	Listed: October 1, 1987
N-Nitrosodi-n-propylamine (CAS 621-64-7)	Listed: January 1, 1988
N-Nitrosodiphenylamine (CAS 86-30-6)	Listed: April 1, 1988
N-Nitrosomethylethylamine (CAS 10595-95-6)	Listed: October 1, 1989
N-Nitrosomorpholine (CAS 59-89-2)	Listed: January 1, 1988
N-Nitrosopiperidine (CAS 100-75-4)	Listed: January 1, 1988
N-Nitrosopyrrolidine (CAS 930-55-2)	Listed: October 1, 1987

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 10-21-2014
Version # 01
NFPA ratings Health: 2
Flammability: 1
Instability: 0

Disclaimer The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.

Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.

This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.

Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY.