SAFETY DATA SHEET

GHEMSERVIGE

1. Identification

1. Identification			
Product identifier	Organochlorine Pesticides Mixture #1 - 508		
Other means of identification			
ltem	M-OCP5081T4		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	Chem Service, Inc. 660 Tower Lane West Chester, PA 19380 United States		
Telephone	Toll Free	800-452-9994	
	Direct	610-692-3026	
Website E-mail	www.chemservice.com info@chemservice.com		
Emergency phone number	Chemtrec US Chemtrec outside US	800-424-9300 +1 703-527-3887	,
2. Hazard(s) identification			
Physical hazards	Flammable liquids		Category 2
Health hazards	Acute toxicity, oral		Category 3
	Acute toxicity, dermal		Category 3
	Acute toxicity, inhalation		Category 4
	Skin corrosion/irritation		Category 2
	Serious eye damage/eye irri	itation	Category 2B
	Carcinogenicity		Category 1B
	Reproductive toxicity		Category 1
	Reproductive toxicity		Effects on or via lactation
	Specific target organ toxicity	v, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Hazardous to the aquatic en hazard	vironment, acute	Category 1
	Hazardous to the aquatic en long-term hazard	ivironment,	Category 1
OSHA defined hazards	Not classified.		

Label elements



Signal word Hazard statement

Highly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Causes skin irritation. Causes eye irritation. Harmful if inhaled. May cause respiratory irritation. May cause cancer. May damage fertility or the unborn child. May cause harm to breast-fed children. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapor. Avoid contact during pregnancy/while nursing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Immediately call a poison center/doctor. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.
Storage	Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	97% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 97% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
t-Butyl methyl ether		1634-04-4	90 - 100
4,4'-DDD		72-54-8	0.1
4,4'-DDE		72-55-9	0.1
4,4'-DDT		50-29-3	0.1
a-Endosulfan		959-98-8	0.1
Aldrin (TM)		309-00-2	0.1
b-Endosulfan		33213-65-9	0.1
BHC (alpha isomer)		319-84-6	0.1
BHC (beta isomer)		319-85-7	0.1
BHC (delta isomer)		319-86-8	0.1
cis-Chlordane		5103-71-9	0.1
Dieldrin		60-57-1	0.1
Endosulfan sulfate		1031-07-8	0.1
Endrin		72-20-8	0.1
Endrin aldehyde		7421-93-4	0.1
Endrin ketone		53494-70-5	0.1
Heptachlor		76-44-8	0.1
Heptachlor epoxide (Isomer B)		1024-57-3	0.1
Lindane (BHC gamma isomer)		58-89-9	0.1
Methoxychlor		72-43-5	0.1
trans-Chlordane		5103-74-2	0.1
Hydroquinone		123-31-9	0.02
Other components below reportable	levels		< 1

4. First-aid measures

- Inhalation
- Skin contact

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell. Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical advice/attention if you feel unwell. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Most important symptoms/effects, acute and delayed	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May cause respiratory irritation. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Take off immediately all contaminated clothing. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

6. Accidental release measures

Specific methods

General fire hazards

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent entry into waterways, sewer, basements or confined areas.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Highly flammable liquid and vapor.

Use standard firefighting procedures and consider the hazards of other involved materials.

7. Handling and storage

J J.	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

JS. OSHA Table Z-1 Limits for Air (Components	Туре	Value	Form
.,4'-DDT (CAS 50-29-3)	PEL	1 mg/m3	
Ndrin (TM) (CAS 309-00-2)	PEL	0.25 mg/m3	
is-Chlordane (CAS 103-71-9)	PEL	0.5 mg/m3	
Dieldrin (CAS 60-57-1)	PEL	0.25 mg/m3	
Endrin (CAS 72-20-8)	PEL	0.1 mg/m3	
leptachlor (CAS 76-44-8)	PEL	0.5 mg/m3	
leptachlor epoxide (Isomer 3) (CAS 1024-57-3)	PEL	0.5 mg/m3	
lydroquinone (CAS 23-31-9)	PEL	2 mg/m3	
indane (BHC gamma somer) (CAS 58-89-9)	PEL	0.5 mg/m3	
/ethoxychlor (CAS 2-43-5)	PEL	15 mg/m3	Total dust.
rans-Chlordane (CAS 103-74-2)	PEL	0.5 mg/m3	
IS. ACGIH Threshold Limit Values			
components	Туре	Value	Form
,4'-DDT (CAS 50-29-3)	TWA	1 mg/m3	
-Endosulfan (CAS 59-98-8)	TWA	0.1 mg/m3	Inhalable fraction and vapor.
ldrin (TM) (CAS 309-00-2)	TWA	0.05 mg/m3	Inhalable fraction and vapor.
-Endosulfan (CAS 3213-65-9)	TWA	0.1 mg/m3	Inhalable fraction and vapor.
is-Chlordane (CAS 103-71-9)	TWA	0.5 mg/m3	·
)ieldrin (CAS 60-57-1)	TWA	0.1 mg/m3	Inhalable fraction and vapor.
Indrin (CAS 72-20-8)	TWA	0.1 mg/m3	Г ⁻
leptachlor (CAS 76-44-8)	TWA	0.05 mg/m3	
leptachlor epoxide (Isomer	TWA	0.05 mg/m3	
3) (CAS 1024-57-3)			
	TWA	1 mg/m3	

US. ACGIH Threshold Limit Values Components	Туре	Value Form	
Methoxychlor (CAS 72-43-5)	TWA	10 mg/m3	
t-Butyl methyl ether (CAS 1634-04-4)	TWA	50 ppm	
trans-Chlordane (CAS 5103-74-2)	TWA	0.5 mg/m3	
US. NIOSH: Pocket Guide to Chem	ical Hazards		
Components	Туре	Value	
4,4'-DDT (CAS 50-29-3)	TWA	0.5 mg/m3	
a-Endosulfan (CAS 959-98-8)	TWA	0.1 mg/m3	
Aldrin (TM) (CAS 309-00-2)	TWA	0.25 mg/m3	
b-Endosulfan (CAS 33213-65-9)	TWA	0.1 mg/m3	
cis-Chlordane (CAS 5103-71-9)	TWA	0.5 mg/m3	
Dieldrin (CAS 60-57-1)	TWA	0.25 mg/m3	
Endrin (CAS 72-20-8)	TWA	0.1 mg/m3	
Heptachlor (CAS 76-44-8)	TWA	0.5 mg/m3	
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	TWA	0.5 mg/m3	
Hydroquinone (CAS 123-31-9)	Ceiling	2 mg/m3	
Lindane (BHC gamma isomer) (CAS 58-89-9)	TWA	0.5 mg/m3	
trans-Chlordane (CAS	TWA	0.5 mg/m3	

5103-74-2) Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

4,4'-DDT (CAS 50-29-3) a-Endosulfan (CAS 959-98-8) Aldrin (TM) (CAS 309-00-2) b-Endosulfan (CAS 33213-65-9) cis-Chlordane (CAS 5103-71-9) Dieldrin (CAS 60-57-1) Endrin (CAS 72-20-8) Heptachlor (CAS 76-44-8) Heptachlor epoxide (Isomer B) (CAS 1024-57-3) Lindane (BHC gamma isomer) (CAS 58-89-9) trans-Chlordane (CAS 5103-74-2)

US - Minnesota Haz Subs: Skin designation applies

a-Endosulfan (CAS 959-98-8) Aldrin (TM) (CAS 309-00-2) b-Endosulfan (CAS 33213-65-9) cis-Chlordane (CAS 5103-71-9) Dieldrin (CAS 60-57-1) Endrin (CAS 72-20-8) Heptachlor (CAS 76-44-8) Heptachlor epoxide (Isomer B) (CAS 1024-57-3) Lindane (BHC gamma isomer) (CAS 58-89-9) trans-Chlordane (CAS 5103-74-2)

US - Tennessee OELs: Skin designation

4,4'-DDT (CAS 50-29-3) a-Endosulfan (CAS 959-98-8) Aldrin (TM) (CAS 309-00-2) b-Endosulfan (CAS 33213-65-9) cis-Chlordane (CAS 5103-71-9) Dieldrin (CAS 60-57-1) Endrin (CAS 72-20-8) Can be absorbed through the skin. Can be absorbed through the skin.

Skin designation applies. Skin designation applies.

Can be absorbed through the skin. Heptachlor (CAS 76-44-8) Heptachlor epoxide (Isomer B) (CAS 1024-57-3) Lindane (BHC gamma isomer) (CAS 58-89-9) trans-Chlordane (CAS 5103-74-2)

US ACGIH Threshold Limit Values: Skin designation

a-Endosulfan (CAS 959-98-8) Aldrin (TM) (CAS 309-00-2) b-Endosulfan (CAS 33213-65-9) cis-Chlordane (CAS 5103-71-9) Dieldrin (CAS 60-57-1) Endrin (CAS 72-20-8) Heptachlor (CAS 76-44-8) Heptachlor epoxide (Isomer B) (CAS 1024-57-3) Lindane (BHC gamma isomer) (CAS 58-89-9) trans-Chlordane (CAS 5103-74-2) Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin.

Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin. Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

a-Endosulfan (CAS 959-98-8) Aldrin (TM) (CAS 309-00-2) b-Endosulfan (CAS 33213-65-9) cis-Chlordane (CAS 5103-71-9) Dieldrin (CAS 60-57-1) Endrin (CAS 72-20-8) Heptachlor (CAS 76-44-8) Heptachlor epoxide (Isomer B) (CAS 1024-57-3) Lindane (BHC gamma isomer) (CAS 58-89-9) trans-Chlordane (CAS 5103-74-2) Can be absorbed through the skin. Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

4,4'-DDT (CAS 50-29-3) Aldrin (TM) (CAS 309-00-2) cis-Chlordane (CAS 5103-71-9) Dieldrin (CAS 60-57-1) Endrin (CAS 72-20-8) Heptachlor (CAS 76-44-8) Heptachlor epoxide (Isomer B) (CAS 1024-57-3) Lindane (BHC gamma isomer) (CAS 58-89-9) trans-Chlordane (CAS 5103-74-2) Can be absorbed through the skin. Can be absorbed through the skin.

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

Individual protection measures, such as personal protective equipment

Eye/face protection	Chemical respirator with organic vapor cartridge and full facepiece.
Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements. When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.

Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-163.48 °F (-108.6 °C) estimated
Initial boiling point and boiling range	131.36 °F (55.2 °C) estimated
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	333.3 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.75499 g/cm3 estimated
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Specific gravity	0.76 estimated
VOC	0.01 % estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological informat	ion
Information on likely routes of e	xposure
Inhalation	Harmful if inhaled.
Skin contact	Toxic in contact with skin. Causes skin irritation.
Eye contact	Causes eye irritation.
Ingestion	Toxic if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May cause respiratory irritation. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Toxic in contact with skin. Toxic if swallowed. Harmful if inhaled.

Components	Species	Test Results
4,4'-DDD (CAS 72-54-8)		
Acute		
Dermal		1000 #
LD50	Rabbit	1200 mg/kg
Oral	Det	440
	Rat	113 mg/kg
4,4'-DDE (CAS 72-55-9)		
<u>Acute</u>		
Oral LD50	Rat	880 mg/kg
4,4'-DDT (CAS 50-29-3)	Nat	000 mg/kg
4,4-DDT (CAS 50-29-5) <u>Acute</u>		
Dermal		
LD50	Rabbit	300 mg/kg
Oral		5.5
LD50	Rat	87 mg/kg
a-Endosulfan (CAS 959-98-8)		5 5
Acute		
Dermal		
LD50	Rat	34 mg/kg
Inhalation		
LC50	Rat	0.08 mg/l, 4 Hours
Aldrin (TM) (CAS 309-00-2)		
Acute		
Dermal		
LD50	Rat	98 mg/kg
b-Endosulfan (CAS 33213-65-9)		
<u>Acute</u>		
Dermal		
LD50	Rat	34 mg/kg
Inhalation		
LC50	Rat	0.08 mg/l, 4 Hours
BHC (alpha isomer) (CAS 319-84-6)		
Acute		
Dermal LD50	Rat	
	Rai	0.9 mg/kg
Oral LD50	Rat	177 mg/kg
	Nat	177 mg/kg
BHC (beta isomer) (CAS 319-85-7) <u>Acute</u>		
Dermal		
LD50	Rat	0.9 mg/kg
BHC (delta isomer) (CAS 319-86-8)		5 5
<u>Acute</u>		
Dermal		
LD50	Rat	0.9 mg/kg
cis-Chlordane (CAS 5103-71-9)		
Acute		
Dermal		
LD50	Rat	590 - 840 mg/kg

Components	Species	Test Results	
Dieldrin (CAS 60-57-1)			
<u>Acute</u>			
Dermal	D (<i>n</i>	
LD50	Rat 56 mg/kg		
Endrin (CAS 72-20-8)			
<u>Acute</u>			
Dermal	Det	10	
LD50	Rat	12 mg/kg	
Oral	Det	2	
LD50	Rat	3 mg/kg	
Hydroquinone (CAS 123-31-9)			
<u>Acute</u>			
Dermal	Rat	> 900 mg/kg	
LD50	Ral	> 900 mg/kg	
Oral	Det		
LD50	Rat	300 - 600 mg/kg	
indane (BHC gamma isomer) (C	CAS 58-89-9)		
<u>Acute</u>			
Dermal	Dabbit	E0 malka	
LD50	Rabbit	50 mg/kg	
Inhalation	D. (
LC50	Rat	1.56 mg/l	
Oral			
LD50	Rat	76 mg/kg	
-Butyl methyl ether (CAS 1634-0)4-4)		
Acute			
Dermal	D. (
LD50	Rat	> 2000 mg/kg, Days	
Oral		0000 //	
LD50	Rat	> 2000 mg/kg	
rans-Chlordane (CAS 5103-74-2	2)		
Acute			
Dermal	D. (500 040	
LD50	Rat	590 - 840 mg/kg	
* Estimates for product may	be based on additional compor	nent data not shown.	
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/eye rritation	Causes eye irritation.		
Respiratory or skin sensitization	on		
ACGIH sensitization			
HYDROQUINONE (CAS	S 123-31-9)	Dermal sensitization	
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected	to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	May cause cancer.		
IARC Monographs. Overal	I Evaluation of Carcinogenici	ty	
4,4'-DDT (CAS 50-29-3) Aldrin (TM) (CAS 309-0 BHC (alpha isomer) (CA BHC (beta isomer) (CA) 0-2) AS 319-84-6)	 2A Probably carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans. 2B Possibly carcinogenic to humans. 2B Possibly carcinogenic to humans. 	
BHC (Deta Isoffier) (CA	•		

BHC (delta isomer) (CAS 319-86-8) cis-Chlordane (CAS 5103-71-9) Dieldrin (CAS 60-57-1) Endrin (CAS 72-20-8) Heptachlor (CAS 76-44-8) Heptachlor epoxide (Isomer B) (CAS 1024-57-3) Hydroquinone (CAS 123-31-9) Lindane (BHC gamma isomer) (CAS 58-89-9) Methoxychlor (CAS 72-43-5) t-Butyl methyl ether (CAS 1634-04-4) trans-Chlordane (CAS 5103-74-2) OSHA Specifically Regulated Substances (29 CFR 1910.10		 2B Possibly carcinogenic to humans. 2B Possibly carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans. 3 Not classifiable as to carcinogenicity to humans. 2B Possibly carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans.
Not regulated.		
	gram (NTP) Report on Carcin	ogens
4,4'-DDT (CAS 50-29-3) BHC (alpha isomer) (CAS BHC (beta isomer) (CAS BHC (delta isomer) (CAS Lindane (BHC gamma iso	319-85-7) 319-86-8)	Reasonably Anticipated to be a Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen.
Reproductive toxicity	May cause harm to breastfed	babies. May damage fertility or the unborn child.
Specific target organ toxicity - single exposure	May cause respiratory irritatio	n.
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be h	narmful.
	5	

12. Ecological information

Very toxic	to aquatic life with long lasting effects.	aquatic life with long lasting effects.		
	Species	Test Results		
)				
EC50	Water flea (Daphnia pulex)	0.0023 - 0.0044 mg/l, 48 hours		
LC50	Walleye (Stizostedion vitreum vitreum)	0.011 - 0.019 mg/l, 96 hours		
)				
EC50	Brown shrimp (Penaeus aztecus)	0.028 mg/l, 48 hours		
LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.026 - 0.04 mg/l, 96 hours		
1				
EC50	Water flea (Daphnia magna)	0.0005 - 0.001 mg/l, 48 hours		
LC50	Bluegill (Lepomis macrochirus)	0.0013 - 0.002 mg/l, 96 hours		
-98-8)				
EC50	Water flea (Daphnia carinata)	0.18 mg/l, 48 hours		
LC50	Snake-head catfish (Channa punctata)	0.0001 - 0.0002 mg/l, 96 hours		
0-2)				
EC50	Ostracod, Seed shrimp (Cypridopsis vidua)	0.015 - 0.021 mg/l, 48 hours		
LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.0023 - 0.0045 mg/l, 96 hours		
	EC50 LC50 EC50 LC50 -98-8) EC50 LC50 -92) EC50	EC50 Water flea (Daphnia pulex) LC50 Walleye (Stizostedion vitreum vitreum) EC50 Brown shrimp (Penaeus aztecus) LC50 Rainbow trout,donaldson trout (Oncorhynchus mykiss) EC50 Water flea (Daphnia magna) LC50 Bluegill (Lepomis macrochirus) -98-8) EC50 Water flea (Daphnia carinata) LC50 Snake-head catfish (Channa punctata) O-2) EC50 Ostracod, Seed shrimp (Cypridopsis vidua) LC50 Rainbow trout,donaldson trout		

Components		Species	Test Results	
b-Endosulfan (CAS 33213-	65-9)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia carinata)	0.18 mg/l, 48 hours	
Fish	LC50	Snake-head catfish (Channa punctata)	0.0066 - 0.0067 mg/l, 96 hours	
BHC (alpha isomer) (CAS 3 Aquatic	319-84-6)			
Crustacea	EC50	Water flea (Daphnia magna)	0.6 - 1 mg/l, 48 hours	
Fish	LC50	Zebra danio (Danio rerio)	0.82 - 1.51 mg/l, 96 hours	
BHC (beta isomer) (CAS 31	19-85-7)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	0.68 mg/l, 48 hours	
Fish	LC50	Guppy (Poecilia reticulata)	1 - 3.55 mg/l, 96 hours	
BHC (delta isomer) (CAS 3	19-86-8)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	0.68 mg/l, 48 hours	
Fish	LC50	Zebra danio (Danio rerio)	1.15 - 2.17 mg/l, 96 hours	
cis-Chlordane (CAS 5103-7	'1-9)			
Aquatic				
Fish	LC50	Bluegill (Lepomis macrochirus)	0.0043 - 0.0118 mg/l, 96 hours	
Dieldrin (CAS 60-57-1)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	0.074 - 0.0854 mg/l, 48 hours	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.001 - 0.0013 mg/l, 96 hours	
Endrin (CAS 72-20-8)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	0.013 - 0.03 mg/l, 48 hours	
Fish	LC50	Sheepshead minnow (Cyprinodon variegatus)	0.0002 - 0.0006 mg/l, 96 hours	
Heptachlor (CAS 76-44-8)				
Aquatic				
Crustacea	EC50	Water flea (Daphnia pulex)	0.021 - 0.063 mg/l, 48 hours	
Fish	LC50	Pinfish (Lagodon rhomboides)	0.002 - 0.0088 mg/l, 96 hours	
Heptachlor epoxide (Isomer	r B) (CAS 1024-5	7-3)		
Aquatic	5050			
Crustacea	EC50	Water flea (Daphnia pulex)	0.021 - 0.063 mg/l, 48 hours	
Fish	LC50	Bluegill (Lepomis macrochirus)	0.0039 - 0.0072 mg/l, 96 hours	
Hydroquinone (CAS 123-31	1-9)			
Aquatic	5050			
Crustacea	EC50	Water flea (Daphnia magna)	0.12 - 0.15 mg/l, 48 hours	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.044 mg/l, 96 hours	
Lindane (BHC gamma isom	ner) (CAS 58-89-9			
Aquatic	5053			
Crustacea	EC50	Water flea (Daphnia pulex)	0.386 - 0.547 mg/l, 48 hours	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.02 - 0.027 mg/l, 96 hours	
Methoxychlor (CAS 72-43-5 Aquatic	5)			
Crustacea	EC50	Water flea (Daphnia pulex)	0.0006 - 0.0011 mg/l, 48 hours	
torial name: Organochloring Por			G ,	

Components		Species	Test Results	
Fish	LC50	Brook trout (Salvelinus fontinalis)	0.007 - 0.017 mg/l, 96 hours	
t-Butyl methyl ether (0	CAS 1634-04-4)			
Aquatic				
Fish	LC50	Fathead minnow (Pimephales promelas)	672 mg/l, 96 hours	
trans-Chlordane (CAS	6 5103-74-2)			
Aquatic				
Fish	LC50	Bluegill (Lepomis macrochirus)	0.0308 - 0.0827 mg/l, 96 hours	

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kor	N)
חחח יא א	

	n water (log now)	
4,4'-DDD		6.02
4,4'-DDE		6.51
4,4'-DDT		6.91
a-Endosulfan		3.83
Aldrin (TM)		6.5
b-Endosulfan		3.83
BHC (alpha isomer)		3.8
BHC (beta isomer)		3.78
BHC (delta isomer)		4.14
cis-Chlordane		5.16
Dieldrin		5.4
Endosulfan sulfate		3.66
Endrin		5.2
Endrin aldehyde		5.6
Heptachlor		6.1
Heptachlor epoxide (Isomer B)		5.4
Hydroquinone		0.59
Lindane (BHC gamma isomer)		3.72
Methoxychlor		5.08
t-Butyl methyl ether		0.94
trans-Chlordane		5.16
Mobility in soil	No data available.	

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with al	l applicable regulations.	
Hazardous waste code	The waste code should be ass disposal company.	signed in discussion between the user, the producer and the waste	
US RCRA Hazardous Waste	P List: Reference		
a-Endosulfan (CAS 959-9	8-8)	P050	
Aldrin (TM) (CAS 309-00-	2)	P004	
b-Endosulfan (CAS 33213-65-9)		P050	
Dieldrin (CAS 60-57-1)		P037	
Endrin (CAS 72-20-8)		P051	
Heptachlor (CAS 76-44-8		P059	
Heptachlor epoxide (Isom	er B) (CAS 1024-57-3)	P059	
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after contain emptied. Empty containers should be taken to an approved waste handling site for recycling o disposal.		

14. Transport information

DOT

DOT	
UN number	UN2398
UN proper shipping name	Methyl tert-butyl ether, solution (t-Butyl methyl ether RQ = 1031 LBS)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	11
	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, T7, TP1
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242
IATA	
UN number	UN2398
UN proper shipping name	Methyl tert-butyl ether solution (t-Butyl methyl ether)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	II
Environmental hazards	Yes
ERG Code	3L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN2398
UN proper shipping name	METHYL tert-BUTYL ETHER solution (t-Butyl methyl ether), MARINE POLLUTANT
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	1
Environmental hazards	
Marine pollutant	Yes
EmS	F-E, S-D
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and	
the IBC Code	
DOT	

FLAMMABLE LIQUID

IATA; IMDG



Marine pollutant



IMDG Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

	p:: = /		
4,4'-DDT (CAS 50-29-3)	0.1 % One-Time Export Notification only.		
Endrin (CAS 72-20-8)	1.0 % One-Time Export Notification only.		
CERCLA Hazardous Substance List (40 CFR 302.4)			
4,4'-DDD (CAS 72-54-8)	Listed.		
4,4'-DDE (CAS 72-55-9)	Listed.		
4,4'-DDT (CAS 50-29-3)	Listed.		
a-Endosulfan (CAS 959-98-8)	Listed.		
Aldrin (TM) (CAS 309-00-2)	Listed.		
b-Endosulfan (CAS 33213-65-9)	Listed.		
BHC (alpha isomer) (CAS 319-84-6)	Listed.		
BHC (beta isomer) (CAS 319-85-7)	Listed.		
BHC (delta isomer) (CAS 319-86-8)	Listed.		
cis-Chlordane (CAS 5103-71-9)	Listed.		
Dieldrin (CAS 60-57-1)	Listed.		
Endosulfan sulfate (CAS 1031-07-8)	Listed.		
Endrin (CAS 72-20-8)	Listed.		
Endrin aldehyde (CAS 7421-93-4)	Listed.		
Heptachlor (CAS 76-44-8)	Listed.		
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	Listed.		
Hydroquinone (CAS 123-31-9)	Listed.		
Lindane (BHC gamma isomer) (CAS 58-89-9)	Listed.		
Methoxychlor (CAS 72-43-5)	Listed.		
t-Butyl methyl ether (CAS 1634-04-4)	Listed.		
trans-Chlordane (CAS 5103-74-2)	Listed.		
SARA 304 Emergency release notification			
a-Endosulfan (CAS 959-98-8)	1 LBS		
Aldrin (TM) (CAS 309-00-2)	1 LBS		
b-Endosulfan (CAS 33213-65-9)	1 LBS		
cis-Chlordane (CAS 5103-71-9)	1 LBS		
Endrin (CAS 72-20-8)	1 LBS		
Hydroquinone (CAS 123-31-9)	100 LBS		
Lindane (BHC gamma isomer) (CAS 58-89-9)	1 LBS		
trans-Chlordane (CAS 5103-74-2)	1 LBS		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)			
Not regulated.			

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes
	Delayed Hazard - Yes
	Fire Hazard - Yes
	Pressure Hazard - No
	Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
a-Endosulfan	959-98-8	1		10	10000
Aldrin (TM)	309-00-2	1		500	10000
b-Endosulfan	33213-65-9	1		10	10000
cis-Chlordane	5103-71-9	1	1000		
Endrin	72-20-8	1		500	10000
Lindane (BHC gamma isomer)	58-89-9	1		1000	10000
trans-Chlordane	5103-74-2	1	1000		
Hydroquinone	123-31-9	100		500	10000

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
BHC (alpha isomer)	319-84-6	0.1	
cis-Chlordane	5103-71-9	0.1	
Heptachlor	76-44-8	0.1	
Heptachlor epoxide (Isomer B)	1024-57-3	0.1	
Lindane (BHC gamma isomer)	58-89-9	0.1	
t-Butyl methyl ether	1634-04-4	90 - 100	
trans-Chlordane	5103-74-2	0.1	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

4,4'-DDD (CAS 72-54-8) 4,4'-DDE (CAS 72-55-9) 4,4'-DDT (CAS 50-29-3) cis-Chlordane (CAS 5103-71-9) Heptachlor (CAS 76-44-8) Heptachlor epoxide (Isomer B) (CAS 1024-57-3) Hydroquinone (CAS 123-31-9) Lindane (BHC gamma isomer) (CAS 58-89-9) Methoxychlor (CAS 72-43-5) t-Butyl methyl ether (CAS 1634-04-4) trans-Chlordane (CAS 5103-74-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

(SDWA)

-

US state regulations

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

4,4'-DDD (CAS 72-54-8)	Listed: January 1, 1989
4,4'-DDE (CAS 72-55-9)	Listed: January 1, 1989
4,4'-DDT (CAS 50-29-3)	Listed: October 1, 1987
Aldrin (TM) (CAS 309-00-2)	Listed: July 1, 1988
BHC (alpha isomer) (CAS 319-84-6)	Listed: October 1, 1989
BHC (beta isomer) (CAS 319-85-7)	Listed: October 1, 1989
BHC (delta isomer) (CAS 319-86-8)	Listed: October 1, 1987
cis-Chlordane (CAS 5103-71-9)	Listed: July 1, 1988
Dieldrin (CAS 60-57-1)	Listed: July 1, 1988
Heptachlor (CAS 76-44-8)	Listed: July 1, 1988
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	Listed: July 1, 1988

Lindane (BHC gamma isomer) (CAS 58-89-9)	Listed: October 1, 1989		
trans-Chlordane (CAS 5103-74-2)	Listed: July 1, 1988		
US - California Proposition 65 - CRT: Listed date/De	velopmental toxin		
4,4'-DDE (CAS 72-55-9)	Listed: March 30, 2010		
4,4'-DDT (CAS 50-29-3)	Listed: May 15, 1998		
Endrin (CAS 72-20-8)	Listed: May 15, 1998		
Heptachlor (CAS 76-44-8)	Listed: August 20, 1999		
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	Listed: August 20, 1999		
US - California Proposition 65 - CRT: Listed date/Fe	male reproductive toxin		
4,4'-DDT (CAS 50-29-3)	Listed: May 15, 1998		
US - California Proposition 65 - CRT: Listed date/Male reproductive toxin			
4,4'-DDE (CAS 72-55-9)	Listed: March 30, 2010		
4,4'-DDT (CAS 50-29-3)	Listed: May 15, 1998		
US. California. Candidate Chemicals List. Safer Con	sumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3,		
subd. (a))			
4,4'-DDD (CAS 72-54-8)			
4,4'-DDE (CAS 72-55-9)			
4,4'-DDT (CAS 50-29-3)			
Methoxychlor (CAS 72-43-5)			
t-Butyl methyl ether (CAS 1634-04-4)			
International Inventories			

On inventory (yes/no)* Country(s) or region Inventory name Australia Australian Inventory of Chemical Substances (AICS) No Canada Domestic Substances List (DSL) No Canada Non-Domestic Substances List (NDSL) No China Inventory of Existing Chemical Substances in China (IECSC) No European Inventory of Existing Commercial Chemical Europe No Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Europe No Japan Inventory of Existing and New Chemical Substances (ENCS) No Korea Existing Chemicals List (ECL) No New Zealand New Zealand Inventory No Philippines Philippine Inventory of Chemicals and Chemical Substances No (PICCS) United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	08-08-2014
Revision date	08-26-2019
Version #	03
NFPA ratings	Health: 3 Flammability: 3 Instability: 0

Chem Service, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.

Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.

This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.

Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY.