

SAFETY DATA SHEET

CHEM SERVICE Inc.

1. Identification

Product identifier	Organochlorine Pesticides Mixture #2 - 525.2	
Other means of identification		
Item	M-OCPH525B3	
Recommended use	For Laboratory Use Only	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	Chem Service, Inc.	
Address	660 Tower Lane West Chester, PA 19380 United States	
Telephone	Toll Free Direct	800-452-9994 610-692-3026
Website	www.chemservice.com	
E-mail	info@chemservice.com	
Emergency phone number	Chemtrec US Chemtrec outside US	800-424-9300 +1 703-527-3887

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 2
Health hazards	Acute toxicity, oral	Category 4
	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, single exposure	Category 3 narcotic effects
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
OSHA defined hazards	Not classified.	

Label elements



Signal word

Danger

Hazard statement

Highly flammable liquid and vapor. Harmful if swallowed. Causes serious eye irritation. May cause drowsiness or dizziness. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary statement

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear eye protection/face protection. Wear protective gloves/eye protection/face protection.

Response

If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Rinse mouth. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish. Collect spillage.

Storage	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.
Supplemental information	0.05% of the mixture consists of component(s) of unknown acute oral toxicity. 99.4% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 99.4% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Acetone		67-64-1	>99
Alachlor		15972-60-8	0.05
Aldrin (TM)		309-00-2	0.05
Atrazine		1912-24-9	0.05
cis-Chlordane		5103-71-9	0.05
Endrin		72-20-8	0.05
Heptachlor		76-44-8	0.05
Heptachlor epoxide (Isomer B)		1024-57-3	0.05
Lindane (BHC gamma isomer)		58-89-9	0.05
Methoxychlor		72-43-5	0.05
Simazine		122-34-9	0.05
trans-Chlordane		5103-74-2	0.05
trans-Nonachlor		39765-80-5	0.05

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Alcohol resistant foam. Water fog. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Highly flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases. Use appropriate containment to avoid environmental contamination.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist or vapor. Avoid contact with eyes. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Eliminate sources of ignition. Avoid spark promoters. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Acetone (CAS 67-64-1)	PEL	2400 mg/m ³ 1000 ppm	
Aldrin (TM) (CAS 309-00-2)	PEL	0.25 mg/m ³	
cis-Chlordane (CAS 5103-71-9)	PEL	0.5 mg/m ³	
Endrin (CAS 72-20-8)	PEL	0.1 mg/m ³	
Heptachlor (CAS 76-44-8)	PEL	0.5 mg/m ³	
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	PEL	0.5 mg/m ³	
Lindane (BHC gamma isomer) (CAS 58-89-9)	PEL	0.5 mg/m ³	
Methoxychlor (CAS 72-43-5)	PEL	15 mg/m ³	Total dust.
trans-Chlordane (CAS 5103-74-2)	PEL	0.5 mg/m ³	

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Acetone (CAS 67-64-1)	STEL	750 ppm	
	TWA	500 ppm	
Alachlor (CAS 15972-60-8)	TWA	1 mg/m ³	Inhalable fraction and vapor.
Aldrin (TM) (CAS 309-00-2)	TWA	0.05 mg/m ³	Inhalable fraction and vapor.
Atrazine (CAS 1912-24-9)	TWA	2 mg/m ³	Inhalable fraction.
cis-Chlordane (CAS 5103-71-9)	TWA	0.5 mg/m ³	
Endrin (CAS 72-20-8)	TWA	0.1 mg/m ³	
Heptachlor (CAS 76-44-8)	TWA	0.05 mg/m ³	
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	TWA	0.05 mg/m ³	
Lindane (BHC gamma isomer) (CAS 58-89-9)	TWA	0.5 mg/m ³	
Methoxychlor (CAS 72-43-5)	TWA	10 mg/m ³	
trans-Chlordane (CAS 5103-74-2)	TWA	0.5 mg/m ³	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Acetone (CAS 67-64-1)	TWA	590 mg/m ³ 250 ppm
Aldrin (TM) (CAS 309-00-2)	TWA	0.25 mg/m ³
Atrazine (CAS 1912-24-9)	TWA	5 mg/m ³
cis-Chlordane (CAS 5103-71-9)	TWA	0.5 mg/m ³
Endrin (CAS 72-20-8)	TWA	0.1 mg/m ³
Heptachlor (CAS 76-44-8)	TWA	0.5 mg/m ³
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	TWA	0.5 mg/m ³
Lindane (BHC gamma isomer) (CAS 58-89-9)	TWA	0.5 mg/m ³

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
trans-Chlordane (CAS 5103-74-2)	TWA	0.5 mg/m ³

Biological limit values**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
Acetone (CAS 67-64-1)	50 mg/l	Acetone	Urine	*

* - For sampling details, please see the source document.

Exposure guidelines**US - California OELs: Skin designation**

Aldrin (TM) (CAS 309-00-2)	Can be absorbed through the skin.
cis-Chlordane (CAS 5103-71-9)	Can be absorbed through the skin.
Endrin (CAS 72-20-8)	Can be absorbed through the skin.
Heptachlor (CAS 76-44-8)	Can be absorbed through the skin.
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	Can be absorbed through the skin.
Lindane (BHC gamma isomer) (CAS 58-89-9)	Can be absorbed through the skin.
trans-Chlordane (CAS 5103-74-2)	Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Aldrin (TM) (CAS 309-00-2)	Skin designation applies.
cis-Chlordane (CAS 5103-71-9)	Skin designation applies.
Endrin (CAS 72-20-8)	Skin designation applies.
Heptachlor (CAS 76-44-8)	Skin designation applies.
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	Skin designation applies.
Lindane (BHC gamma isomer) (CAS 58-89-9)	Skin designation applies.
trans-Chlordane (CAS 5103-74-2)	Skin designation applies.

US - Tennessee OELs: Skin designation

Aldrin (TM) (CAS 309-00-2)	Can be absorbed through the skin.
cis-Chlordane (CAS 5103-71-9)	Can be absorbed through the skin.
Endrin (CAS 72-20-8)	Can be absorbed through the skin.
Heptachlor (CAS 76-44-8)	Can be absorbed through the skin.
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	Can be absorbed through the skin.
Lindane (BHC gamma isomer) (CAS 58-89-9)	Can be absorbed through the skin.
trans-Chlordane (CAS 5103-74-2)	Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Aldrin (TM) (CAS 309-00-2)	Can be absorbed through the skin.
cis-Chlordane (CAS 5103-71-9)	Can be absorbed through the skin.
Endrin (CAS 72-20-8)	Can be absorbed through the skin.
Heptachlor (CAS 76-44-8)	Can be absorbed through the skin.
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	Can be absorbed through the skin.
Lindane (BHC gamma isomer) (CAS 58-89-9)	Can be absorbed through the skin.
trans-Chlordane (CAS 5103-74-2)	Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Aldrin (TM) (CAS 309-00-2)	Can be absorbed through the skin.
cis-Chlordane (CAS 5103-71-9)	Can be absorbed through the skin.
Endrin (CAS 72-20-8)	Can be absorbed through the skin.
Heptachlor (CAS 76-44-8)	Can be absorbed through the skin.
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	Can be absorbed through the skin.
Lindane (BHC gamma isomer) (CAS 58-89-9)	Can be absorbed through the skin.
trans-Chlordane (CAS 5103-74-2)	Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Aldrin (TM) (CAS 309-00-2)	Can be absorbed through the skin.
cis-Chlordane (CAS 5103-71-9)	Can be absorbed through the skin.
Endrin (CAS 72-20-8)	Can be absorbed through the skin.
Heptachlor (CAS 76-44-8)	Can be absorbed through the skin.
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	Can be absorbed through the skin.
Lindane (BHC gamma isomer) (CAS 58-89-9)	Can be absorbed through the skin.
trans-Chlordane (CAS 5103-74-2)	Can be absorbed through the skin.

Appropriate engineering controls	Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Face shield is recommended. Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.
Other	Wear suitable protective clothing. Use of an impervious apron is recommended.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapor cartridge.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	-138.46 °F (-94.7 °C) estimated
Initial boiling point and boiling range	132.89 °F (56.05 °C) estimated
Flash point	-4.0 °F (-20.0 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	308.63 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	869 °F (465 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.79374 g/cm3 estimated

Explosive properties	Not explosive.
Flammability class	Flammable IB estimated
Oxidizing properties	Not oxidizing.
Percent volatile	99.4 % estimated
Specific gravity	0.79 estimated
VOC (Weight %)	99.4 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Headache. May cause drowsiness and dizziness. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity	In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central nervous system effects. Harmful if swallowed. Narcotic effects.
-----------------------	--

Components	Species	Test Results
Acetone (CAS 67-64-1)		
Acute		
Dermal		
LD50	Guinea pig	> 7426 mg/kg, 24 Hours
		> 9.4 ml/kg, 24 Hours
	Rabbit	> 7426 mg/kg, 24 Hours
		> 9.4 ml/kg, 24 Hours
Inhalation		
Vapor		
LC50	Rat	55700 ppm, 3 Hours
		132 mg/l, 3 Hours
LC50	Rat	76 mg/l, 4 Hours
Vapor		
LC50	Rat	50.1 mg/l
LC50	Rat	50.1 mg/l, 8 Hours
Oral		
LD50	Mouse	5.2 g/kg
	Rat	5800 mg/kg
		2.2 ml/kg

Components	Species	Test Results
Alachlor (CAS 15972-60-8)		
Acute		
Dermal		
LD50	Rabbit	3500 mg/kg
	Rat	> 2000 mg/kg
Inhalation		
LC50	Rat	1.04 mg/l, 4 Hours
Oral		
LD50	Mouse	462 mg/kg
	Rat	790 mg/kg
Aldrin (TM) (CAS 309-00-2)		
Acute		
Dermal		
LD50	Rabbit	150 mg/kg
	Rat	98 mg/kg
Oral		
LD50	Mouse	44 mg/kg
	Rat	39 mg/kg
Atrazine (CAS 1912-24-9)		
Acute		
Dermal		
LD50	Rabbit	7500 mg/kg
Inhalation		
LC50	Rat	> 5.8 mg/l, 4 Hours > 0.71 mg/l, 1 Hours
Oral		
LD50	Hamster	1000 mg/kg
	Mouse	850 mg/kg
	Rabbit	750 mg/kg
	Rat	1960 mg/kg
cis-Chlordane (CAS 5103-71-9)		
Acute		
Dermal		
LD50	Rat	590 - 840 mg/kg
Inhalation		
LC50	Cat	0.1 mg/l, 4 Hours
Oral		
LD50	Mouse	430 mg/kg
	Rabbit	300 mg/kg
	Rat	590 mg/kg
TD	Rat	25 mg/kg
Endrin (CAS 72-20-8)		
Acute		
Dermal		
LD50	Rabbit	60 mg/kg
	Rat	12 mg/kg
Oral		
LD50	Guinea pig	16 mg/kg
	Monkey	3 mg/kg

Components	Species	Test Results
	Mouse	1.3 mg/kg
	Rabbit	7 - 10 mg/kg
	Rat	3 mg/kg
Heptachlor (CAS 76-44-8)		
Acute		
Dermal		
LD50	Guinea pig	116 mg/kg
	Rabbit	500 - 2000 mg/kg
	Rat	119 mg/kg
Inhalation		
LC50	Rat	200 mg/l, 4 Hours
Oral		
LD50	Cat	67 mg/kg
	Guinea pig	116 mg/kg
	Hamster	100 - 160 mg/kg
	Mouse	68 - 180 mg/kg
	Rabbit	80 - 90 mg/kg
	Rat	40 - 100 mg/kg
TD	Calf	20 mg/kg
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)		
Acute		
Dermal		
LD50	Guinea pig	116 mg/kg
	Rabbit	500 - 2000 mg/kg
	Rat	119 mg/kg
Inhalation		
LC50	Rat	200 mg/l, 4 Hours
Oral		
LD50	Cat	67 mg/kg
	Guinea pig	116 mg/kg
	Hamster	100 - 160 mg/kg
	Mouse	68 - 180 mg/kg
	Rabbit	80 - 90 mg/kg
	Rat	40 - 100 mg/kg
TD	Calf	20 mg/kg
Lindane (BHC gamma isomer) (CAS 58-89-9)		
Acute		
Dermal		
LD50	Rabbit	50 mg/kg
	Rat	500 mg/kg
Inhalation		
LC50	Rat	1.56 mg/l
Oral		
LD50	Dog	40 mg/kg
	Guinea pig	127 mg/kg
	Hamster	360 mg/kg
	Mouse	44 mg/kg

Components	Species	Test Results
	Rabbit	50 mg/kg
	Rat	76 mg/kg
Methoxychlor (CAS 72-43-5)		
Acute		
Oral		
LD50	Mouse	2900 mg/kg
	Rat	3460 mg/kg
Simazine (CAS 122-34-9)		
Acute		
Dermal		
LD50	Rabbit	> 10000 mg/kg
	Rat	> 2000 mg/kg
Oral		
LD50	Mouse	> 5000 mg/kg
	Rat	> 5000 mg/kg
trans-Chlordane (CAS 5103-74-2)		
Acute		
Dermal		
LD50	Rat	590 - 840 mg/kg
Inhalation		
LC50	Cat	0.1 mg/l, 4 Hours
Oral		
LD50	Mouse	430 mg/kg
	Rabbit	300 mg/kg
	Rat	590 mg/kg
TD	Rat	25 mg/kg
* Estimates for product may be based on additional component data not shown.		
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitization		
ACGIH Sensitization		
Alachlor (CAS 15972-60-8)	Dermal sensitization	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Aldrin (TM) (CAS 309-00-2)	3 Not classifiable as to carcinogenicity to humans.	
Atrazine (CAS 1912-24-9)	3 Not classifiable as to carcinogenicity to humans.	
cis-Chlordane (CAS 5103-71-9)	2B Possibly carcinogenic to humans.	
Endrin (CAS 72-20-8)	3 Not classifiable as to carcinogenicity to humans.	
Heptachlor (CAS 76-44-8)	2B Possibly carcinogenic to humans.	
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	2B Possibly carcinogenic to humans.	
Lindane (BHC gamma isomer) (CAS 58-89-9)	2B Possibly carcinogenic to humans.	
Methoxychlor (CAS 72-43-5)	3 Not classifiable as to carcinogenicity to humans.	
Simazine (CAS 122-34-9)	3 Not classifiable as to carcinogenicity to humans.	
trans-Chlordane (CAS 5103-74-2)	2B Possibly carcinogenic to humans.	
US. National Toxicology Program (NTP) Report on Carcinogens		
Lindane (BHC gamma isomer) (CAS 58-89-9)	Reasonably Anticipated to be a Human Carcinogen.	

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	May cause drowsiness and dizziness.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity	Very toxic to aquatic life with long lasting effects.
--------------------	---

Components	Species	Test Results
Acetone (CAS 67-64-1)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna)
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)
Alachlor (CAS 15972-60-8)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna)
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)
Aldrin (TM) (CAS 309-00-2)		
Aquatic		
Crustacea	EC50	Ostracod, Seed shrimp (Cypridopsis vidua)
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)
Atrazine (CAS 1912-24-9)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia pulex)
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)
cis-Chlordane (CAS 5103-71-9)		
Aquatic		
Fish	LC50	Bluegill (Lepomis macrochirus)
Endrin (CAS 72-20-8)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia pulex)
Fish	LC50	Sheepshead minnow (Cyprinodon variegatus)
Heptachlor (CAS 76-44-8)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia pulex)
Fish	LC50	Pinfish (Lagodon rhomboides)
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia pulex)
Fish	LC50	Bluegill (Lepomis macrochirus)

Components	Species	Test Results
Lindane (BHC gamma isomer) (CAS 58-89-9)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia pulex)
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)
Methoxychlor (CAS 72-43-5)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia pulex)
Fish	LC50	Brook trout (Salvelinus fontinalis)
Simazine (CAS 122-34-9)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna)
Fish	LC50	Fathead minnow (Pimephales promelas)
trans-Chlordane (CAS 5103-74-2)		
Aquatic		
Fish	LC50	Bluegill (Lepomis macrochirus)
trans-Nonachlor (CAS 39765-80-5)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia pulex)

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Acetone	-0.24
Aldrin (TM)	6.5
Atrazine	2.61
cis-Chlordane	5.16
Endrin	5.2
Heptachlor	6.1
Heptachlor epoxide (Isomer B)	5.4
Lindane (BHC gamma isomer)	3.72
Methoxychlor	5.08
Simazine	2.18
trans-Chlordane	5.16

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

US RCRA Hazardous Waste P List: Reference

Aldrin (TM) (CAS 309-00-2)	P004
Endrin (CAS 72-20-8)	P051
Heptachlor (CAS 76-44-8)	P059
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	P059

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information**DOT**

UN number	UN1090
UN proper shipping name	Acetone, solution, MARINE POLLUTANT
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	II
Environmental hazards	
Marine pollutant	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, T4, TP1
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242

IATA

UN number	UN1090
UN proper shipping name	Acetone solution
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	II
Environmental hazards	Yes
ERG Code	3H
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.

IMDG

UN number	UN1090
UN proper shipping name	ACETONE (ACETONE SOLUTIONS), MARINE POLLUTANT
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	II
Environmental hazards	
Marine pollutant	Yes
EmS	F-E, S-D
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

DOT



Marine pollutant



General information

IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Endrin (CAS 72-20-8)

1.0 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

Acetone (CAS 67-64-1)	Listed.
Aldrin (TM) (CAS 309-00-2)	Listed.
cis-Chlordane (CAS 5103-71-9)	Listed.
Endrin (CAS 72-20-8)	Listed.
Heptachlor (CAS 76-44-8)	Listed.
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	Listed.
Lindane (BHC gamma isomer) (CAS 58-89-9)	Listed.
Methoxychlor (CAS 72-43-5)	Listed.
trans-Chlordane (CAS 5103-74-2)	Listed.

SARA 304 Emergency release notification

Aldrin (TM) (CAS 309-00-2)	1 LBS
cis-Chlordane (CAS 5103-71-9)	1 LBS
Endrin (CAS 72-20-8)	1 LBS
Lindane (BHC gamma isomer) (CAS 58-89-9)	1 LBS
trans-Chlordane (CAS 5103-74-2)	1 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes
	Delayed Hazard - No
	Fire Hazard - Yes
	Pressure Hazard - No
	Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
Aldrin (TM)	309-00-2	1		500 lbs	10000 lbs
cis-Chlordane	5103-71-9	1	1000 lbs		
Endrin	72-20-8	1		500 lbs	10000 lbs

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
Lindane (BHC gamma isomer)	58-89-9	1		1000 lbs	10000 lbs
trans-Chlordane	5103-74-2	1	1000 lbs		
SARA 311/312 Hazardous chemical	No				
SARA 313 (TRI reporting)	Not regulated.				

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

cis-Chlordane (CAS 5103-71-9)
 Heptachlor (CAS 76-44-8)
 Heptachlor epoxide (Isomer B) (CAS 1024-57-3)
 Lindane (BHC gamma isomer) (CAS 58-89-9)
 Methoxychlor (CAS 72-43-5)
 trans-Chlordane (CAS 5103-74-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Acetone (CAS 67-64-1) 6532

Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Acetone (CAS 67-64-1) 35 %WV

DEA Exempt Chemical Mixtures Code Number

Acetone (CAS 67-64-1) 6532

US state regulations**US - New Jersey RTK - Substances: Listed substance**

Acetone (CAS 67-64-1)
 Alachlor (CAS 15972-60-8)
 Aldrin (TM) (CAS 309-00-2)
 Atrazine (CAS 1912-24-9)
 cis-Chlordane (CAS 5103-71-9)
 Endrin (CAS 72-20-8)
 Heptachlor (CAS 76-44-8)
 Heptachlor epoxide (Isomer B) (CAS 1024-57-3)
 Lindane (BHC gamma isomer) (CAS 58-89-9)
 Methoxychlor (CAS 72-43-5)
 Simazine (CAS 122-34-9)
 trans-Chlordane (CAS 5103-74-2)

US - Pennsylvania RTK - Hazardous Substances: Special hazard

Lindane (BHC gamma isomer) (CAS 58-89-9)

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Acetone (CAS 67-64-1)
 Methoxychlor (CAS 72-43-5)

US. Massachusetts RTK - Substance List

Acetone (CAS 67-64-1)
 Aldrin (TM) (CAS 309-00-2)
 Atrazine (CAS 1912-24-9)
 cis-Chlordane (CAS 5103-71-9)
 Endrin (CAS 72-20-8)
 Heptachlor (CAS 76-44-8)
 Heptachlor epoxide (Isomer B) (CAS 1024-57-3)

Lindane (BHC gamma isomer) (CAS 58-89-9)
Methoxychlor (CAS 72-43-5)
Simazine (CAS 122-34-9)
trans-Chlordane (CAS 5103-74-2)

US. New Jersey Worker and Community Right-to-Know Act

Alachlor (CAS 15972-60-8)
Aldrin (TM) (CAS 309-00-2)
Atrazine (CAS 1912-24-9)
cis-Chlordane (CAS 5103-71-9)
Endrin (CAS 72-20-8)
Heptachlor (CAS 76-44-8)
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)
Lindane (BHC gamma isomer) (CAS 58-89-9)
Methoxychlor (CAS 72-43-5)
Simazine (CAS 122-34-9)
trans-Chlordane (CAS 5103-74-2)

US. Pennsylvania RTK - Hazardous Substances

Acetone (CAS 67-64-1)
Aldrin (TM) (CAS 309-00-2)
Atrazine (CAS 1912-24-9)
cis-Chlordane (CAS 5103-71-9)
Endrin (CAS 72-20-8)
Heptachlor (CAS 76-44-8)
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)
Lindane (BHC gamma isomer) (CAS 58-89-9)
Methoxychlor (CAS 72-43-5)
trans-Chlordane (CAS 5103-74-2)

US. Pennsylvania Worker and Community Right-to-Know Law

Acetone (CAS 67-64-1)
Aldrin (TM) (CAS 309-00-2)
Atrazine (CAS 1912-24-9)
cis-Chlordane (CAS 5103-71-9)
Endrin (CAS 72-20-8)
Heptachlor (CAS 76-44-8)
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)
Lindane (BHC gamma isomer) (CAS 58-89-9)
Methoxychlor (CAS 72-43-5)
trans-Chlordane (CAS 5103-74-2)

US. Rhode Island RTK

Acetone (CAS 67-64-1)
Alachlor (CAS 15972-60-8)
Aldrin (TM) (CAS 309-00-2)
Atrazine (CAS 1912-24-9)
Endrin (CAS 72-20-8)
Heptachlor (CAS 76-44-8)
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)
Lindane (BHC gamma isomer) (CAS 58-89-9)
Methoxychlor (CAS 72-43-5)
Simazine (CAS 122-34-9)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Alachlor (CAS 15972-60-8)	Listed: January 1, 1989
Aldrin (TM) (CAS 309-00-2)	Listed: July 1, 1988
cis-Chlordane (CAS 5103-71-9)	Listed: July 1, 1988
Heptachlor (CAS 76-44-8)	Listed: July 1, 1988
Heptachlor epoxide (Isomer B) (CAS 1024-57-3)	Listed: July 1, 1988
Lindane (BHC gamma isomer) (CAS 58-89-9)	Listed: October 1, 1989
trans-Chlordane (CAS 5103-74-2)	Listed: July 1, 1988

US - California Proposition 65 - CRT: Listed date/Developmental toxin

Endrin (CAS 72-20-8)	Listed: May 15, 1998
Heptachlor (CAS 76-44-8)	Listed: August 20, 1999

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
 A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	10-31-2014
Revision date	09-03-2016
Version #	02
NFPA ratings	Health: 2 Flammability: 3 Instability: 0
Disclaimer	The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.
	Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.
	This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.
	Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.
	This product is furnished FOR LABORATORY USE ONLY.
Revision Information	This document has undergone significant changes and should be reviewed in its entirety.