

1. Identification

Product identifier	Pesticides Mixture #3 - 507	
Other means of identification		
Item	M-PM5073T4	
Recommended use	For Laboratory Use Only	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	Chem Service, Inc.	
Address	660 Tower Lane West Chester, PA 19380 United States	
Telephone	Toll Free	800-452-9994
	Direct	610-692-3026
Website	www.chemservice.com	
E-mail	info@chemservice.com	
Emergency phone number	Chemtrec US	800-424-9300
	Chemtrec outside US	+1 703-527-3887

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 2
Health hazards	Acute toxicity, oral	Category 4
	Acute toxicity, dermal	Category 4
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2B
	Carcinogenicity	Category 2
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1
	Hazardous to the aquatic environment, long-term hazard	Category 1
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	Highly flammable liquid and vapor. Harmful if swallowed. Harmful in contact with skin. Causes skin irritation. Causes eye irritation. May cause respiratory irritation. Suspected of causing cancer. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only outdoors or in a well-ventilated area. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response	If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Specific treatment (see this label). Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to extinguish. Collect spillage.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	0.1% of the mixture consists of component(s) of unknown acute oral toxicity. 0.4% of the mixture consists of component(s) of unknown acute dermal toxicity. 99.4% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 99.4% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
t-Butyl methyl ether		1634-04-4	>99
Butachlor		23184-66-9	0.1
Carboxin		5234-68-4	0.1
Diazinon		333-41-5	0.1
Metolachlor		51218-45-2	0.1
Metribuzin		21087-64-9	0.1
MGK 264 (TM)		113-48-4	0.1
Norflurazon (TM)		27314-13-2	0.1
Terbufos		13071-79-9	0.1
Vernolate		1929-77-7	0.1

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
Most important symptoms/effects, acute and delayed	Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not taste or swallow. Avoid breathing mist or vapor. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Diazinon (CAS 333-41-5)	TWA	0.01 mg/m ³	Inhalable fraction and vapor.
Metribuzin (CAS 21087-64-9)	TWA	5 mg/m ³	
t-Butyl methyl ether (CAS 1634-04-4)	TWA	50 ppm	
Terbufos (CAS 13071-79-9)	TWA	0.01 mg/m ³	Inhalable fraction and vapor.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
Diazinon (CAS 333-41-5)	TWA	0.1 mg/m ³
Metribuzin (CAS 21087-64-9)	TWA	5 mg/m ³

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

Diazinon (CAS 333-41-5) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Diazinon (CAS 333-41-5) Skin designation applies.

US - Tennessee OELs: Skin designation

Diazinon (CAS 333-41-5) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Diazinon (CAS 333-41-5) Can be absorbed through the skin.

Terbufos (CAS 13071-79-9) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Diazinon (CAS 333-41-5) Can be absorbed through the skin.

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear eye/face protection. Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear appropriate chemical resistant clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Liquid

Color Not available.

Odor Not available.

Odor threshold Not available.

pH Not available.

Melting point/freezing point -163.48 °F (-108.6 °C) estimated

Initial boiling point and boiling range 131.36 °F (55.2 °C) estimated

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 333.3 hPa estimated

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient (n-octanol/water) Not available.

Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.742607 g/cm ³ estimated
Specific gravity	0.74 estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Harmful if swallowed.
Inhalation	Prolonged inhalation may be harmful. May cause irritation to the respiratory system.
Skin contact	Harmful in contact with skin. Causes skin irritation.
Eye contact	Causes eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics
Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity
Harmful if swallowed. Harmful in contact with skin. May cause respiratory irritation. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components	Species	Test Results
Butachlor (CAS 23184-66-9)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 13000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 3.34 mg/l, 4 Hours
<i>Oral</i>		
LD50	Mouse	4747 mg/kg
	Rabbit	> 5010 mg/kg
	Rat	1740 mg/kg
Carboxin (CAS 5234-68-4)		
Acute		
<i>Inhalation</i>		
LC50	Rat	> 4.7 mg/l, 4 Hours
<i>Oral</i>		
LD50	Hen	24000 mg/kg
	Mouse	3200 mg/kg
	Rat	2588 mg/kg
<i>Other</i>		
LD50	Rabbit	> 4000 mg/kg
Diazinon (CAS 333-41-5)		
Acute		
<i>Dermal</i>		
LD50	Mouse	2750 mg/kg
	Rabbit	180 mg/kg
	Rat	180 mg/kg

Components	Species	Test Results
<i>Inhalation</i>		
LC50	Rat	> 2300 mg/kg
<i>Oral</i>		
LD50	Chicken	40.8 mg/kg
	Goose	14.7 mg/kg
	Gosling	2.8 mg/kg
	Guinea pig	240 - 320 mg/kg
	Mouse	17 mg/kg
	Rabbit	143 mg/kg
	Rat	66 mg/kg
	Turkey	6.8 mg/kg
<i>Other</i>		
LD50	Mouse	180 mg/kg
Metolachlor (CAS 51218-45-2)		
Acute		
<i>Dermal</i>		
LD50	Rat	3170 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 1.75 mg/l, 6 Hours
<i>Oral</i>		
LD50	Rabbit	> 10000 mg/kg
	Rat	2200 mg/kg
<i>Other</i>		
LD50	Mouse	410 mg/kg
	Rat	620 mg/kg
Metribuzin (CAS 21087-64-9)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
	Rat	> 2000 mg/kg
<i>Oral</i>		
LD50	Cat	> 500 mg/kg
	Guinea pig	245 - 274 mg/kg
	Mouse	698 - 711 mg/kg
	Rat	1100 - 1200 mg/kg
<i>Other</i>		
LD50	Rat	239 mg/kg
Norflurazon (TM) (CAS 27314-13-2)		
Acute		
<i>Oral</i>		
LD50	Rat	> 8000 mg/kg
<i>Other</i>		
LD50	Rabbit	> 20000 mg/kg
	Rat	> 5000 mg/kg
t-Butyl methyl ether (CAS 1634-04-4)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 10000 mg/kg
	Rat	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Rat	85 mg/l, 4 Hours

Components	Species	Test Results
<i>Oral</i> LD50	Rat	> 2000 mg/kg 4 ml/kg
<i>Other</i> LD50	Rabbit	> 10 ml/kg
Terbufos (CAS 13071-79-9)		
Acute		
<i>Dermal</i> LD50	Rabbit	0.8 - 1.1 mg/kg
<i>Oral</i> LD50	Albino mouse	5.4 mg/kg
	Dog	4.5 mg/kg
	Mouse	3.5 mg/kg
	Rat	2 mg/kg
<i>Other</i> LD50	Rat	27.5 mg/kg, 24 Hours
Vernolate (CAS 1929-77-7)		
Acute		
<i>Oral</i> LD50	Rat	1780 mg/kg
<i>Other</i> LD50	Rabbit	> 5000 mg/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye irritation Causes eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

t-Butyl methyl ether (CAS 1634-04-4) 3 Not classifiable as to carcinogenicity to humans.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure Respiratory tract irritation.

Specific target organ toxicity - repeated exposure Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Components	Species	Test Results	
Butachlor (CAS 23184-66-9)			
Aquatic			
Fish	LC50	Carp (Cyprinus carpio)	0.085 - 0.12 mg/l, 96 hours
Diazinon (CAS 333-41-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	0.0007 - 0.0012 mg/l, 48 hours
Fish	LC50	Common eel (Anguilla anguilla)	0.066 - 0.102 mg/l, 96 hours

Components	Species	Test Results
		0.066 - 0.102 mg/l, 96 hours
Metolachlor (CAS 51218-45-2)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna) 18.7 - 29.5 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas) 5.4 - 12 mg/l, 96 hours
Metribuzin (CAS 21087-64-9)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna) > 100 mg/l, 48 hours
Fish	LC50	Channel catfish (Ictalurus punctatus) 3.4 mg/l, 96 hours
t-Butyl methyl ether (CAS 1634-04-4)		
Aquatic		
Fish	LC50	Fathead minnow (Pimephales promelas) 672 mg/l, 96 hours
Terbufos (CAS 13071-79-9)		
Aquatic		
Crustacea	EC50	Water flea (Daphnia magna) 0.0003 - 0.0005 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus) 0.0011 - 0.0022 mg/l, 96 hours
Vernolate (CAS 1929-77-7)		
Aquatic		
Crustacea	EC50	Ostracod, Seed shrimp (Cypridopsis vidua) 0.15 - 0.416 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus) 1.7 - 3.7 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient n-octanol / water (log Kow)

Diazinon	3.81
Metolachlor	3.13
Metribuzin	1.7
t-Butyl methyl ether	0.94
Terbufos	4.48

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN number	UN2398
UN proper shipping name	Methyl tert-butyl ether, solution, MARINE POLLUTANT
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3

Packing group	II
Environmental hazards	
Marine pollutant	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, T7, TP1
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242

IATA

UN number	UN2398
UN proper shipping name	Methyl tert-butyl ether solution
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	II
Environmental hazards	No.
ERG Code	3L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.

IMDG

UN number	UN2398
UN proper shipping name	METHYL tert-BUTYL ETHER solution, MARINE POLLUTANT
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	II
Environmental hazards	
Marine pollutant	Yes
EmS	F-E, S-D
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not available.

DOT



IATA; IMDG





15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Diazinon (CAS 333-41-5) Listed.

t-Butyl methyl ether (CAS 1634-04-4) Listed.

SARA 304 Emergency release notification

Terbufos (CAS 13071-79-9) 100 LBS

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes

Delayed Hazard - Yes

Fire Hazard - Yes

Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
Terbufos	13071-79-9	100	100 lbs		

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
t-Butyl methyl ether	1634-04-4	>99

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

t-Butyl methyl ether (CAS 1634-04-4)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

US state regulations

US. Massachusetts RTK - Substance List

Diazinon (CAS 333-41-5)

Metribuzin (CAS 21087-64-9)

t-Butyl methyl ether (CAS 1634-04-4)

Terbufos (CAS 13071-79-9)

US. New Jersey Worker and Community Right-to-Know Act

Carboxin (CAS 5234-68-4) 500 LBS

Diazinon (CAS 333-41-5) 500 LBS

Metribuzin (CAS 21087-64-9) 500 LBS

Norflurazon (TM) (CAS 27314-13-2) 500 LBS

t-Butyl methyl ether (CAS 1634-04-4) 500 LBS

Terbufos (CAS 13071-79-9) 100 LBS

US. Pennsylvania RTK - Hazardous Substances

Diazinon (CAS 333-41-5)

Metribuzin (CAS 21087-64-9)
t-Butyl methyl ether (CAS 1634-04-4)
Terbufos (CAS 13071-79-9)

US. Rhode Island RTK

Carboxin (CAS 5234-68-4)
Diazinon (CAS 333-41-5)
Metribuzin (CAS 21087-64-9)
Norflurazon (TM) (CAS 27314-13-2)
t-Butyl methyl ether (CAS 1634-04-4)
Terbufos (CAS 13071-79-9)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	10-31-2014
Version #	01
NFPA ratings	Health: 0 Flammability: 2 Instability: 0

Disclaimer

The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.

Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.

This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.

Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY.