SAFETY DATA SHEET



1. Identification

Product identifier Mixture #3-Hazardous Substances

Other means of identification

M-PPHC3X5

Recommended use For Laboratory Use Only

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Chem Service, Inc. 660 Tower Lane **Address**

West Chester, PA 19380

United States

Toll Free 800-452-9994 **Telephone** Direct

610-692-3026

Website www.chemservice.com E-mail info@chemservice.com

Chemtrec US 800-424-9300 **Emergency phone number**

Chemtrec outside US +1 703-527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

> Acute toxicity, inhalation Category 2 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Carcinogenicity Category 2 Specific target organ toxicity, repeated Category 2

exposure

Hazardous to the aquatic environment, acute **Environmental hazards** Category 3

hazard

OSHA defined hazards Not classified.

Label elements





Signal word Danger

Hazard statement Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. Fatal if inhaled.

Suspected of causing cancer. May cause damage to organs through prolonged or repeated

exposure. Harmful to aquatic life.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Use only outdoors or in a well-ventilated area. Do not breathe vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection. Wear

respiratory protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If

> inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment is urgent (see this label). Rinse mouth. If skin irritation occurs: Get medical advice/attention. If eye irritation persists:

Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Material name: Mixture #3-Hazardous Substances 360 Version #: 01 Issue date: 10-31-2014

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

99.2% of the mixture consists of component(s) of unknown acute inhalation toxicity. 99.4% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name Common name and synonyms		CAS number	%	
Methylene chloride	DICHLOROMETHANE; METHYLENE DICHLORIDE	75-09-2	>99	
2,4,5-Trichlorophenol		95-95-4	0.2	
2-Methylphenol		95-48-7	0.2	
4-Methylphenol		106-44-5	0.2	
Benzoic acid		65-85-0	0.2	

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.

Skin contact Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off

contaminated clothing and wash before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

> present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Rinse mouth. IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Most important

Ingestion

symptoms/effects, acute and delayed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting

Specific methods General fire hazards

equipment/instructions

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe vapor. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: Mixture #3-Hazardous Substances 360 Version #: 01 Issue date: 10-31-2014

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapor. Do not taste or swallow. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Do not empty into drains.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001	.1050\

Components	Type	Value	
Methylene chloride (CAS 75-09-2)	STEL	125 ppm	
,	TWA	25 ppm	
US. OSHA Table Z-1 Limits for Ai	r Contaminants (29 CFR 1910.	1000)	
Components	Type	Value	
2-Methylphenol (CAS 95-48-7)	PEL	22 mg/m3	
,		5 ppm	
4-Methylphenol (CAS 106-44-5)	PEL	22 mg/m3	
,		5 ppm	
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	Form
2-Methylphenol (CAS 95-48-7)	TWA	20 mg/m3	Inhalable fraction and vapor.
4-Methylphenol (CAS 106-44-5)	TWA	20 mg/m3	Inhalable fraction and vapor.
Methylene chloride (CAS 75-09-2)	TWA	50 ppm	·
US. NIOSH: Pocket Guide to Che	mical Hazards		
Components	Туре	Value	
2-Methylphenol (CAS 95-48-7)	TWA	10 mg/m3	
,		2.3 ppm	
4-Methylphenol (CAS 106-44-5)	TWA	10 mg/m3	
•		2.3 ppm	

Biological limit values

ACGIH Biological	Exposure Indices
------------------	------------------

Components	Value	Determinant	Specimen	Sampling Time
Methylene chloride (CAS 75-09-2)	0.3 mg/l	Dichlorometha ne	Urine	*

^{* -} For sampling details, please see the source document.

Exposure guidelines

US - California OELs: Skin designation

2-Methylphenol (CAS 95-48-7) 4-Methylphenol (CAS 106-44-5) Can be absorbed through the skin. Can be absorbed through the skin. US - Minnesota Haz Subs: Skin designation applies

2-Methylphenol (CAS 95-48-7) Skin designation applies. 4-Methylphenol (CAS 106-44-5) Skin designation applies.

US - Tennesse OELs: Skin designation

2-Methylphenol (CAS 95-48-7) Can be absorbed through the skin. 4-Methylphenol (CAS 106-44-5) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

2-Methylphenol (CAS 95-48-7) Can be absorbed through the skin. 4-Methylphenol (CAS 106-44-5) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

2-Methylphenol (CAS 95-48-7) Can be absorbed through the skin. 4-Methylphenol (CAS 106-44-5) Can be absorbed through the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing.

Wear positive pressure self-contained breathing apparatus (SCBA). Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid

Color Not available. Odor Not available. Not available. Odor threshold Not available. pН

-139 °F (-95 °C) estimated Melting point/freezing point Initial boiling point and boiling 103.55 °F (39.75 °C) estimated

range

Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

15.5 % estimated

Flammability limit - upper

66.4 % estimated

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

579.97 hPa estimated Vapor pressure

Not available Vapor density Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

1033 °F (556.11 °C) estimated **Auto-ignition temperature**

Decomposition temperature Not available. Viscosity Not available.

Other information

Density 1.324815 g/cm3 estimated

Percent volatile 99.4 % estimated
Specific gravity 1.32 estimated
VOC (Weight %) 99.4 % estimated

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion Harmful if swallowed.

Inhalation Fatal if inhaled. May cause damage to organs by inhalation.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May

cause redness and pain.

Information on toxicological effects

Acute toxicity Fatal if inhaled. Harmful if swallowed.

Components	Species	Test Results
2,4,5-Trichlorophenol (CAS	S 95-95-4)	
Acute		
Oral		
LD50	Rat	820 mg/kg
		0.82 g/kg
Other		
LD50	Rat	355 mg/kg
2-Methylphenol (CAS 95-48	8-7)	
Acute		
Dermal		
LD50	Mouse	620 mg/kg
	Rabbit	890 mg/kg
	Rat	620 mg/kg
Inhalation		
LC50	Mouse	0.179 mg/l, 2 Hours
		0.178 mg/l
	Rat	> 20 mg/l, 6 Hours
		> 1.22 mg/l, 1 Hours
Oral		
LD50	Mouse	344 mg/kg
	Rabbit	800 mg/kg
	Rat	121 mg/kg
Other		• •
LD50	Mouse	350 mg/kg
	Rabbit	180 mg/kg
		5 5

Components	Species	Test Results
4-Methylphenol (CAS 106-44-5)		
Acute		
Dermal	D. I.I.Y.	000 //
LD50	Rabbit	300 mg/kg
	Rat	750 mg/kg
Inhalation		
LC50	Rat	> 0.71 mg/l, 1 Hours
		0.029 mg/l
Oral		
LD50	Mouse	344 mg/kg
	Rabbit	620 mg/kg
	Rat	207 mg/kg
Other		
LD50	Rabbit	180 mg/kg
Benzoic acid (CAS 65-85-0)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation		
LC50	Rat	> 12.2 mg/l, 4 Hours
		> 0.026 mg/l, 1 Hours
Oral		
LD50	Cat	2000 mg/kg
	Dog	2000 mg/kg
	Mouse	1940 mg/kg
	Rat	1700 mg/kg
Other		
LD50	Mouse	1460 mg/kg
Methylene chloride (CAS 75-09-2		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg
Inhalation		
LC50	Guinea pig	11600 ppm, 6 Hours
		40.2 mg/l, 6 Hours
	Mouse	14400 ppm, 7 Hours
		51.5 mg/l, 2 Hours
		49.1 mg/l, 6 Hours
		49 mg/l, 7 Hours
	Rat	2000 mg/l, 15 Minutes
	Nat	
		88 mg/l, 900 Days
		79 mg/l, 2 Hours
		52 mg/l, 6 Hours
LD50	Mouse	16000 ppm, 7 Hours
Oral		
LD50	Rat	1600 mg/kg
Other		
LD50	Mouse	437 mg/kg

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

IARC Monographs. Overall Evaluation of Carcinogenicity

2,4,5-Trichlorophenol (CAS 95-95-4)

Methylene chloride (CAS 75-09-2)

2B Possibly carcinogenic to humans.

2B Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

Methylene chloride (CAS 75-09-2)

Reasonably Anticipated to be a Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Methylene chloride (CAS 75-09-2)

Cancer

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects. May cause

damage to organs through prolonged or repeated exposure.

12. Ecological information

Ecotoxicity Harmful to aquatic life.

Components		Species	Test Results
2,4,5-Trichlorophenol	(CAS 95-95-4)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	0.72 - 1.2 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	0.39 - 0.54 mg/l, 96 hours
2-Methylphenol (CAS	95-48-7)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	15.8 mg/l, 48 hours
Fish	LC50	Ide, silver or golden orfe (Leuciscus idus)	10 mg/l, 96 hours
4-Methylphenol (CAS	106-44-5)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	7.7 mg/l, 48 hours
Fish	LC50	Fish (Lepidocephalichthyes guntea) 6.15 - 7.96 mg/l, 96 hours	
Benzoic acid (CAS 65	5-85-0)		
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	180 mg/l, 96 hours
Methylene chloride (C	AS 75-09-2)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	1250 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	140.8 - 277.8 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Partition coefficient proctanel / water (log Kow)

Partition coefficient n-octation water (log Now)	
2,4,5-Trichlorophenol	3.72
2-Methylphenol	1.95
4-Methylphenol	1.94
Benzoic acid	1.87
Methylene chloride	1.25

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

egulations

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

US RCRA Hazardous Waste U List: Reference

 2-Methylphenol (CAS 95-48-7)
 U052

 4-Methylphenol (CAS 106-44-5)
 U052

 Methylene chloride (CAS 75-09-2)
 U080

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN1593

UN proper shipping name

Dichloromethane, solution

Dichloromethane solution

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk -Label(s) 6.1 Packing group III

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions IB3, IP8, N36, T7, TP2

Packaging exceptions 153
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN1593

UN proper shipping name

Transport hazard class(es)

Class 6.1(PGIII)
Subsidiary risk -

Packing group III
Environmental hazards No.
ERG Code 6L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed.

aircraft

Cargo aircraft only Allowed.

IMDG

UN number UN1593

UN proper shipping name DICHLOROMETHANE SOLUTION

Transport hazard class(es)

Class 6.1(PGIII)

Subsidiary risk Packing group III
Environmental hazards

Marine pollutant No.

EmS F-A, S-A

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not available.

the IBC Code

Material name: Mixture #3-Hazardous Substances 360 Version #: 01 Issue date: 10-31-2014



IATA; IMDG



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

2,4,5-Trichlorophenol (CAS 95-95-4)

0.1 % One-Time Export Notification only.

CERCLA Hazardous Substance List (40 CFR 302.4)

2,4,5-Trichlorophenol (CAS 95-95-4)Listed.2-Methylphenol (CAS 95-48-7)Listed.4-Methylphenol (CAS 106-44-5)Listed.Benzoic acid (CAS 65-85-0)Listed.Methylene chloride (CAS 75-09-2)Listed.

SARA 304 Emergency release notification

2-Methylphenol (CAS 95-48-7) 100 LBS US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Methylene chloride (CAS 75-09-2)

Cancer

Heart

Central nervous system

Liver Skin irritation Eye irritation

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity	Threshold planning quantity	Threshold planning quantity, lower value	Threshold planning quantity, upper value
2-Methylphenol	95-48-7	100		1000 lbs	10000 lbs

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Methylene chloride	75-09-2	>99

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

2,4,5-Trichlorophenol (CAS 95-95-4)

2-Methylphenol (CAS 95-48-7)

4-Methylphenol (CAS 106-44-5)

Methylene chloride (CAS 75-09-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

2,4,5-Trichlorophenol (CAS 95-95-4)

2-Methylphenol (CAS 95-48-7)

4-Methylphenol (CAS 106-44-5)

Benzoic acid (CAS 65-85-0)

Methylene chloride (CAS 75-09-2)

US. New Jersey Worker and Community Right-to-Know Act

 2,4,5-Trichlorophenol (CAS 95-95-4)
 500 LBS

 2-Methylphenol (CAS 95-48-7)
 500 LBS

 4-Methylphenol (CAS 106-44-5)
 500 LBS

 Methylene chloride (CAS 75-09-2)
 500 LBS

US. Pennsylvania RTK - Hazardous Substances

2,4,5-Trichlorophenol (CAS 95-95-4)

2-Methylphenol (CAS 95-48-7)

4-Methylphenol (CAS 106-44-5)

Benzoic acid (CAS 65-85-0)

Methylene chloride (CAS 75-09-2)

US. Rhode Island RTK

2,4,5-Trichlorophenol (CAS 95-95-4)

2-Methylphenol (CAS 95-48-7)

4-Methylphenol (CAS 106-44-5)

Benzoic acid (CAS 65-85-0)

Methylene chloride (CAS 75-09-2)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

Inventory name

Methylene chloride (CAS 75-09-2) Listed: April 1, 1988

International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 10-31-2014

Version # 01

NFPA ratings Health: 2

Flammability: 1 Instability: 0

Material name: Mixture #3-Hazardous Substances 360 Version #: 01 Issue date: 10-31-2014

SDS US

On inventory (yes/no)*

Disclaimer

The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.

Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.

This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.

Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY.