SAFETY DATA SHEET

GHEMSERVICE

1. Identification

Product identifier	Diesel Range Organics Mi	ixture #2 - GRO/D	RO
Other means of identification			
Item	M-TPH6X4		
Recommended use	Not available.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	Chem Service, Inc. 660 Tower Lane West Chester, PA 19380 United States		
Telephone	Toll Free Direct	800-452-9994 610-692-3026	
Website	www.chemservice.com		
E-mail	info@chemservice.com		
Emergency phone number	Chemtrec US Chemtrec outside US	800-424-9300 +1 703-527-388	7
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral		Category 4
	Skin corrosion/irritation		Category 2
	Serious eye damage/eye irr	itation	Category 2A
	Carcinogenicity		Category 1B
	Specific target organ toxicity	y, single exposure	Category 1
	Specific target organ toxicity	y, single exposure	Category 3 narcotic effects
	Specific target organ toxicity exposure		Category 1
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement		ncer. Causes dama	auses serious eye irritation. May cause drowsiness age to organs. Causes damage to organs through
Precautionary statement			
Prevention	and understood. Do not bre	athe mist or vapor roduct. Use only o	handle until all safety precautions have been read . Wash thoroughly after handling. Do not eat, drink utdoors or in a well-ventilated area. Wear protective protection.
Response	plenty of water. If inhaled: F eyes: Rinse cautiously with to do. Continue rinsing. If ex medical advice/attention. If	Remove person to f water for several r kposed: Call a pois skin irritation occur	J feel unwell. Rinse mouth. If on skin: Wash with fresh air and keep comfortable for breathing. If in ninutes. Remove contact lenses, if present and easy son center/doctor. If exposed or concerned: Get rs: Get medical advice/attention. If eye irritation ff contaminated clothing and wash before reuse

persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.

Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	98.4% of the mixture consists of component(s) of unknown acute inhalation toxicity. 98.4% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 98.4% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Methylene chloride	Dichloromethane	75-09-2	98.4
n-Decane		124-18-5	0.1
n-Docosane		629-97-0	0.1
n-Dodecane		112-40-3	0.1
n-Eicosane		112-95-8	0.1
n-Heneicosane		629-94-7	0.1
n-Heptadecane		629-78-7	0.1
n-Hexadecane		544-76-3	0.1
n-Nonadecane		629-92-5	0.1
n-Octadecane		593-45-3	0.1
n-Pentacosane		629-99-2	0.1
n-Pentadecane		629-62-9	0.1
n-Tetracosane		646-31-1	0.1
n-Tetradecane		629-59-4	0.1
n-Tricosane		638-67-5	0.1
n-Tridecane		629-50-5	0.1
n-Undecane		1120-21-4	0.1

4. First-aid measures

	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
symptoms/effects, acute and	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.
	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
E Eine fighting messes	

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

o. Accidental release measures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.	
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.	
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).	

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Components	Туре		V	alue
Methylene chloride (CAS 75-09-2)	STEL	-	12	25 ppm
,	TWA		25	5 ppm
US. ACGIH Threshold Lir	nit Values			
Components	Туре		V	alue
Methylene chloride (CAS 75-09-2)	TWA		50	0 ppm
Biological limit values				
ACGIH Biological Expos	ure Indices			
Components	Value	Determinant	Specimen	Sampling Time
Methylene chloride (CAS 75-09-2)	0.3 mg/l	Dichlorometha ne	Urine	*
* - For sampling details, ple	ease see the source docu	ument.		
Appropriate engineering controls	should be matched or other engineering exposure limits have	to conditions. If ap controls to mainta e not been establis	plicable, use pro in airborne leve hed, maintain a	hour) should be used. Ventilation rates ocess enclosures, local exhaust ventilation, els below recommended exposure limits. If irborne levels to an acceptable level. Provide showers are recommended.
Individual protection measur	es, such as personal pr	otective equipme	nt	
Eye/face protection	Chemical respirator	with organic vapor	cartridge and f	ull facepiece.

Eye/face protection	Chemical respirator with organic vapor cartridge and full facepiece.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.

Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

	•
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-139 °F (-95 °C) estimated
Initial boiling point and boiling range	103.55 °F (39.75 °C) estimated
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	15.5 % estimated
Flammability limit - upper (%)	66.4 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	580 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	1033 °F (556.11 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.32137 g/cm3 estimated
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	98.4 % estimated
Specific gravity	1.32 estimated
VOC	98.4 % estimated
10. Stability and reactivity	
	The module is stable and use as after under some loss ditions of use of

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.

Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause damage to organs by inhalation. May cause damage to organs through prolonged or repeated exposure by inhalation. May cause drowsiness and dizziness. Headache. Nausea, vomiting.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Ingestion	Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity	Harmful if swallowed.	
Components	Species	Test Results
Methylene chloride (CAS 75-09-2	2)	
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg, Days
Oral		
LD50	Rat	1600 mg/kg
n-Decane (CAS 124-18-5)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
n-Dodecane (CAS 112-40-3)		
Acute		
Dermal	_	
LD50	Rat	> 2000 mg/kg, 24 Hours
n-Eicosane (CAS 112-95-8)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours
n-Hexadecane (CAS 544-76-3)		
Acute		
Dermal LD50	Dobbit	> 2000 mg/kg 24 Hours
	Rabbit	> 2000 mg/kg, 24 Hours
n-Octadecane (CAS 593-45-3)		
<u>Acute</u>		
Dermal LD50	Rabbit	> 2000 mg/kg, 24 Hours
	Nabbit	> 2000 mg/kg, 24 mours
n-Pentadecane (CAS 629-62-9)		
<u>Acute</u> Dormal		
Dermal LD50	Rabbit	> 2000 mg/kg, 24 Hours
n-Tetradecane (CAS 629-59-4)		· Looo mgrig, La nouio
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg, 24 Hours
		,

Components	Species	Test Results		
n-Tridecane (CAS 629-50-5)				
Acute				
Dermal				
LD50	Rat	> 2000 mg/kg, 24 Hours		
n-Undecane (CAS 1120-21-4)				
Acute				
Dermal				
LD50	Rat	> 2000 mg/kg, 24 Hours		
* Estimates for product may b	e based on additional compone	nt data not shown.		
Skin corrosion/irritation	Causes skin irritation.			
Serious eye damage/eye irritation	Causes serious eye irritation.			
Respiratory or skin sensitization	n			
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	May cause cancer.			
IARC Monographs. Overall	Evaluation of Carcinogenicity			
Methylene chloride (CAS 75-09-2) 2A Probably carcinogenic to humans.				
	ed Substances (29 CFR 1910.1	-		
Methylene chloride (CAS	5 75-09-2) ogram (NTP) Report on Carcir	Cancer		
Methylene chloride (CAS		Reasonably Anticipated to be a Human Carcinogen.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.			
Specific target organ toxicity - single exposure	Causes damage to organs. May cause drowsiness and dizziness.			
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.			
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.			

12. Ecological information

otoxicity	xicity The product is not classified as environmentally hazardous. However, this does not exc possibility that large or frequent spills can have a harmful or damaging effect on the en		
Components		Species	Test Results
Methylene chloride (C	AS 75-09-2)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	1250 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	140.8 - 277.8 mg/l, 96 hours
n-Decane (CAS 124-1	8-5)		
Aquatic			
Fish	LC50	Sheepshead minnow (Cyprinodon variegatus)	> 500 mg/l, 96 hours
n-Docosane (CAS 629	97-0)		
Aquatic			
Fish	LC50	Sheepshead minnow (Cyprinodon variegatus)	> 500 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

Bioaccumulative potential

Partition coefficient n-o	ctanol / water (log Kow)	
Methylene chloride	1.25	
n-Decane	5.01	
n-Hexadecane	8.25	
n-Tetradecane	7.2	
Mobility in soil	No data available.	
Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

UN number UN proper shipping name	UN1593 Dichloromethane, solution (Methylene chloride RQ = 1016 LBS)
Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
Label(s)	6.1
Packing group	III
	· Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB3, IP8, N36, T7, TP2
Packaging exceptions	153
Packaging non bulk	203
Packaging bulk	241
ΙΑΤΑ	
UN number	UN1593
UN proper shipping name	Dichloromethane solution (Methylene chloride)
Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
Packing group	III
Environmental hazards	No.
ERG Code	6L
Special precautions for user Other information	Read safety instructions, SDS and emergency procedures before handling.
Passenger and cargo aircraft	Allowed with restrictions.
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1593
UN proper shipping name	DICHLOROMETHANE SOLUTION (Methylene chloride)
Transport hazard class(es)	
Class	6.1(PGIII)
Subsidiary risk	-
Packing group	III
Environmental hazards	
Marine pollutant	No.
EmS	F-A, S-A

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

DOT



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Listed.

Methylene chloride (CAS 75-09-2) SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Methylene chloride (CAS 75-09-2)

Cancer Heart Central nervous system Liver Skin irritation Eye irritation

Superfund Amendments and Reauthorization Act of 1986 (SARA)

apontana Amonamonto ana rie	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
SARA 302 Extremely hazard Not listed.	dous substance
SARA 311/312 Hazardous chemical	No
SARA 313 (TRI reporting)	

Chemical name	CAS number	% by wt.	
Methylene chloride	75-09-2	98.4	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Methylene chloride (CAS 75-09-2)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Not regulated. Safe Drinking Water Act (SDWA) WARNING: This product contains a chemical known to the State of California to cause cancer. US state regulations US - California Proposition 65 - CRT: Listed date/Carcinogenic substance Methylene chloride (CAS 75-09-2) Listed: April 1, 1988 US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)) Methylene chloride (CAS 75-09-2) International Inventories On inventory (yes/no)* Country(s) or region Inventory name Australian Inventory of Chemical Substances (AICS) Australia No Canada Domestic Substances List (DSL) No Canada Non-Domestic Substances List (NDSL) Yes China Inventory of Existing Chemical Substances in China (IECSC) Yes European Inventory of Existing Commercial Chemical Yes Europe Substances (EINECS) European List of Notified Chemical Substances (ELINCS) No Europe Japan Inventory of Existing and New Chemical Substances (ENCS) Yes Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes Philippines Philippine Inventory of Chemicals and Chemical Substances No (PICCS) United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

0

Issue date	09-03-2014
Revision date	07-08-2020
Version #	02
NFPA ratings	Health: 4 Flammability: Instability: 0

Disclaimer

Chem Service, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.

Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.

This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.

Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY. This document has undergone significant changes and should be reviewed in its entirety.

Revision information