SAFETY DATA SHEET

GHEMSERVIGE

1. Identification

Product identifier	Diethylamine		
Other means of identification			
Item	N-11711		
Recommended use	For Laboratory Use Only		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/I	Distributor information		
Manufacturer			
Company name	Chem Service, Inc.		
Address	660 Tower Lane		
	West Chester, PA 19380 United States		
Telephone	Toll Free	800-452-9994	1
relephone	Direct	610-692-3026	-
Website	www.chemservice.com		
E-mail	info@chemservice.com		
Emergency phone number	Chemtrec US	800-424-9300	
	Chemtrec outside US	+1 703-527-38	887
2. Hazard(s) identification			
Physical hazards	Flammable liquids		Category 2
Health hazards	Acute toxicity, oral		Category 4
	Acute toxicity, dermal		Category 3
	Acute toxicity, inhalation		Category 4
	Skin corrosion/irritation		Category 1A
	Serious eye damage/eye irritati	on	Category 1
	Specific target organ toxicity, si	ngle exposure	Category 3 respiratory tract irritation
Environmental hazards	Hazardous to the aquatic environ hazard	onment, acute	Category 3
	Hazardous to the aquatic enviro	onment,	Category 3
OSHA defined hazards	Not classified.		
Label elements			



Signal word Hazard statement

Highly flammable liquid and vapor. Harmful if swallowed. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes serious eye damage. Harmful if inhaled. May cause respiratory irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only outdoors or in a well-ventilated area. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.

Response	If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see this label). Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.
Supplemental information	Not applicable.

3. Composition/information on ingredients

Substances

Substances			
Chemical name	Common name and synonyms	CAS number	%
Diethylamine		109-89-7	100
4. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substan Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or othe proper respiratory medical device. Call a POISON CENTER or doctor/physician if you feel unw		inhaled the substance. ne-way valve or other
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.		
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately		
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.		
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with wate immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.		d area. Call an Flush with water d area. Call an less of breath, give
General information	Take off immediately all contaminated clothing. In medical advice immediately (show the label when aware of the material(s) involved, and take preca clothing before reuse.	re possible). Ensure that m	edical personnel are
5. Fire-fighting measures			
Suitable extinguishing media	Alcohol resistant foam. Water fog. Carbon dioxid sand or earth may be used for small fires only.	e (CO2). Dry chemical pov	vder, carbon dioxide,
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this w	vill spread the fire.	
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vap of ignition and flash back. This product is a poor electrostatically charged. If sufficient charge is ac occur. To reduce potential for static discharge, us This liquid may accumulate static electricity wher electricity accumulation may be significantly incre- or other contaminants. Material will float and may hazardous to health may be formed.	conductor of electricity and ccumulated, ignition of flam se proper bonding and gro n filling properly grounded eased by the presence of s	d can become nmable mixtures can unding procedures. containers. Static small quantities of water
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full prote	ctive clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fu so without risk.	mes. Move containers fror	n fire area if you can do

Material name: Diethylamine

Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.

6. Accidental release measures

o. Accidental release meas	
Personal precautions, protective equipment and emergency procedures	Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material. This product is miscible in water.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.
7. Handling and storage	
Precautions for safe handling	Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist or vapor. Do not get this material in contact with eyes. Do not get this material in contact with skin. Do not taste or swallow. Avoid prolonged exposure. Do not get this material on clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Avoid release to the environment. Do not empty into drains.
	Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Avoid spark promoters. Eliminate sources of ignition. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.

8. Exposure controls/personal protection

Occupational exposure limits

Material	Туре	Value
Diethylamine (CAS 109-89-7)	PEL	75 mg/m3
		25 ppm
US. ACGIH Threshold Lin	nit Values	
Material	Туре	Value
Diethylamine (CAS 109-89-7)	STEL	15 ppm
,	TWA	5 ppm
US. NIOSH: Pocket Guide	e to Chemical Hazards	
Material	Туре	Value
Diethylamine (CAS 109-89-7)	STEL	75 mg/m3
,		25 ppm
	TWA	30 mg/m3
		10 ppm
Diethylamine (CAS 109 US ACGIH Threshold Lim Diethylamine (CAS 109 propriate engineering ntrols	hit Values: Skin designation 9-89-7) Can Explosion-proof general and local ex changes per hour) should be used. V applicable, use process enclosures,	be absorbed through the skin. be absorbed through the skin. chaust ventilation. Good general ventilation (typically 10 ai /entilation rates should be matched to conditions. If local exhaust ventilation, or other engineering controls to
		nmended exposure limits. If exposure limits have not beer to an acceptable level. Eye wash facilities and emergenc dling this product.
-	established, maintain airborne levels shower must be available when hand es, such as personal protective equipm	s to an acceptable level. Eye wash facilities and emergenc dling this product. nent
Eye/face protection	established, maintain airborne levels shower must be available when hand es, such as personal protective equipm	s to an acceptable level. Eye wash facilities and emergenc dling this product. nent
-	established, maintain airborne levels shower must be available when hand es, such as personal protective equipm	s to an acceptable level. Eye wash facilities and emergenc dling this product. nent sty glasses with side shields (or goggles) and a face shield
Eye/face protection Skin protection	established, maintain airborne levels shower must be available when hand es, such as personal protective equipm Wear eye/face protection. Wear safe	s to an acceptable level. Eye wash facilities and emergenc dling this product. nent ety glasses with side shields (or goggles) and a face shield gloves.
Eye/face protection Skin protection Hand protection	established, maintain airborne levels shower must be available when hand es, such as personal protective equipm Wear eye/face protection. Wear safe Wear appropriate chemical resistant Wear appropriate chemical resistant If engineering controls do not mainta	to an acceptable level. Eye wash facilities and emergence dling this product. nent ety glasses with side shields (or goggles) and a face shield gloves. clothing. an airborne concentrations below recommended exposure ceptable level (in countries where exposure limits have not
Eye/face protection Skin protection Hand protection Other	established, maintain airborne levels shower must be available when hand es, such as personal protective equipm Wear eye/face protection. Wear safe Wear appropriate chemical resistant Wear appropriate chemical resistant If engineering controls do not mainta limits (where applicable) or to an acc	a to an acceptable level. Eye wash facilities and emergence dling this product. nent ety glasses with side shields (or goggles) and a face shield gloves. clothing. an airborne concentrations below recommended exposure ceptable level (in countries where exposure limits have not birator must be worn.

Appearance

, ppoulaileo	
Physical state	Liquid.
Form	Liquid
Color	Colorless
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-58 °F (-50 °C)
Initial boiling point and boiling range	131.9 °F (55.5 °C)

Flash point	< -14.8 °F (< -26.0 °C) Closed Cup
•	< -0.04 °F (< -17.8 °C) Closed Cup
	5.0 °F (-15.0 °C) Open Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	
Flammability limit - lower (%)	1.8
Flammability limit - upper (%)	10.1
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	31.6 kPa at 25 °C
Vapor density	2.53
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Miscible
Partition coefficient (n-octanol/water)	0.58
Auto-ignition temperature	593.6 °F (312 °C) 594 °F (312.22 °C)
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.7073 g/cm3 estimated
Dynamic viscosity	0.24 mPa.s
	0.32 mPa.s
Dynamic viscosity temperature	122 °F (50 °C)
	77 °F (25 °C)
Flammability class	Flammable IB estimated
Kinematic viscosity	0.337904 mm ² /s estimated
Molecular formula	C4-H11-N
Molecular weight	73.14 g/mol
Percent volatile	100 %
Specific gravity	0.71 at 20 °C
VOC (Weight %)	100 %

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong acids. Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely route	s of exposure
Inhalation	Harmful if inhaled.
Skin contact	Toxic in contact with skin. Causes severe skin burns.
Eye contact	Causes serious eye damage.
Material a sus of Diathy Jamain a	

Ingestion	Causes digestive tract burns. Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity

Toxic in contact with skin. Harmful if inhaled. Harmful if swallowed. May cause respiratory irritation. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

	personnei.	
Product	Species	Test Results
Diethylamine (CAS 109-89-7)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	580 mg/kg
Inhalation		
LC50	-	5700 ppm
	Rat	4000 ppm, 1 Minutes
		4000 ppm, 4 Hours
		17.3 mg/l, 4 Hours
Oral		
LD50	Mouse	500 mg/kg
	Rat	540 mg/kg
* Estimates for product may t	be based on additional component data	not shown.
Skin corrosion/irritation	Causes severe skin burns and eye da	amage.
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to cause	e skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
US. OSHA Specifically Reg Not listed.	ulated Substances (29 CFR 1910.100	1-1050)
Reproductive toxicity	This product is not expected to cause	e reproductive or developmental effects.
Specific target organ toxicity - single exposure	Respiratory tract irritation.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not available.	
Chronic effects	Prolonged inhalation may be harmful	
12. Ecological information	n	
Ecotoxicity	Harmful to aquatic life with long lastir	ng effects. Accumulation in aquatic organisms is expected.

Product		Species	Test Results
Diethylamine (CAS	109-89-7)		
Aquatic			
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	25 mg/l, 96 hours

Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	Not available.

Partition coefficient n-octanol / water (log Kow)

0.58

Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.


13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT	
UN number	UN1154
UN proper shipping name	Diethylamine
Transport hazard class(es)	
Class	3
Subsidiary risk	8
Label(s)	3, 8
Packing group	II
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	A3, IB2, N34, T7, TP1
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	243
ΙΑΤΑ	
UN number	UN1154
UN proper shipping name	Diethylamine
Transport hazard class(es)	
Class	3
Subsidiary risk	8
Packing group	II
Environmental hazards	No.
ERG Code	3CH
· · ·	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed.
aircraft	
Cargo aircraft only	Allowed.
IMDG	
UN number	UN1154
UN proper shipping name	DIETHYLAMINE
Transport hazard class(es)	
Class	3
Subsidiary risk	8
Packing group	II
Environmental hazards	
Marine pollutant	No.
EmS	F-E, S-C
Special precautions for use	Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Not available. Annex II of MARPOL 73/78 and the IBC Code DOT



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Diethylamine (CAS 109-89-7)

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazardous substance		

Not listed.

SARA 311/312 Hazardous Yes chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA) Hazardous substance Section 112(r) (40 CFR 68.130) Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

- US New Jersey RTK Substances: Listed substance
 - Diethylamine (CAS 109-89-7)
- US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.
- US. Massachusetts RTK Substance List
- Diethylamine (CAS 109-89-7) US. New Jersey Worker and Community Right-to-Know Act
 - Not regulated.
- US. Pennsylvania RTK Hazardous Substances Diethylamine (CAS 109-89-7)
- US. Pennsylvania Worker and Community Right-to-Know Law
 - Diethylamine (CAS 109-89-7)

US. Rhode Island RTK

Diethylamine (CAS 109-89-7)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	01-16-2015
Revision date	11-28-2015
Version #	02

The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.

Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.

This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.

Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY.