# SAFETY DATA SHEET



#### 1. Identification

Product identifier Zinc metal-granular-20 mesh

Other means of identification

 Item
 NG-I6614

 CAS number
 7440-66-6

Recommended use For Laboratory Use Only

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Chem Service, Inc.
Address 660 Tower Lane

West Chester, PA 19380

**United States** 

**Telephone** Toll Free 800-452-9994

Direct 610-692-3026

Website www.chemservice.com
E-mail info@chemservice.com

Emergency phone number Chemtrec US 800-424-9300

Chemtrec outside US +1 703-527-3887

# 2. Hazard(s) identification

Physical hazards Flammable solids Category 2

Pyrophoric solids Category 1
Self-heating substances and mixtures Category 1
Substances and mixtures which, in contact Category 1

with water, emit flammable gases

Acute toxicity, oral Category 4

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment, Category 1

long-term hazard

OSHA defined hazards Not classified.

Label elements

**Health hazards** 



Signal word Danger

Hazard statement Flammable solid. Catches fire spontaneously if exposed to air. Self-heating; may catch fire. In

contact with water releases flammable gases which may ignite spontaneously. Harmful if swallowed. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

**Precautionary statement** 

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not allow contact with

air. Do not allow contact with water. Handle under inert gas. Protect from moisture. Keep cool. Protect from sunlight. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/eye

protection/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. Brush off loose particles

from skin. Immerse in cool water/wrap in wet bandages. In case of fire: Use appropriate media to

extinguish. Collect spillage.

Store in a dry place. Store in a closed container. Maintain air gap between stacks/pallets. Store Storage

away from other materials. Store contents under appropriate liquid or inert gas.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information 100% of the mixture consists of component(s) of unknown acute dermal toxicity.

# 3. Composition/information on ingredients

#### **Substances**

Chemical name	Common name and synonyms	CAS number	%
Zinc metal-granular-20 mesh		7440-66-6	100

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages. Wash off with

soap and water. Get medical attention if irritation develops and persists.

Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

Most important

delaved

symptoms/effects, acute and

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting

equipment/instructions

Specific methods

General fire hazards

Special powder for metal fires. Do not use water.

Water. Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

so without risk. Do not get water inside container. Wear self contained breathing apparatus for fire fighting if necessary. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.

Use standard firefighting procedures and consider the hazards of other involved materials. Flammable solid. Catches fire spontaneously if exposed to air. Self-heating; may catch fire. In contact with water releases flammable gases which may ignite spontaneously.

#### 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Use only non-sparking tools. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: Zinc metal-granular-20 mesh

SDS US

NG-I6614 Version #: 03 Revision date: 08-31-2017 Issue date: 08-30-2017

# Methods and materials for containment and cleaning up

Do not get water on spilled substance or inside containers. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Neutralize with lime or soda ash. Prevent product from entering drains. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Do not allow contact with air. Open container carefully and only in a dry, oxygen-free or inert atmosphere. Keep away from any possible contact with water, because of violent reaction and possible flash fire. Handle under inert gas. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Keep cool. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Never allow product to get in contact with water during storage. Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Store in a dry place. Store away from other materials. Maintain air gap between stacks/pallets. Keep in an area equipped with sprinklers.

## 8. Exposure controls/personal protection

Occupational exposure limits

Biological limit values

Appropriate engineering

controls

This substance has no PEL, TLV, or other recommended exposure limit.

No biological exposure limits noted for the ingredient(s).

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid.

Form Crystalline Solid

Color Gray
Odor Odorless.
Odor threshold Not available.
pH Not available.

Melting point/freezing point 787.15 °F (419.53 °C)

Material name: Zinc metal-granular-20 mesh

SDS US

Initial boiling point and boiling 1664.6 °F (907 °C)

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Flammable solid.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Density** 7.1323 g/cm3 estimated at 25 °C

**Explosive properties** Not explosive.

Molecular formula Zn

Molecular weight 65.38 g/mol
Oxidizing properties Not oxidizing.

## 10. Stability and reactivity

**Reactivity** In contact with water releases flammable gas. **Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Exposure to moisture. Exposure to air.

Contact with incompatible materials.

Incompatible materials Air. Strong oxidizing agents. Combustible material. Acids. Water, moisture.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactNo adverse effects due to skin contact are expected.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

## Information on toxicological effects

Acute toxicity Harmful if swallowed.

NG-16614 Version #: 03 Revision date: 08-31-2017 Issue date: 08-30-2017

Product Species Test Results

Zinc metal-granular-20 mesh (CAS 7440-66-6)

Acute Oral

LD50 Rat 630 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard**Not an aspiration hazard.

# 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Product		Species	lest Results		
Zinc metal-granular-20 mesh (CAS 7440-66-6)					
Aquatic					
Crustacea	EC50	Water flea (Daphnia magna)	2.8 mg/l, 48 hours		
Fish	LC50	Rainbow trout, donaldson trout	0.56 mg/l, 96 hours		

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability

Bioaccumulative potential No data available.

Mobility in soil No data available.

(Oncorhynchus mykiss)

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions**Consult authorities before disposal. Do not allow this material to drain into sewers/water supplies.

Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

### Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

DOT

UN1436 **UN** number

**UN** proper shipping name

Zinc powder or Zinc dust

Transport hazard class(es)

Class 4.3 Subsidiary risk 4.2 Label(s) 4.3, 4.2 Ш Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IB8, IP4, T1, TP33 **Special provisions** 

Packaging exceptions None Packaging non bulk 213 242 Packaging bulk

IATA

UN1436 **UN** number Zinc dust **UN proper shipping name** 

Transport hazard class(es)

4.3 Class Subsidiary risk 4.2 Packing group Ш **Environmental hazards** No. **ERG Code** 4SW

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

aircraft

Allowed with restrictions.

Cargo aircraft only Allowed with restrictions.

**IMDG** 

**UN** number UN1436

**UN proper shipping name** 

ZINC POWDER or ZINC DUST

Transport hazard class(es)

4.3 Class 4.2 Subsidiary risk Packing group Ш **Environmental hazards** 

Marine pollutant No.

**EmS** F-G, S-O

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

DOT



Material name: Zinc metal-granular-20 mesh

SDS US

#### IATA; IMDG



# 15. Regulatory information

**US** federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Zinc metal-granular-20 mesh (CAS 7440-66-6) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - Yes

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Zinc metal-granular-20 mesh	7440-66-6	100

### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act (CWA) Section 112(r) (40 CFR Priority pollutant Toxic pollutant

68.130)

**Safe Drinking Water Act** 

(SDWA)

(SDWA)

Not regulated.

**US state regulations**California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Zinc metal-granular-20 mesh (CAS 7440-66-6)

## **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes

Country(s) or region Inventory name On inventory (yes/no)\*

Europe European Inventory of Existing Commercial Chemical

Substances (EINECS)

New Zealand Inventory

EuropeEuropean List of Notified Chemical Substances (ELINCS)NoJapanInventory of Existing and New Chemical Substances (ENCS)NoKoreaExisting Chemicals List (ECL)Yes

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

Yes

Yes

# 16. Other information, including date of preparation or last revision

 Issue date
 08-30-2017

 Revision date
 08-31-2017

Version # 03

NFPA ratings Health: 2

Flammability: 4 Instability: 3 Special hazards:-W-

**Disclaimer** 

New Zealand

The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.

Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.

This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.

Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY.

Material name: Zinc metal-granular-20 mesh

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).