

SAFETY DATA SHEET

1. Identification

Product identifier	2,4,6-Trinitrotoluene Solution	
Other means of identification Item	S-10659A4	
Recommended use	For Laboratory Use Only	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/I	Distributor information	
Manufacturer		
Company name Address	Chem Service, Inc. 660 Tower Lane West Chester, PA 19380 United States	
Telephone	Toll Free Direct	800-452-9994 610-692-3026
Website E-mail	www.chemservice.com info@chemservice.com	
Emergency phone number	Chemtrec US Chemtrec outside US	800-424-9300 +1 703-527-3887
2. Hazard(s) identification		

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 2
Health hazards	Acute toxicity, oral	Category 3
	Acute toxicity, dermal	Category 3
	Acute toxicity, inhalation	Category 4
	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Not applicable.

eye irritation. Harmful if inhaled.

```
Signal word
Hazard statement
```

Precautionary statement Prevention

equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing. Wear protective gloves/eye protection/face protection. Response If swallowed: Immediately call a poison center/doctor. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Specific treatment (see this label). Rinse mouth. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish. Storage Store in a well-ventilated place. Keep cool. Store locked up. Disposal Dispose of contents/container in accordance with local/regional/national/international regulations. Hazard(s) not otherwise Static accumulating flammable liquid can become electrostatically charged even in bonded and classified (HNOC) grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

Highly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Causes serious

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only outdoors or in a well-ventilated area. Keep container tightly closed. Ground/bond container and receiving

Supplemental information

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Acetonitrile		75-05-8	>99
2,4,6-Trinitrotoluene - min 30wt% water		118-96-7	0.1

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a POISON CENTER or doctor/physician if you feel unwell. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Take off immediately all contaminated clothing. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Alcohol resistant foam. Water fog. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.
6. Accidental release meas	sures

Personal precautions, protective equipment and emergency procedures Immediately evacuate personnel to safe areas. Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors. Fully encapsulating, vapor protective clothing should be worn for spills and leaks with no fire. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

	Elissiante ell'insition essence (es encluire flores enclus enflores in insue distances). Teles
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.
7. Handling and storage	
Precautions for safe handling	Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not taste or swallow. Avoid breathing vapor. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Wash contaminated clothing before reuse.
	Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Avoid spark promoters. Eliminate sources of ignition. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.

8. Exposure controls/personal protection

Occupational exposure limits US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Value Components Туре PEL 2,4,6-Trinitrotoluene - min 1.5 mg/m3 30wt% water (CAS 118-96-7) PEL Acetonitrile (CAS 75-05-8) 70 mg/m3 40 ppm **US. ACGIH Threshold Limit Values** Components Value Туре 2,4,6-Trinitrotoluene - min TWA 0.1 mg/m3 30wt% water (CAS 118-96-7) 20 ppm Acetonitrile (CAS 75-05-8) TWA **US. NIOSH: Pocket Guide to Chemical Hazards** Components Value Туре 2,4,6-Trinitrotoluene - min TWA 0.5 mg/m3 30wt% water (CAS 118-96-7) 34 mg/m3 Acetonitrile (CAS 75-05-8) TWA 20 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Exposure guidelines

Exposure guidelines		
US - California OELs: Skin d	esignation	
	30wt% water (CAS 118-96-7)	Can be absorbed through the skin.
Acetonitrile (CAS 75-05-8		Can be absorbed through the skin.
US - Minnesota Haz Subs: Sl	• •	
	30wt% water (CAS 118-96-7)	Skin designation applies.
Acetonitrile (CAS 75-05-8)		Skin designation applies.
US - Tennesse OELs: Skin d	•	
	30wt% water (CAS 118-96-7)	Can be absorbed through the skin.
US ACGIH Threshold Limit V	-	
	30wt% water (CAS 118-96-7)	Can be absorbed through the skin.
Acetonitrile (CAS 75-05-8)		Can be absorbed through the skin.
	Chemical Hazards: Skin design	
		Can be absorbed through the skin.
	or Air Contaminants (29 CFR	
2,4,6-Trinitrotoluene - min	· · · · · · · · · · · · · · · · · · ·	Can be absorbed through the skin.
Appropriate engineering controls	changes per hour) should be u applicable, use process enclos maintain airborne levels below	cal exhaust ventilation. Good general ventilation (typically 10 air used. Ventilation rates should be matched to conditions. If sures, local exhaust ventilation, or other engineering controls to recommended exposure limits. If exposure limits have not been levels to an acceptable level. Provide eyewash station.
Individual protection measures,	such as personal protective e	quipment
Eye/face protection	Wear eye/face protection. Wea	ar safety glasses with side shields (or goggles).
Skin protection		
Hand protection	Wear protective gloves.	
Other	Wear appropriate chemical res	sistant clothing.
Respiratory protection		naintain airborne concentrations below recommended exposure an acceptable level (in countries where exposure limits have not d respirator must be worn.
Thermal hazards	Wear appropriate thermal prote	ective clothing, when necessary.
General hygiene considerations	as washing after handling the I	or smoke. Always observe good personal hygiene measures, such material and before eating, drinking, and/or smoking. Routinely tive equipment to remove contaminants.

9. Physical and chemical properties

-	-
Appearance	
Physical state	Liquid.
Form	Liquid
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-49 °F (-45 °C) estimated
Initial boiling point and boiling range	178.88 °F (81.6 °C) estimated
Flash point	42.0 °F (5.6 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	3 % estimated
Flammability limit - upper (%)	16 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	118.39 hPa estimated
Vapor density	Not available.
Relative density	Not available.

Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	975.2 °F (524 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.788167 g/cm3 estimated
Flammability class	Flammable IB estimated
Percent volatile	99.9 % estimated
Specific gravity	0.79 estimated
VOC (Weight %)	99.9 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Toxic if swallowed.
Inhalation	Harmful if inhaled.
Skin contact	Toxic in contact with skin.
Eye contact	Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity Toxic if swallowed. Toxic in contact with skin. Harmful if inhaled. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components	Species	Test Results
2,4,6-Trinitrotoluene - min 3	30wt% water (CAS 118-96-7)	
Acute		
Oral		
LD50	Mouse	660 mg/kg
	Rat	795 mg/kg
Acetonitrile (CAS 75-05-8)		
Acute		
Dermal		
LD50	Rabbit	390 mg/kg
		0.5 ml/kg
Inhalation		
LC100	Dog	16000 ppm, 4 Hours
LC50	Guinea pig	5655 ppm, 4 Hours
	Mouse	3587 ppm, 4 Hours
		2693 ppm, 1 Hours
	Rabbit	2825 ppm, 4 Hours
	Rat	17100 ppm, 4 Hours
		7500 ppm, 8 Hours

Guinea pi Mouse		330 ppm, 90 Days 75 mg/l	
		75 mg/l	
	in the second		
Mouse	iy .	140 mg/kg	
Mouse		0.177 ml/kg	
		269 mg/kg	
Rat		158 mg/kg	
		1.68 - 4.49 ml/kg	
		-	
Mouse		0.25 g/kg	
Rat		1100 mg/kg	
		0.85 ml/kg	
		-	
-		on.	
Causes ser	ious eye irritation.		
on			
	le.		
This produc	t is not expected to cause skin sensitiza	ion.	
	No data available to indicate product or any components present at greater than 0.1% are		
	mutagenic or genotoxic.		
This produc	t is not considered to be a carcinogen by	IARC, ACGIH, NTP, or OSHA.	
	• •		
		to carcinogenicity to humans.	
gulated Substa	ances (29 CFR 1910.1001-1050)		
This produc	t is not expected to cause reproductive of	or developmental effects	
-			
	างป เปลรรแนน.		
Not classifie	Not classified.		
Not availabl	le.		
Prolonged i	nhalation may be harmful.		
n			
	t is not classified as onvironmentally haz	ardous. However, this does not evaluate the	
. ,	Species	Test Results	
Owt% water (CA	AS 118-96-7)		
EC50	Water flea (Daphnia magna)	11.9 mg/l, 48 hours	
LC50	Bluegill (Lepomis macrochirus)	1.6 mg/l, 96 hours	
LC50	Fathead minnow (Pimephales prome	elas) > 100 mg/l, 96 hours	
he hand an	dditional companent data ant shows		
		uct	
Dwt% water	g Kow) 1.6		
	Rat be based on au Prolonged s Causes ser on Not availab This produc No data ava mutagenic of This produc I Evaluation of hin 30wt% wate gulated Substa This produc Not classifie Not classifie Not classifie Not classifie Not classifie Not classifie Om The produc possibility th Owt% water (C/ EC50 LC50 be based on ava No data is a No data ava	Rat be based on additional component data not shown. Prolonged skin contact may cause temporary irritation. causes serious eye irritation. on Not available. This product is not expected to cause skin sensitization. No data available to indicate product or any componentutagenic or genotoxic. This product is not considered to be a carcinogen by I Evaluation of Carcinogenicity nin 30wt% water (CAS 118-96-7) 3 Not classified. Not classified. Not available. Prolonged inhalation may be harmful. on The product is not classified as environmentally haz possibility that large or frequent spills can have a ha Species 0wt% water (CAS 118-96-7) EC50 Water flea (Daphnia magna) LC50 Fathead minnow (Pimephales prometed be based on additional component data not shown.	

2,4,6-Trinitrotoluene - min 30wt% water
Acetonitrile

Mobility in soilNo data available.Other adverse effectsNo other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation
potential, endocrine disruption, global warming potential) are expected from this component.

-0.34

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations	Dispose in accordance with all applicable regulations.			
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
US RCRA Hazardous Waste U List: Reference				
Acetonitrile (CAS 75-05-8	b) U003			
Waste from residues / unused	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see			

products	product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT	
UN number	UN1648 Acetonitrile, solution
UN proper shipping name	Aceloniume, solution
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	
	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, T7, TP2
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242
	101/070
UN number	UN1648
UN proper shipping name	Acetonitrile solution
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	
Environmental hazards	No.
ERG Code	3L
· · ·	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed.
aircraft	
Cargo aircraft only	Allowed.
IMDG	
UN number	UN1648
UN proper shipping name	ACETONITRILE SOLUTION
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	Ш
Environmental hazards	
Marine pollutant	No.
EmS	F-E, S-D
· · ·	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not available.
Annex II of MARPOL 73/78 and	
the IBC Code	

FLAMMABLE			
3			
\mathbf{v}			
IATA; IMDG			
3			
•			
15. Regulatory informatio	n		
US federal regulations	This product is a "Hazardou	ıs Chemical" as defir	ned by the OSHA Hazard Communication
j.	Standard, 29 CFR 1910.12	00.	
	All components are on the l	J.S. EPA TSCA Inve	entory List.
TSCA Section 12(b) Export	Notification (40 CFR 707, Su	ıbpt. D)	
Not regulated.			
CERCLA Hazardous Substa	nce List (40 CFR 302.4)		
Acetonitrile (CAS 75-05-		Listed.	
SARA 304 Emergency relea	se notification		
Not regulated.			
US. OSHA Specifically Reg	ulated Substances (29 CFR	1910.1001-1050)	
Not listed.			
Superfund Amendments and Re	eauthorization Act of 1986 (S	SARA)	
Hazard categories	Immediate Hazard - Yes		
	Delayed Hazard - No		
	Fire Hazard - Yes Pressure Hazard - No		
	Reactivity Hazard - No		
SARA 302 Extremely hazar	-		
Not listed.			
SARA 311/312 Hazardous	No		
chemical			
SARA 313 (TRI reporting)			
Chemical name		CAS number	% by wt.
Acetonitrile		75-05-8	>99
		70-00-0	299
Other federal regulations			
· · ·	n 112 Hazardous Air Polluta	nts (HAPs) List	
Acetonitrile (CAS 75-05-			
	n 112(r) Accidental Release	Prevention (40 CFR	. 68.130)
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations			
US. Massachusetts RTK - S	ubstance List		
2,4,6-Trinitrotoluene - mi	n 30wt% water (CAS 118-96-7	7)	
Acetonitrile (CAS 75-05-			
-	I Community Right-to-Know	Act	
Acetonitrile (CAS 75-05-		500 LBS	
US. Pennsylvania RTK - Ha	zardous Substances		
	n 30wt% water (CAS 118-96-7	7)	
Acetonitrile (CAS 75-05-			
Material name: 2.4.6 Trinitratelyana			

DOT

US. Rhode Island RTK

Acetonitrile (CAS 75-05-8)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

2,4,6-Trinitrotoluene - min 30wt% water (CAS Listed: December 19, 2008 118-96-7)

International Inventories				
Country(s) or region	Inventory name	On inventory (yes/no)*		
Australia	Australian Inventory of Chemical Substances (AICS)	Yes		
Canada	Domestic Substances List (DSL)	Yes		
Canada	Non-Domestic Substances List (NDSL)	No		
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes		
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes		
Europe	European List of Notified Chemical Substances (ELINCS)	No		
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes		
Korea	Existing Chemicals List (ECL)	Yes		
New Zealand	New Zealand Inventory	Yes		
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	08-06-2014
Version #	01
NFPA ratings	Health: 2 Flammability: 3 Instability: 0
Disclaimer	The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.
	Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.
	This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.
	Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.
	This product is furnished FOR LABORATORY USE ONLY.