# SAFETY DATA SHEET

## 1. Identification

Product identifier	Indeno(1,2,3-C,D)pyrene S	olution	
Other means of identification			
ltem	S-12211M1		
Recommended use	For Laboratory Use Only		
<b>Recommended restrictions</b>	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name	Chem Service, Inc.		
Address	660 Tower Lane		
	West Chester, PA 19380		
Telephone	United States Toll Free	800-452-9994	
Telephone	Direct	610-692-3026	
Website	www.chemservice.com	010 002 0020	
E-mail	info@chemservice.com		
Emergency phone number	Chemtrec US	800-424-9300	
	Chemtrec outside US	+1 703-527-3887	
2. Hazard(s) identification			
Physical hazards	Flammable liquids		Category 2
Health hazards	Acute toxicity, oral		Category 3
	Acute toxicity, dermal		Category 3
	Acute toxicity, inhalation		Category 3
	Serious eye damage/eye irri	tation	Category 2A
	Reproductive toxicity		Category 1B
	Specific target organ toxicity	, single exposure	Category 1
	Specific target organ toxicity	, single exposure	Category 3 narcotic effects

Environmental hazards OSHA defined hazards Label elements

Signal word

Hazard statement



Specific target organ toxicity, repeated

#### Danger

exposure

Not classified.

Not classified.

Highly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Causes serious eye irritation. Toxic if inhaled. May cause drowsiness or dizziness. May damage fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.

Category 1

### Precautionary statement Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

Response	If swallowed: Immediately call a poison center/doctor. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.
Supplemental information	100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

# 3. Composition/information on ingredients

## Mixtures

Chemical name	Common name and synonyms	CAS number	%
Methanol		67-56-1	>99
Indeno(1,2,3-C,D)pyrene		193-39-5	0.01

## 4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a poison center or doctor/physician.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Most important symptoms/effects, acute and delayed	May cause drowsiness or dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Take off immediately all contaminated clothing. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.
6. Accidental release meas	sures
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read

Obtain special instructions before use. Do not handle until all safety precautions have been read Precautions for safe handling and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist/vapors. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".

**Conditions for safe storage, including any incompatibilities including and grounding techniques**. Eliminate sources of ignition. Avoid **including any incompatibilities including any incompatibilities i** 

# 8. Exposure controls/personal protection

## **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits Components	Тур			lue
Methanol (CAS 67-56-1)	PEL	-	26	0 mg/m3
			20	0 ppm
US. ACGIH Threshold Limit	Values			
Components	Тур	e	Va	lue
Methanol (CAS 67-56-1)	STE	EL	25	0 ppm
	TW	A	20	0 ppm
US. NIOSH: Pocket Guide to	o Chemical Hazards	6		
Components	Тур	e	Va	lue
Methanol (CAS 67-56-1)	STE	EL	32	5 mg/m3
			25	0 ppm
	TW	A	26	0 mg/m3
			20	0 ppm
logical limit values				
ACGIH Biological Exposure		Determinant	Encoimon	Someling Time
	/alue		Specimen	Sampling Time
· · · · · · · · · · · · · · · · · · ·	5 mg/l	Methanol	Urine	*
* - For sampling details, pleas	se see the source do	cument.		
oosure guidelines US - California OELs: Skin (	decignation			
Methanol (CAS 67-56-1)	•	Can h	e absorbed throu	igh the skin
US - Minnesota Haz Subs: S				
Methanol (CAS 67-56-1)		Skin o	lesignation applie	es.
US - Tennessee OELs: Skin	•			
Methanol (CAS 67-56-1) US ACGIH Threshold Limit			e absorbed throu	ign the skin.
Methanol (CAS 67-56-1)	-		er of cutaneous a	bsorption
US NIOSH Pocket Guide to		Skin designation		
Methanol (CAS 67-56-1)			e absorbed throu	0
propriate engineering ntrols	Ventilation rates sl exhaust ventilation exposure limits. If	hould be matched t n, or other engineer	o conditions. If ap ing controls to ma e not been establ	Good general ventilation should be used oplicable, use process enclosures, local aintain airborne levels below recommend lished, maintain airborne levels to an shower.
ividual protection measures, Eye/face protection		protective equipm or with organic vapo		III facepiece.
Skin protection Hand protection	Wear appropriate	chemical resistant (	gloves.	
Other	Wear appropriate	chemical resistant o	clothing. Use of a	n impervious apron is recommended.
Respiratory protection	Chemical respirato	or with organic vapo	or cartridge and fu	III facepiece.
Thermal hazards	Wear appropriate	thermal protective of	lothing, when nee	cessary.
neral hygiene nsiderations	and drink. Always	observe good perse e eating, drinking, a	onal hygiene mea	using do not smoke. Keep away from fo asures, such as washing after handling th Routinely wash work clothing and protec

# 9. Physical and chemical properties

3. Filysical and chemical p	n open des
Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-144.04 °F (-97.8 °C) estimated
Initial boiling point and boiling range	148.46 °F (64.7 °C) estimated
Flash point	53.6 °F (12.0 °C) estimated
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	losive limits
Explosive limit - lower (%)	7.3 % estimated
Explosive limit - upper (%)	36.5 % estimated
Vapor pressure	169.3 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	867.2 °F (464 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.7865 g/cm3 estimated
Explosive properties	Not explosive.
Flammability class	Flammable IB estimated
Oxidizing properties	Not oxidizing.
Percent volatile	99.99 % estimated
Specific gravity	0.79 estimated
VOC	99.99 % estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

# 11. Toxicological information

## Information on likely routes of exposure

·····,	h
Inhalation	Toxic if inhaled. May cause damage to organs by inhalation. May cause drowsiness or dizziness. Headache. Nausea, vomiting.
Skin contact	Toxic in contact with skin.

Eye contact	Causes serious eye irritation.
Ingestion	Toxic if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	May cause drowsiness or dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

## Information on toxicological effects

Acute toxicity

Toxic if inhaled. Toxic in contact with skin. Toxic if swallowed.

Acute toxicity	TOXIC II IIIIIaleu. T	OXIC III COITIACL WILLI SKIT. TOXIC II	swalloweu.	
Components	Species		Test Results	
Methanol (CAS 67-56-1)				
Acute				
Dermal				
LD50	Rabbit		15800 mg/kg	
Inhalation				
Vapor				
LC50	Rat		82.1 mg/l, 6 Hours	
Skin corrosion/irritation	Prolonged skin co	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Causes serious e	ye irritation.		
Respiratory or skin sensitizatio	on			
<b>Respiratory sensitization</b>	Not a respiratory	sensitizer.		
Skin sensitization	This product is no	ot expected to cause skin sensitiz	zation.	
Germ cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Not classifiable as	s to carcinogenicity to humans.		
IARC Monographs. Overall	Evaluation of Carc	inogenicity		
Indeno(1,2,3-C,D)pyrene OSHA Specifically Regulat		•	nogenic to humans.	
Not listed. US. National Toxicology Pr	ogram (NTP) Repo	rt on Carcinogens		
Indeno(1,2,3-C,D)pyrene	e (CAS 193-39-5)	Known To Be Hur Reasonably Antic	nan Carcinogen. ipated to be a Human Carcinogen.	
Reproductive toxicity	May damage ferti	lity or the unborn child.		
Specific target organ toxicity - single exposure	Causes damage to organs. May cause drowsiness or dizziness.			
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.			
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inhalation may be harmful. Causes damage to organs through prolonged or repeated exposure.			
12. Ecological informatio	n			
Ecotoxicity			azardous. However, this does not exclude the harmful or damaging effect on the environment	
Components	S	pecies	Test Results	
Methanol (CAS 67-56-1)				
Aquatic				
Acute				
Crustacea	EC50 W	ater flea (Daphnia magna)	> 10000 mg/l, 48 hours	
<b>—</b>				

FishLC50Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hoursPersistence and degradabilityNo data is available on the degradability of any ingredients in the mixture.

### Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow) Indeno(1,2,3-C,D)pyrene

Partition coefficient n-octane Methanol	ol / water (log Kow) -0.77		
Mobility in soil	No data available.		
Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.		
13. Disposal consideration	IS		
Disposal instructions	Dispose of this material and its container to hazardous or special waste collection point. Incinerate the material under controlled conditions in an approved incinerator. Do not incinerate sealed containers. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	D001: Waste Flammable material with a flash point <140 F The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
US RCRA Hazardous Waste	U List: Reference		
Methanol (CAS 67-56-1)	U154		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		
14. Transport information			
DOT			
UN number UN proper shipping name Transport hazard class(es)	UN1230 Methanol, solution (Methanol RQ = 5000 LBS)		
Class	3		
Subsidiary risk	-		
Label(s)	3		
Packing group	II Read safety instructions, SDS and emergency procedures before handling		
Special precautions for user Special provisions Packaging exceptions	Read safety instructions, SDS and emergency procedures before handling. IB2, T7, TP2 150		
Packaging non bulk Packaging bulk	202 242		
IATA			
UN number	UN1230		
UN proper shipping name Transport hazard class(es)	Methanol solution (Methanol)		
Class	3		
Subsidiary risk	6.1		
Packing group			
Environmental hazards ERG Code	No. 3L		
	Read safety instructions, SDS and emergency procedures before handling.		
Passenger and cargo aircraft	Allowed with restrictions.		
Cargo aircraft only	Allowed with restrictions.		
IMDG			
UN number	UN1230		
UN proper shipping name Transport hazard class(es)	METHANOL SOLUTION (Methanol)		
Class	3		
Subsidiary risk	6.1		
Packing group Environmental hazards			
Marine pollutant	No.		

# EmS F-E. S-D Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code DOT FLAMMABLE LIQUID IATA; IMDG 15. Regulatory information **US** federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. **Toxic Substances Control Act (TSCA)** All components of the mixture on the TSCA 8(b) inventory are designated "active". TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Indeno(1,2,3-C,D)pyrene (CAS 193-39-5) Listed. Methanol (CAS 67-56-1) Listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous Yes chemical **Classified hazard** Flammable (gases, aerosols, liquids, or solids) categories Acute toxicity (any route of exposure)

SARA 313 (TRI reporting) Chemical name

Methanol

Serious eye damage or eye irritation

Hazard not otherwise classified (HNOC)

Specific target organ toxicity (single or repeated exposure)

**CAS** number

67-56-1

% by wt.

>99

Reproductive toxicity

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Indeno(1,2,3-C,D)pyrene (CAS 193-39-5) Methanol (CAS 67-56-1)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Contains component(s) regulated under the Safe Drinking Water Act.

# (SDWA)

#### US state regulations

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Indeno(1,2,3-C,D)pyrene (CAS 193-39-5) Methanol (CAS 67-56-1)

#### California Proposition 65



**WARNING:** This product can expose you to Indeno(1,2,3-C,D)pyrene, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

Indeno(1,2,3-C,D)pyrene (	CAS 103-30-5)	Listed: January 1, 1988
	CAS 193-39-31	

California Proposition 65 - CRT: Listed date/Developmental toxin

Methanol (CAS 67-56-1) Listed: March 16, 2012

#### International Inventories

Country(s) or region	Inventory name On in	ventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
*A "Vaa" indicates that all some	nente of this product comply with the inventory requirements administered by the asympton	auntry(a)

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

Issue date	09-11-2014
Revision date	02-02-2023
Version #	03
NFPA ratings	Health: 4 Flammability: 3 Instability: 0

Chem Service, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.

Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.

This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.

Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY.