

**1. Identification**

|   |   |                 |
|---|---|-----------------|
| <b>Product identifier</b>                                     | <b>Phenanthrene Solution</b>                              |                 |
| <b>Other means of identification</b>                          |   |                 |
| <b>Item</b>   | S-12855M1   |                 |
| <b>Recommended use</b>  | For Laboratory Use Only                                   |                 |
| <b>Recommended restrictions</b>                               | None known.   |                 |
| <b>Manufacturer/Importer/Supplier/Distributor information</b> |   |                 |
| <b>Manufacturer</b>   |   |                 |
| <b>Company name</b>   | Chem Service, Inc.  |                 |
| <b>Address</b>  | 660 Tower Lane<br>West Chester, PA 19380<br>United States |                 |
| <b>Telephone</b>  | Toll Free   | 800-452-9994    |
|   | Direct  | 610-692-3026    |
| <b>Website</b>  | www.chemservice.com                                       |                 |
| <b>E-mail</b>   | info@chemservice.com                                      |                 |
| <b>Emergency phone number</b>                                 | Chemtrec US   | 800-424-9300    |
|   | Chemtrec outside US                                       | +1 703-527-3887 |

**2. Hazard(s) identification**

|                              |   |             |
|------------------------------|---|-------------|
| <b>Physical hazards</b>      | Flammable liquids                                 | Category 2  |
| <b>Health hazards</b>        | Acute toxicity, oral                              | Category 3  |
|                              | Acute toxicity, dermal                            | Category 3  |
|                              | Acute toxicity, inhalation                        | Category 3  |
|                              | Serious eye damage/eye irritation                 | Category 2A |
|                              | Reproductive toxicity                             | Category 1  |
|                              | Specific target organ toxicity, single exposure   | Category 1  |
|                              | Specific target organ toxicity, repeated exposure | Category 1  |
| <b>Environmental hazards</b> | Not classified.                                   |             |
| <b>OSHA defined hazards</b>  | Not classified.                                   |             |
| <b>Label elements</b>        |   |             |



|                                |   |
|--------------------------------|---|
| <b>Signal word</b>             | Danger  |
| <b>Hazard statement</b>        | Highly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Causes serious eye irritation. Toxic if inhaled. May damage fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure.  |
| <b>Precautionary statement</b> |   |
| <b>Prevention</b>              | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. |

|  |   |
|--|---|
| <b>Response</b>                                  | If swallowed: Immediately call a poison center/doctor. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish. |
| <b>Storage</b>                                   | Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.  |
| <b>Disposal</b>                                  | Dispose of contents/container in accordance with local/regional/national/international regulations.   |
| <b>Hazard(s) not otherwise classified (HNOC)</b> | Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.   |
| <b>Supplemental information</b>                  | 100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.   |

### 3. Composition/information on ingredients

#### Mixtures

| Chemical name | Common name and synonyms | CAS number | %    |
|---------------|--------------------------|------------|------|
| Methanol      |                          | 67-56-1    | >99  |
| Phenanthrene  |                          | 85-01-8    | 0.01 |

### 4. First-aid measures

|   |  |
|---|--|
| <b>Inhalation</b>   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a POISON CENTER or doctor/physician.   |
| <b>Skin contact</b>   | Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.   |
| <b>Eye contact</b>  | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.  |
| <b>Ingestion</b>  | Call a physician or poison control center immediately. Rinse mouth. If swallowed, induce vomiting immediately as directed by medical personnel. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Headache. Dizziness. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.   |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.  |
| <b>General information</b>  | Take off immediately all contaminated clothing. IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.   |

### 5. Fire-fighting measures

|   |  |
|---|--|
| <b>Suitable extinguishing media</b>               | Water fog. Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.  |
| <b>Unsuitable extinguishing media</b>             | Do not use water jet as an extinguisher, as this will spread the fire.   |
| <b>Specific hazards arising from the chemical</b> | Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed. |

|  |  |
|--|--|
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.                        |
| <b>Fire fighting equipment/instructions</b>                          | In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. |
| <b>Specific methods</b>  | Use standard firefighting procedures and consider the hazards of other involved materials.                           |
| <b>General fire hazards</b>  | Highly flammable liquid and vapor.   |

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures** Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**Methods and materials for containment and cleaning up** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.

## 7. Handling and storage

**Precautions for safe handling** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.

For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".

**Conditions for safe storage, including any incompatibilities** Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Eliminate sources of ignition. Avoid spark promoters. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

| Components             | Type | Value                            |
|------------------------|------|----------------------------------|
| Methanol (CAS 67-56-1) | PEL  | 260 mg/m <sup>3</sup><br>200 ppm |

**US. ACGIH Threshold Limit Values**

| Components             | Type | Value   |
|------------------------|------|---------|
| Methanol (CAS 67-56-1) | STEL | 250 ppm |
|                        | TWA  | 200 ppm |

**US. NIOSH: Pocket Guide to Chemical Hazards**

| Components             | Type | Value                            |
|------------------------|------|----------------------------------|
| Methanol (CAS 67-56-1) | STEL | 325 mg/m <sup>3</sup><br>250 ppm |
|                        | TWA  | 260 mg/m <sup>3</sup><br>200 ppm |

**Biological limit values****ACGIH Biological Exposure Indices**

| Components             | Value   | Determinant | Specimen | Sampling Time |
|------------------------|---------|-------------|----------|---------------|
| Methanol (CAS 67-56-1) | 15 mg/l | Methanol    | Urine    | *             |

\* - For sampling details, please see the source document.

**Exposure guidelines****US - California OELs: Skin designation**

Methanol (CAS 67-56-1) Can be absorbed through the skin.

**US - Minnesota Haz Subs: Skin designation applies**

Methanol (CAS 67-56-1) Skin designation applies.

**US - Tennessee OELs: Skin designation**

Methanol (CAS 67-56-1) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation**

Methanol (CAS 67-56-1) Can be absorbed through the skin.

**US NIOSH Pocket Guide to Chemical Hazards: Skin designation**

Methanol (CAS 67-56-1) Can be absorbed through the skin.

**Appropriate engineering controls**

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station. Eye wash fountain and emergency showers are recommended.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Chemical respirator with organic vapor cartridge and full facepiece.

**Skin protection**

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

**Respiratory protection** Chemical respirator with organic vapor cartridge and full facepiece.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

Observe any medical surveillance requirements. When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties****Appearance**

**Physical state** Liquid.

**Form** Liquid.

**Color** Not available.

**Odor** Not available.

|   |                                 |
|---|---------------------------------|
| <b>Odor threshold</b>                               | Not available.                  |
| <b>pH</b>   | Not available.                  |
| <b>Melting point/freezing point</b>                 | -144.04 °F (-97.8 °C) estimated |
| <b>Initial boiling point and boiling range</b>      | 148.46 °F (64.7 °C) estimated   |
| <b>Flash point</b>                                  | 53.6 °F (12.0 °C) estimated     |
| <b>Evaporation rate</b>                             | Not available.                  |
| <b>Flammability (solid, gas)</b>                    | Not applicable.                 |
| <b>Upper/lower flammability or explosive limits</b> |                                 |
| <b>Flammability limit - lower (%)</b>               | 7.3 % estimated                 |
| <b>Flammability limit - upper (%)</b>               | 36 % estimated                  |
| <b>Explosive limit - lower (%)</b>                  | Not available.                  |
| <b>Explosive limit - upper (%)</b>                  | Not available.                  |
| <b>Vapor pressure</b>                               | 169.3 hPa estimated             |
| <b>Vapor density</b>                                | Not available.                  |
| <b>Relative density</b>                             | Not available.                  |
| <b>Solubility(ies)</b>                              |                                 |
| <b>Solubility (water)</b>                           | Not available.                  |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available.                  |
| <b>Auto-ignition temperature</b>                    | 867.2 °F (464 °C) estimated     |
| <b>Decomposition temperature</b>                    | Not available.                  |
| <b>Viscosity</b>                                    | Not available.                  |
| <b>Other information</b>                            |                                 |
| <b>Density</b>                                      | 0.78652 g/cm3 estimated         |
| <b>Explosive properties</b>                         | Not explosive.                  |
| <b>Flammability class</b>                           | Flammable IB estimated          |
| <b>Oxidizing properties</b>                         | Not oxidizing.                  |
| <b>Percent volatile</b>                             | 99.99 % estimated               |
| <b>Specific gravity</b>                             | 0.79 estimated                  |
| <b>VOC</b>  | 99.99 % estimated               |

## 10. Stability and reactivity

|   |  |
|---|--|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport.  |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.  |
| <b>Possibility of hazardous reactions</b> | Hazardous polymerization does not occur.   |
| <b>Conditions to avoid</b>                | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| <b>Incompatible materials</b>             | Strong oxidizing agents.   |
| <b>Hazardous decomposition products</b>   | No hazardous decomposition products are known.   |

## 11. Toxicological information

### Information on likely routes of exposure

|                     |  |
|---------------------|--|
| <b>Inhalation</b>   | Toxic if inhaled. May cause damage to organs by inhalation. May cause damage to organs through prolonged or repeated exposure by inhalation. |
| <b>Skin contact</b> | Toxic in contact with skin.  |
| <b>Eye contact</b>  | Causes serious eye irritation.   |
| <b>Ingestion</b>    | Toxic if swallowed.  |

**Symptoms related to the physical, chemical and toxicological characteristics** Headache. Dizziness. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

**Information on toxicological effects**

**Acute toxicity** Toxic if inhaled. Toxic in contact with skin. Toxic if swallowed.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Phenanthrene (CAS 85-01-8) 3 Not classifiable as to carcinogenicity to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

**Reproductive toxicity** May damage fertility or the unborn child.

**Specific target organ toxicity - single exposure** Causes damage to organs.

**Specific target organ toxicity - repeated exposure** Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful.

**12. Ecological information**

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components                 | Species | Test Results   |
|----------------------------|---------|--|
| Methanol (CAS 67-56-1)     |         |  |
| <b>Aquatic</b>             |         |  |
| Crustacea                  | EC50    | Water flea (Daphnia magna) > 10000 mg/l, 48 hours                      |
| Fish                       | LC50    | Fathead minnow (Pimephales promelas) > 100 mg/l, 96 hours              |
| Phenanthrene (CAS 85-01-8) |         |  |
| <b>Aquatic</b>             |         |  |
| Crustacea                  | EC50    | Water flea (Daphnia magna) 0.185 - 0.243 mg/l, 48 hours                |
| Fish                       | LC50    | Sheepshead minnow (Cyprinodon variegatus) 0.438 - 0.523 mg/l, 96 hours |

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability**

**Bioaccumulative potential**

**Partition coefficient n-octanol / water (log Kow)**

Methanol -0.77  
Phenanthrene 4.57

**Mobility in soil** No data available.

**Other adverse effects** The product contains volatile organic compounds which have a photochemical ozone creation potential.

### 13. Disposal considerations

|                                   |  |
|-----------------------------------|--|
| <b>Disposal instructions</b>      | Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Local disposal regulations</b> | Dispose in accordance with all applicable regulations.   |
| <b>Hazardous waste code</b>       | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.   |

#### US RCRA Hazardous Waste U List: Reference

Methanol (CAS 67-56-1) U154

|  |  |
|--|--|
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| <b>Contaminated packaging</b>                | Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.       |

### 14. Transport information

#### DOT

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1230  |
| <b>UN proper shipping name</b>      | Methanol, solution (Methanol RQ = 5000 LBS)                             |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 3   |
| <b>Subsidiary risk</b>              | -   |
| <b>Label(s)</b>                     | 3   |
| <b>Packing group</b>                | II  |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Special provisions</b>           | IB2, T7, TP2  |
| <b>Packaging exceptions</b>         | 150   |
| <b>Packaging non bulk</b>           | 202   |
| <b>Packaging bulk</b>               | 242   |

#### IATA

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1230  |
| <b>UN proper shipping name</b>      | Methanol solution (Methanol)  |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 3   |
| <b>Subsidiary risk</b>              | 6.1(PGI, II)  |
| <b>Packing group</b>                | II  |
| <b>Environmental hazards</b>        | No.   |
| <b>ERG Code</b>                     | 3L  |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Other information</b>            |   |
| <b>Passenger and cargo aircraft</b> | Allowed with restrictions.  |
| <b>Cargo aircraft only</b>          | Allowed with restrictions.  |

#### IMDG

|   |   |
|---|---|
| <b>UN number</b>  | UN1230  |
| <b>UN proper shipping name</b>  | METHANOL SOLUTION (Methanol)  |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>  | 3   |
| <b>Subsidiary risk</b>  | 6.1(PGI, II)  |
| <b>Packing group</b>  | II  |
| <b>Environmental hazards</b>  |   |
| <b>Marine pollutant</b>   | No.   |
| <b>EmS</b>  | F-E, S-D  |
| <b>Special precautions for user</b>   | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b> | Not established.  |

DOT



IATA; IMDG



## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Methanol (CAS 67-56-1)

Listed.

Phenanthrene (CAS 85-01-8)

Listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### Hazard categories

Immediate Hazard - Yes

Delayed Hazard - Yes

Fire Hazard - Yes

Pressure Hazard - No

Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

**SARA 311/312 Hazardous chemical** No

#### SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. |
|---------------|------------|----------|
| Methanol      | 67-56-1    | >99      |

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Methanol (CAS 67-56-1)

Phenanthrene (CAS 85-01-8)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**US state regulations** WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

#### US - California Proposition 65 - CRT: Listed date/Developmental toxin

Methanol (CAS 67-56-1)

Listed: March 16, 2012



**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

Methanol (CAS 67-56-1)

Phenanthrene (CAS 85-01-8)

**International Inventories**

| <b>Country(s) or region</b> | <b>Inventory name</b>  | <b>On inventory (yes/no)*</b> |
|-----------------------------|--|-------------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | Yes                           |
| Canada                      | Domestic Substances List (DSL)   | Yes                           |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                            |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                           |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                           |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                            |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                           |
| Korea                       | Existing Chemicals List (ECL)  | Yes                           |
| New Zealand                 | New Zealand Inventory  | Yes                           |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                           |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                           |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision**

**Issue date** 08-31-2014

**Revision date** 12-09-2021

**Version #** 02

**NFPA ratings**  
Health: 4  
Flammability: 3  
Instability: 0

**Disclaimer**

Chem Service, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.

Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.

This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.

Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.

This product is furnished FOR LABORATORY USE ONLY.

**Revision information**

This document has undergone significant changes and should be reviewed in its entirety.