SAFETY DATA SHEET

1. Identification

Product identifier	Picloram Solution	
Other means of identification Item	S-13050A1	
Recommended use	For Laboratory Use Only	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name Address	Chem Service, Inc. 660 Tower Lane West Chester, PA 19380 United States	
Telephone	Toll Free Direct	800-452-9994 610-692-3026
Website E-mail	www.chemservice.com info@chemservice.com	
Emergency phone number	Chemtrec US Chemtrec outside US	800-424-9300 +1 703-527-3887
2 Henerd/a) identification		

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 2
Health hazards	Acute toxicity, oral	Category 3
	Acute toxicity, dermal	Category 3
	Acute toxicity, inhalation	Category 3
	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	



Signal word	Danger
Hazard statement	Highly flammable liquid and vapor. Toxic if swallowed. Toxic in contact with skin. Causes serious eye irritation. Toxic if inhaled.
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Immediately call a poison center/doctor. Rinse mouth. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor. If eye irritation persists: Get medical advice/attention. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.
Supplemental information	100% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 100% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Acetonitrile		75-05-8	99 - 100
Other components below r	eportable levels		≤ 1

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a poison center or doctor/physician.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical advice/attention if you feel unwell. Get medical attention if irritation develops and persists. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting without advice from poison control center. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
Most important symptoms/effects, acute and delayed	Convulsions. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Take off immediately all contaminated clothing. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Alcohol resistant foam. Carbon dioxide (CO2). Dry chemical powder, carbon dioxide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. This liquid may accumulate static electricity when filling properly grounded containers. Static electricity accumulation may be significantly increased by the presence of small quantities of water or other contaminants. Material will float and may ignite on surface of water. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Highly flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Methods and materials for	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Use appropriate containment to avoid environmental contamination. Transfer by mechanical means such as vacuum truck to a salvage tank or other suitable container for recovery or safe disposal. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep
containment and cleaning up	combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Use appropriate containment to avoid environmental contamination.
7. Handling and storage	
Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Explosion-proof general and local exhaust ventilation. Minimize fire risks from flammable and combustible materials (including combustible dust and static accumulating liquids) or dangerous reactions with incompatible materials. Handling operations that can promote accumulation of static charges include but are not limited to: mixing, filtering, pumping at high flow rates, splash filling, creating mists or sprays, tank and container filling, tank cleaning, sampling, gauging, switch loading, vacuum truck operations. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Do not taste or swallow. Avoid inhalation of vapors and spray mists. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Observe good industrial hygiene practices.
	For additional information on equipment bonding and grounding, refer to the Canadian Electrical Code in Canada, (CSA C22.1), or the American Petroleum Institute (API) Recommended Practice 2003, "Protection Against Ignitions Arising out of Static, Lightning, and Stray Currents" or National Fire Protection Association (NFPA) 77, "Recommended Practice on Static Electricity" or National Fire Protection Association (NFPA) 70, "National Electrical Code".
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Eliminate sources of ignition. Avoid spark promoters. Ground/bond container and equipment. These alone may be insufficient to remove static electricity. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Material	Туре	Value	Form
Picloram Solution	PEL	5 mg/m3	Respirable fraction
		15 mg/m3	Total dust.
Components	Туре	Value	
Acetonitrile (CAS 75-05-8)	PEL	70 mg/m3	

Components	Туре	Value
		40 ppm
US. ACGIH Threshold Limit	Values	
Material	Туре	Value
Picloram Solution	TWA	10 mg/m3
Components	Туре	Value
Acetonitrile (CAS 75-05-8)	TWA	20 ppm
US. NIOSH: Pocket Guide to	o Chemical Hazards	
Components	Туре	Value
Acetonitrile (CAS 75-05-8)	TWA	34 mg/m3
		20 ppm
logical limit values	No biological exposure limits noted	for the ingredient(s).
oosure guidelines		
US - California OELs: Skin	designation	
Acetonitrile (CAS 75-05- US - Minnesota Haz Subs: \$,	n be absorbed through the skin.
Acetonitrile (CAS 75-05- US ACGIH Threshold Limit		n designation applies.
Acetonitrile (CAS 75-05-	,	
oropriate engineering htrols	Explosion-proof general and local exhaust ventilation. Good general ventilation should be used Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommence exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.	
ividual protection measures	, such as personal protective equip	
Eye/face protection	Wear safety glasses with side shield	ds (or goggles).
Skin protection Hand protection	Wear appropriate chemical resistan	t gloves.
Other	Wear appropriate chemical resistan	t clothing. Use of an impervious apron is recommended.
Respiratory protection	limits (where applicable) or to an ac	ain airborne concentrations below recommended exposure ceptable level (in countries where exposure limits have not pirator must be worn. Dust & vapor respirator.
Thermal hazards	Wear appropriate thermal protective	e clothing, when necessary.
neral hygiene nsiderations	When using do not smoke. Keep av hygiene measures, such as washing	vay from food and drink. Always observe good personal g after handling the material and before eating, drinking, and

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	425.3 °F (218.5 °C) -49 °F (-45 °C) estimated
Initial boiling point and boiling range	178.88 °F (81.6 °C) estimated
Flash point	114.8 °F (46.0 °C) 95.0 °F (35.0 °C) 42.0 °F (5.6 °C) estimated

	-155.2 °F (-104.0 °C)		
Evaporation rate	Not available.		
Flammability (solid, gas)	Not applicable.		
Upper/lower flammability or explosive limits			
Explosive limit - lower (%)	3 % estimated		
Explosive limit - upper (%)	16 % estimated		
Vapor pressure	118.39 hPa estimated < 0.0000001 kPa at 20 °C < 0.0000001 kPa at 45 °C < 0.0000001 kPa at 35 °C		
Vapor density	Not available.		
Relative density	Not available.		
Solubility(ies)			
Solubility (water)	0.4 g/l		
Partition coefficient (n-octanol/water)	Not available.		
Auto-ignition temperature	975.2 °F (524 °C) estimated		
Decomposition temperature	419 °F (215 °C)		
Viscosity	Not available.		
Other information			
Density	0.7873 g/cm3 estimated		
Explosive properties	Not explosive.		
Flammability class	Flammable IB estimated		
Molecular formula	C6-H3-Cl3-N2-O2		
Molecular weight	241.48 g/mol		
Oxidizing properties	Not oxidizing.		
Percent volatile	99 % estimated		
Specific gravity	0.79 estimated		
VOC	100 % estimated 99 % estimated		
10. Stability and reactivity			
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.		
Chemical stability	Material is stable under normal conditions.		
Possibility of hazardous reactions	Hazardous polymerization does not occur.		
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the decomposition temperature. Avoid temperatures exceeding the flash point. Contact with incompatible materials.		
Incompatible materials	Strong oxidizing agents.		
Hazardous decomposition products	No hazardous decomposition products are known.		
11. Toxicological informat	ion		
Information on likely routes of e	xposure		
Inhalation	Toxic if inhaled.		
Skin contact	Toxic in contact with skin.		

Eye contact	Causes serious eye irritation.
Ingestion	Toxic if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Convulsions. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity	Toxic if inhaled. Toxic in contact with skin. Toxic if swallowed.			
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.			
Serious eye damage/eye irritation	Causes serious eye irritation.			
Respiratory or skin sensitizatior	1			
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected to cause skin sensitization.			
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	Not classifiable as to carcinogenicity to humans.			
 IARC Monographs. Overall Evaluation of Carcinogenicity Not listed. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. US. National Toxicology Program (NTP) Report on Carcinogens Not listed. 				
Reproductive toxicity	This product is not expected to cause reproductive or de	velopmental effects.		
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	Not classified.			
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	Prolonged inhalation may be harmful.			
12. Ecological information	I			
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
	possibility that large of frequent spills can have a harmit	I or damaging effect on the environment.		
Components	Species	Il or damaging effect on the environment. Test Results		
Acetonitrile (CAS 75-05-8)				
Acetonitrile (CAS 75-05-8) Aquatic				
Acetonitrile (CAS 75-05-8) Aquatic Acute	Species	Test Results		
Acetonitrile (CAS 75-05-8) Aquatic Acute Fish	Species LC50 Fathead minnow (Pimephales promelas)	Test Results > 100 mg/l, 96 hours		
Acetonitrile (CAS 75-05-8) Aquatic Acute Fish Persistence and degradability	Species	Test Results > 100 mg/l, 96 hours		
Acetonitrile (CAS 75-05-8) Aquatic Acute Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octan	Species LC50 Fathead minnow (Pimephales promelas) No data is available on the degradability of any ingredie ol / water (log Kow)	Test Results > 100 mg/l, 96 hours		
Acetonitrile (CAS 75-05-8) Aquatic Acute Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile	Species LC50 Fathead minnow (Pimephales promelas) No data is available on the degradability of any ingredie ol / water (log Kow) -0.34	Test Results > 100 mg/l, 96 hours		
Acetonitrile (CAS 75-05-8) Aquatic Acute Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octan	Species LC50 Fathead minnow (Pimephales promelas) No data is available on the degradability of any ingredie ol / water (log Kow)	Test Results > 100 mg/l, 96 hours nts in the mixture.		
Acetonitrile (CAS 75-05-8) Aquatic Acute Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil Other adverse effects	Species LC50 Fathead minnow (Pimephales promelas) No data is available on the degradability of any ingredie ol / water (log Kow) -0.34 No data available. The product contains volatile organic compounds which potential.	Test Results > 100 mg/l, 96 hours nts in the mixture.		
Acetonitrile (CAS 75-05-8) Aquatic Acute Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil	Species LC50 Fathead minnow (Pimephales promelas) No data is available on the degradability of any ingredie ol / water (log Kow) -0.34 No data available. The product contains volatile organic compounds which potential. IS Dispose of this material and its container to hazardous of the material under controlled conditions in an approved i containers. If discarded, this product is considered a RC	Test Results > 100 mg/l, 96 hours nts in the mixture. have a photochemical ozone creation r special waste collection point. Incinerate ncinerator. Do not incinerate sealed RA ignitable waste, D001. Dispose of		
Acetonitrile (CAS 75-05-8) Aquatic Acute Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil Other adverse effects 13. Disposal consideration	Species LC50 Fathead minnow (Pimephales promelas) No data is available on the degradability of any ingredie ol / water (log Kow) -0.34 No data available. The product contains volatile organic compounds which potential. IS Dispose of this material and its container to hazardous of the material under controlled conditions in an approved i	Test Results > 100 mg/l, 96 hours nts in the mixture. have a photochemical ozone creation r special waste collection point. Incinerate ncinerator. Do not incinerate sealed RA ignitable waste, D001. Dispose of		
Acetonitrile (CAS 75-05-8) Aquatic Acute Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions	Species LC50 Fathead minnow (Pimephales promelas) No data is available on the degradability of any ingredie ol / water (log Kow) -0.34 No data available. The product contains volatile organic compounds which potential. IS Dispose of this material and its container to hazardous or the material under controlled conditions in an approved i containers. If discarded, this product is considered a RC contents/container in accordance with local/regional/national	Test Results > 100 mg/l, 96 hours nts in the mixture. have a photochemical ozone creation r special waste collection point. Incinerate ncinerator. Do not incinerate sealed RA ignitable waste, D001. Dispose of onal/international regulations. D F		
Acetonitrile (CAS 75-05-8) Aquatic Acute Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions	Species LC50 Fathead minnow (Pimephales promelas) No data is available on the degradability of any ingredie ol / water (log Kow) -0.34 No data available. -0.34 No data available. -0.34 Dispose of this material and its container to hazardous of the material under controlled conditions in an approved i containers. If discarded, this product is considered a RC contents/container in accordance with local/regional/nati Dispose in accordance with all applicable regulations. D001: Waste Flammable material with a flash point <140 The waste code should be assigned in discussion betwee disposal company.	Test Results > 100 mg/l, 96 hours nts in the mixture. have a photochemical ozone creation r special waste collection point. Incinerate ncinerator. Do not incinerate sealed RA ignitable waste, D001. Dispose of onal/international regulations. D F		
Acetonitrile (CAS 75-05-8) Aquatic Acute Fish Persistence and degradability Bioaccumulative potential Partition coefficient n-octan Acetonitrile Mobility in soil Other adverse effects 13. Disposal consideration Disposal instructions Local disposal regulations Hazardous waste code	Species LC50 Fathead minnow (Pimephales promelas) No data is available on the degradability of any ingredie ol / water (log Kow) -0.34 No data available. -0.34 No data available. The product contains volatile organic compounds which potential. IS Dispose of this material and its container to hazardous of the material under controlled conditions in an approved i containers. If discarded, this product is considered a RC contents/container in accordance with local/regional/nati Dispose in accordance with all applicable regulations. D001: Waste Flammable material with a flash point <140 The waste code should be assigned in discussion betwee disposal company. U List: Reference	Test Results > 100 mg/l, 96 hours nts in the mixture. have a photochemical ozone creation r special waste collection point. Incinerate ncinerator. Do not incinerate sealed RA ignitable waste, D001. Dispose of onal/international regulations. D F		

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT	
UN number	UN1648
UN proper shipping name	Acetonitrile
Transport hazard class(es)	
Class	3
Subsidiary risk	
Label(s)	3
Packing group	II
	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	IB2, T7, TP2
Packaging exceptions	150
Packaging non bulk	202
Packaging bulk	242
IATA	
UN number	UN1648
UN proper shipping name	Acetonitrile
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	II
Environmental hazards	No.
ERG Code	3L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1648
UN proper shipping name	ACETONITRILE
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	II
Environmental hazards	
Marine pollutant	No.
EmS	F-E, S-D
	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not established.
Annex II of MARPOL 73/78 and	
the IBC Code	
DOT	





15. Regulatory information

US federal regulations		zardous Chemical" as def	ined by the OSHA Hazard	Communication	
	Standard, 29 CFR 19	910.1200.			
Toxic Substances Control Act (TSCA)		One or more components of the mixture are not on the TSCA 8(b) inventory or are designated "inactive".			
TSCA Section 12(b) Ex	port Notification (40 C	FR 707, Subpt. D)			
Not regulated.					
CERCLA Hazardous Substa	nce List (40 CFR 302.	4)			
Acetonitrile (CAS 75-05-8	3)	Listed.			
SARA 304 Emergency relea	se notification				
Not regulated.					
OSHA Specifically Regulate	ed Substances (29 CF	R 1910.1001-1053)			
Not listed.					
Superfund Amendments and Re		1986 (SARA)			
SARA 302 Extremely hazard	dous substance				
Not listed.					
SARA 311/312 Hazardous chemical	Yes				
Classified hazard		erosols, liquids, or solids)			
categories	Acute toxicity (any ro				
	Serious eye damage Hazard not otherwise				
SARA 313 (TRI reporting)					
OAIXA SIS (IIXI reporting)					
Chemical name		CAS number	% bv wt.		
Chemical name Acetonitrile			% by wt. 99 - 100		
Acetonitrile		CAS number 75-05-8	-		
Acetonitrile Other federal regulations	n 112 Hazardous Air P	75-05-8	-		
Acetonitrile Other federal regulations Clean Air Act (CAA) Section Acetonitrile (CAS 75-05-8	3)	75-05-8 Pollutants (HAPs) List	99 - 100		
Acetonitrile Other federal regulations Clean Air Act (CAA) Section Acetonitrile (CAS 75-05-8 Clean Air Act (CAA) Section	3)	75-05-8 Pollutants (HAPs) List	99 - 100		
Acetonitrile Other federal regulations Clean Air Act (CAA) Section Acetonitrile (CAS 75-05-8	3) n 112(r) Accidental Re	75-05-8 Pollutants (HAPs) List	99 - 100 R 68.130)		
Acetonitrile Other federal regulations Clean Air Act (CAA) Section Acetonitrile (CAS 75-05-8 Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act	3) n 112(r) Accidental Re	75-05-8 ollutants (HAPs) List lease Prevention (40 CF	99 - 100 R 68.130)		
Acetonitrile Other federal regulations Clean Air Act (CAA) Section Acetonitrile (CAS 75-05-8 Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA)	3) n 112(r) Accidental Re Contains component	75-05-8 Follutants (HAPs) List lease Prevention (40 CF (s) regulated under the Sa	99 - 100 R 68.130) Ife Drinking Water Act.	, tit. 22, 69502.3, subd.	
Acetonitrile Other federal regulations Clean Air Act (CAA) Section Acetonitrile (CAS 75-05-8 Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California. Candidate C	3) n 112(r) Accidental Re Contains component hemicals List. Safer C	75-05-8 Follutants (HAPs) List lease Prevention (40 CF (s) regulated under the Sa	99 - 100 R 68.130) Ife Drinking Water Act.	, tit. 22, 69502.3, subd.	
Acetonitrile Other federal regulations Clean Air Act (CAA) Section Acetonitrile (CAS 75-05-8 Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California. Candidate C (a)) Acetonitrile (CAS 75-05-8	3) n 112(r) Accidental Re Contains component hemicals List. Safer C	75-05-8 Follutants (HAPs) List lease Prevention (40 CF (s) regulated under the Sa	99 - 100 R 68.130) Ife Drinking Water Act.	, tit. 22, 69502.3, subd.	
Acetonitrile Other federal regulations Clean Air Act (CAA) Section Acetonitrile (CAS 75-05-8 Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California. Candidate C (a)) Acetonitrile (CAS 75-05-8 California Proposition 65 California Safe Drinking M	 An 112(r) Accidental Re Contains component hemicals List. Safer C Water and Toxic Enforce ny chemicals currently 	75-05-8 ollutants (HAPs) List lease Prevention (40 CFl (s) regulated under the Sa consumer Products Regu eement Act of 1986 (Propo listed as carcinogens or re	99 - 100 R 68.130) Ife Drinking Water Act. Ilations (Cal. Code Regs	, tit. 22, 69502.3, subd.	
Acetonitrile Other federal regulations Clean Air Act (CAA) Section Acetonitrile (CAS 75-05-8 Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California. Candidate C (a)) Acetonitrile (CAS 75-05-8 California Proposition 65 California Safe Drinking N is not known to contain a	 An 112(r) Accidental Re Contains component hemicals List. Safer C Water and Toxic Enforce ny chemicals currently 	75-05-8 ollutants (HAPs) List lease Prevention (40 CFl (s) regulated under the Sa consumer Products Regu eement Act of 1986 (Propo listed as carcinogens or re	99 - 100 R 68.130) Ife Drinking Water Act. Ilations (Cal. Code Regs	, tit. 22, 69502.3, subd.	
Acetonitrile Other federal regulations Clean Air Act (CAA) Section Acetonitrile (CAS 75-05-8 Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California. Candidate C (a)) Acetonitrile (CAS 75-05-8 California Proposition 65 California Safe Drinking V is not known to contain a more information go to w	 An 112(r) Accidental Reconstruction Contains component hemicals List. Safer C Water and Toxic Enforcency chemicals currently ww.P65Warnings.ca.go 	75-05-8 ollutants (HAPs) List lease Prevention (40 CFl (s) regulated under the Sa consumer Products Regu eement Act of 1986 (Propo listed as carcinogens or re	99 - 100 R 68.130) Ife Drinking Water Act. Ilations (Cal. Code Regs		
Acetonitrile Other federal regulations Clean Air Act (CAA) Section Acetonitrile (CAS 75-05-8 Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California. Candidate C (a)) Acetonitrile (CAS 75-05-8 California Proposition 65 California Safe Drinking M is not known to contain a more information go to w	 An 112(r) Accidental Reconstruction Contains component hemicals List. Safer C Water and Toxic Enforcency chemicals currently ww.P65Warnings.ca.go Inventory name 	75-05-8 Follutants (HAPs) List lease Prevention (40 CFI (s) regulated under the Sa consumer Products Regu eement Act of 1986 (Propo listed as carcinogens or re ov.	99 - 100 R 68.130) Ife Drinking Water Act. Ilations (Cal. Code Regs	s, tit. 22, 69502.3, subd. On inventory (yes/no)* No	
Acetonitrile Other federal regulations Clean Air Act (CAA) Section Acetonitrile (CAS 75-05-8 Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California. Candidate C (a)) Acetonitrile (CAS 75-05-8 California Proposition 65 California Safe Drinking V is not known to contain a more information go to w International Inventories Country(s) or region	 An 112(r) Accidental Reconstruction Contains component Contains List. Safer C Water and Toxic Enforcency chemicals currently Ww.P65Warnings.ca.go Inventory name Australian Inventory 	75-05-8 Follutants (HAPs) List lease Prevention (40 CFl (s) regulated under the Sa consumer Products Regu- sement Act of 1986 (Propo listed as carcinogens or re by.	99 - 100 R 68.130) Ife Drinking Water Act. Ilations (Cal. Code Regs	On inventory (yes/no)*	
Acetonitrile Other federal regulations Clean Air Act (CAA) Section Acetonitrile (CAS 75-05-8 Clean Air Act (CAA) Section Not regulated. Safe Drinking Water Act (SDWA) US state regulations US. California. Candidate C (a)) Acetonitrile (CAS 75-05-8 California Proposition 65 California Safe Drinking M is not known to contain a more information go to w International Inventories Country(s) or region Australia	 An 112(r) Accidental Reconstruction Contains component hemicals List. Safer C Water and Toxic Enforcency chemicals currently ww.P65Warnings.ca.go Inventory name 	75-05-8 collutants (HAPs) List lease Prevention (40 CFl (s) regulated under the Sa consumer Products Regu eement Act of 1986 (Propo listed as carcinogens or re ov.	99 - 100 R 68.130) Ife Drinking Water Act. Ilations (Cal. Code Regs	On inventory (yes/no) * No	

Country(s) or region	Inventory name On inven	tory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
** ** * * * * * * *		

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	04-26-2014
Revision date	02-14-2023
Version #	03
NFPA ratings	Health: 3 Flammability: 3 Instability: 0
Disclaimer	Chem Service, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.
	Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.
	This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.
	Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.
	This product is furnished FOR LABORATORY USE ONLY.