## CHEMSERVICE ....

# SAFETY DATA SHEET

## 1. Identification

Label elements

Product identifier	Triphenyl phosphate Soluti	on
Other means of identification		
ltem	S-13708T3	
Recommended use	For Laboratory Use Only	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	Chem Service, Inc.	
Address	660 Tower Lane	
	West Chester, PA 19380	
	United States	
Telephone	Toll Free	800-452-9994
	Direct	610-692-3026
Website	www.chemservice.com	
E-mail	info@chemservice.com	
Emergency phone number	Chemtrec US	800-424-9300
	Chemtrec outside US	+1 703-527-3887
2. Hazard(s) identification		

()		
Physical hazards	Flammable liquids	Category 2
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2B
	Carcinogenicity	Category 2
	Specific target organ toxicity, single exposure	Category 3 respiratory tract irritation
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	



	$\mathbf{v}$ $\mathbf{v}$ $\mathbf{v}$
Signal word	Danger
Hazard statement	Highly flammable liquid and vapor. Causes skin irritation. Causes eye irritation. May cause respiratory irritation. Suspected of causing cancer.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. Call a poison center/doctor if you feel unwell. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to extinguish.

Storage	Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Not applicable.

### 3. Composition/information on ingredients

**Mixtures** 

Chemical name	Common name and synonyms	CAS number	%
t-Butyl methyl ether		1634-04-4	99.95
Triphenyl phosphate		115-86-6	0.05

#### 4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Highly flammable liquid and vapor.

Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Keep combustibles (wood, paper, oil, etc.) away from spilled material.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Vapors may form explosive mixtures with air. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Do not smoke. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid breathing mist or vapor. Avoid contact with skin. Avoid contact with eyes. Avoid prolonged exposure. Avoid contact with clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Refrigeration recommended. Store away from incompatible materials (see Section 10 of the SDS). Keep in an area equipped with sprinklers.

## 8. Exposure controls/personal protection

115-86-6) US. ACGIH Threshold Limit Values Components t-Butyl methyl ether (CAS 1634-04-4) Triphenyl phosphate (CAS 115-86-6) US. NIOSH: Pocket Guide to Chemical Haza Components Triphenyl phosphate (CAS 115-86-6)	PEL Type TWA TWA ards Type TWA	3 mg/m3 Value 50 ppm 3 mg/m3 Value 3 mg/m3
Components t-Butyl methyl ether (CAS 1634-04-4) Triphenyl phosphate (CAS 115-86-6) US. NIOSH: Pocket Guide to Chemical Haza Components Triphenyl phosphate (CAS 115-86-6)	TWA TWA ards Type	50 ppm 3 mg/m3 Value
1634-04-4) Triphenyl phosphate (CAS 115-86-6) <b>US. NIOSH: Pocket Guide to Chemical Haza</b> <b>Components</b> Triphenyl phosphate (CAS 115-86-6)	TWA ards Type	3 mg/m3 Value
115-86-6) US. NIOSH: Pocket Guide to Chemical Haza Components Triphenyl phosphate (CAS 115-86-6)	ards Type	Value
Components Triphenyl phosphate (CAS 115-86-6)	Туре	
Triphenyl phosphate (CAS 115-86-6)		
115-86-6)	TWA	3 mg/m3
elegies limit values No biological o		
ological limit values No biological e	exposure limits noted for the ingredie	ent(s).
kposure guidelines		
US - California OELs: Skin designation		
Triphenyl phosphate (CAS 115-86-6)	Can be absorbed t	through the skin.
ontrols changes per h applicable, use maintain airboi established, m	Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.	
dividual protection measures, such as persor	nal protective equipment	
Eye/face protection Wear safety gl	asses with side shields (or goggles)	

Other	Wear appropriate chemical resistant clothing.
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

5. Filysical and chemical p	hoperiles
Appearance	
Physical state	Liquid.
Form	Liquid
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-163.48 °F (-108.6 °C) estimated
Initial boiling point and boiling range	131.36 °F (55.2 °C) estimated
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	333.3 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.74063 g/cm3 estimated
Specific gravity	0.74 estimated
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful. May cause irritation to the respiratory system.
Skin contact	Causes skin irritation.
Eye contact	Causes eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain.

#### Information on toxicological effects

May cause respiratory irritation. Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

	<b>3 ,</b>	
Components	Species	Test Results
t-Butyl methyl ether (CAS 1634-04	4-4)	
Acute		
Dermal		
LD50	Rabbit	> 10000 mg/kg
	Rat	> 2000 mg/kg
Inhalation		
LC50	Rat	85 mg/l, 4 Hours
Oral		
LD50	Rat	> 2000 mg/kg
		4 ml/kg
Other		
LD50	Rabbit	> 10 ml/kg
Triphenyl phosphate (CAS 115-86	6-6)	
Acute		
Dermal		
LD50	Rabbit	> 7900 mg/kg, 24 Hours
		> 7.9 g/kg
Oral		
LD50	Chicken	> 5 g/kg
	Guinea pig	> 4000 mg/kg
	Mouse	> 5000 mg/kg
		1.3 g/kg
	Rat	> 5000 mg/kg
		3.8 g/kg
	be based on additional component data not	shown.
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes eye irritation.	
Respiratory or skin sensitizatio	n	
Respiratory sensitization	Not available.	
Skin sensitization	This product is not expected to cause sk	
Germ cell mutagenicity	No data available to indicate product or a mutagenic or genotoxic.	any components present at greater than 0.1% are
Carcinogenicity	Suspected of causing cancer.	

#### IARC Monographs. Overall Evaluation of Carcinogenicity t-Butyl methyl ether (CAS 1634-04-4)

3 Not classifiable as to carcinogenicity to humans.

US. National Toxi	cology Program	(NTP) Report	t on Carcinogens
-------------------	----------------	--------------	------------------

Not available.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

Not hotou.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Respiratory tract irritation.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.

## 12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

omponents		Species	Test Results
Butyl methyl ether (C	AS 1634-04-4)		
Aquatic			
Fish	LC50	Fathead minnow (Pimephales promelas)	672 mg/l, 96 hours
iphenyl phosphate (	CAS 115-86-6)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	0.86 - 1.2 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	0.31 - 0.41 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

Persistence and degradability Bioaccumulative potential	No data is available on the degradability of this product. No data available.	
Partition coefficient n-octan		
t-Butyl methyl ether	0.94	
Triphenyl phosphate	4.59	
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	

## 13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

DOT

UN number UN proper shipping name Transport hazard class(es)	UN2398 Methyl tert-butyl ether, solution (t-Butyl methyl ether RQ = 1001 LBS)
Class	3

Special provisions Packaging exceptions	- 3 II Read safety instructions, SDS and emergency procedures before handling. IB2, T7, TP1 150
Packaging non bulk	202
Packaging bulk	242
ΙΑΤΑ	
UN number	UN2398
UN proper shipping name Transport hazard class(es)	Methyl tert-butyl ether solution (t-Butyl methyl ether)
Class	3
Subsidiary risk	-
Packing group	II
Environmental hazards	No.
ERG Code	3L
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Other information	
Passenger and cargo aircraft	Allowed.
Cargo aircraft only	Allowed.
IMDG	
UN number	UN2398
UN proper shipping name	METHYL tert-BUTYL ETHER solution (t-Butyl methyl ether)
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Packing group	Ш
Environmental hazards	
Marine pollutant	No.
EmS	F-E, S-D
	Read safety instructions, SDS and emergency procedures before handling.
Transport in bulk according to	Not available.
Annex II of MARPOL 73/78 and	
the IBC Code	
DOT	

FLAMMABLE

IATA; IMDG

## 15. Regulatory information

15. Regulatory information	1		
US federal regulations	This product is a "Hazardous Standard, 29 CFR 1910.120 All components are on the L	0.	ed by the OSHA Hazard Communication ntory List.
TSCA Section 12(b) Export I	Notification (40 CFR 707, Su	bpt. D)	
Not regulated.			
CERCLA Hazardous Substa	· · · ·		
t-Butyl methyl ether (CAS		Listed.	
Triphenyl phosphate (CAS SARA 304 Emergency releas	,	Listed.	
Not regulated.			
US. OSHA Specifically Regu	lated Substances (29 CFR 1	910.1001-1050)	
Not listed.			
Superfund Amendments and Re	authorization Act of 1986 (S	ARA)	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazard	-		
Not listed.			
SARA 311/312 Hazardous chemical	No		
SARA 313 (TRI reporting)			
Chemical name		CAS number	% by wt.
t-Butyl methyl ether		1634-04-4	99.95
Other federal regulations			
Clean Air Act (CAA) Section	112 Hazardous Air Pollutan	ts (HAPs) List	
t-Butyl methyl ether (CAS Triphenyl phosphate (CAS Clean Air Act (CAA) Section	S 115-86-6)	Provention (40 CEP	68 130)
Not regulated.	Tiz(I) Accidental Nelease I		00.100)
Safe Drinking Water Act	Not regulated.		
(SDWA)			
US state regulations			
US - New Jersey RTK - Subs	tances: Listed substance		
t-Butyl methyl ether (CAS Triphenyl phosphate (CAS	S 115-86-6)		
	bstances. CA Department o	f Justice (California	a Health and Safety Code Section 11100)
Not listed. US. California. Candidate Cf (a))	nemicals List. Safer Consum	er Products Regula	ations (Cal. Code Regs, tit. 22, 69502.3, subd.
t-Butyl methyl ether (CAS Triphenyl phosphate (CAS			
US. Massachusetts RTK - Su			
t-Butyl methyl ether (CAS			
Triphenyl phosphate (CAS US. New Jersey Worker and		Act	
t-Butyl methyl ether (CAS		ACI	
US. Pennsylvania RTK - Haz	ardous Substances		
t-Butyl methyl ether (CAS Triphenyl phosphate (CAS			
US. Pennsylvania Worker ar	,	w Law	
t-Butyl methyl ether (CAS Triphenyl phosphate (CAS			
US. Rhode Island RTK			
Triphenyl phosphate (CAS	S 115-86-6)		

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

,	<b>5 1 1</b>
Issue date	08-09-2014
Revision date	06-21-2017
Version #	03
NFPA ratings	Health: 2 Flammability: 3 Instability: 0
Disclaimer	The above information is believed to be correct on the date it was last revised and must not be considered all inclusive. The information has been obtained only by a search of available literature and is only a guide for handling the chemicals. OSHA regulations require that if other hazards become evident, an upgraded SDS must be made available to the employee within three months. RESPONSIBILITY for updates lies with the employer and not with CHEM SERVICE, Inc.
	Persons not specifically and properly trained should not handle this chemical or its container. This product is furnished FOR LABORATORY USE ONLY! Our products may NOT BE USED as drugs, cosmetics, agricultural or pesticide products, food additives or as household chemicals.
	This Safety Data Sheet (SDS) is intended only for use with Chem Service, Inc. products and should not be relied on for use with materials from any other supplier even if the chemical name(s) on the product are identical! Whenever using an SDS for a solution or mixture the user should refer to the SDS for every component of the solution or mixture. Chem Service warrants that this SDS is based upon the most current information available to Chem Service at the time it was last revised. THIS WARRANTY IS EXCLUSIVE, AND CHEM SERVICE, INC. MAKES NO OTHER WARRANTY, EXPRESSED OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. This SDS is provided gratis and CHEM SERVICE, INC. SHALL NOT BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR CONTINGENT DAMAGES.
	Copyright © 2000-2014 Chem Service, Inc. All rights reserved except that this SDS may be printed for the use of a customer or prospective customer of Chem Service, Inc provided the entire SDS is printed. The SDS may not be placed in any database or otherwise stored or distributed in electronic or any other form.
	This product is furnished FOR LABORATORY USE ONLY.